

*All rights reserved.
*Copyright is owned by KIN LONG.
* Printed in January,2024.

KINLONG

KIN LONG
For Better Living

Shower Enclosure Typical Product Catalogue



Shower Enclosure Typical Product Catalogue



Guangdong Kinlong Hardware Products Co.,Ltd.
NO.3 Jianlang RD,Daping Industrial Zone,Tangxia Town,Dongguan City,China
T: 0086-769-82166666 82136666
F: 0086-769-82955240 82955241
E: mail@kinlong.com
H: www.kinlong.com

www.kinlong.com

STOCK CODE: 002791

TO IMPROVE THE HUMAN
BEING'S LIVING CONDITIONS AND
MAKE KINLONG THE SYNONYM
FOR HIGH-QUALITY.

More than **900,000**_{m²}
production area.

More than **60** subsidiaries.

More than **1000** sales offices both
in domestic and overseas .

More than **16,000** employees.

ESTABLISHING BENCHMARK AND PURSUING EXCELLENCE

Kinlong was established in 2003 and is a company engaged in design and research, manufacturing and sales of construction and building products. We are committed to provide high-quality products and services. After years of development, Kinlong has become a reputable brand in the construction industry.

Kinlong industrial park has an area of more than 900,000 square meters and has an employment of more than 16000 staff. Kinlong owns more than 60 subsidiaries, and with over 1000 sales branches in the domestic and overseas markets. The company has more than 20,000 categories of products, which has been sold to more than 100 countries and areas. Kinlong, with it's sophisticated production management, provides customers with integrated solutions for different functional buildings.

Focusing on providing integrated construction and building accessories and diversified products, Kinlong continues to meet customer needs and market changes with the sales model of "R&D + manufacturing + service", and sets up its own marketing networks to directly provide customers with products and technical services. With years of precipitation and accumulation, Kinlong is at the forefront of the industry.

Over the years, Kinlong has been embracing the philosophy of "Unique value is created by professionalism, but no future shall be created by speculation". This has made Kinlong standing on the leading position in construction hardware market. Kinlong has provided products and services for many famous buildings around the world, and the landmark buildings of countless cities have become the pride and glory of Kinlong people.

To every designer, engineer and company committed in construction industry, Kinlong is always the most trustworthy and reliable partner.

Social Responsibility



For more than ten years, Kinlong has not forgotten to give back to the society while developing itself. By the end of 2023, more than 90 kinlong social charity schools have been donated and built in remote and backward areas.



INNOVATION AND ENTERPRISING INDUSTRY BENCHMARK

KINLONG KEEPS MAKING
PROGRESS BY INNOVATION, BY
WHICH WE HAVE OBTAINED
RECOGNITION AND HIGH PRAISE
FROM STATE
DEPARTMENTS,GOVERNMENT
UNITS AND SECTORS .



1000 patents,among them
100 of invention patents.

Participate **200** industrial standards
compile.

ENTERPRISE REPRESENTATIVE HONOR

Second Prize in National Science and Technology Progress Award

First Prize in Huaxia Construction Science and Technology Award

Second Prize in Huaxia Construction Science and Technology Award

Special Prize in China Steel Structure Association Science and Technology Award

First Prize in China Steel Structure Association Science and Technology Award

Innovation Award in China Steel Structure Association Science and Technology Award

The most influential brand of Jinxuan Award in the construction door, window and curtain wall industry for four consecutive sessions;

2021 TOP500 Preferred Supplier of Comprehensive Strength of Chinese Real Estate Development Enterprises-Smart Community Service Category

National High-Tech Enterprise

.....

REPRESENTATIVE R&D INNOVATION HONOR

National Intellectual Property Demonstration Enterprise

Laboratory center approved by the National Accreditation Board

Guangdong Provincial Enterprise Technology

Center and Provincial Engineering Center

.....

Kinlong adheres to the philosophy that Unique value can only be created by professionalism,speculation has no future. Our enterprise core value is to respect Respecting science; Striving for coexistence and all-win; Promoting constant innovation; Pursuing sincerity and trustworthiness. and we always insist making innovation, breaking through and making progress, increasing our capacity of research, by which we have obtained recognition and praise from government departments, units and all areas in the society and get many achievements. We pay great attention to the needs from our customers and the prospect of our industry, consistently pursuing perfect, good quality, excellent service and systematic solutions. Our quick and accurate ability of handing over are always leading the market.

KINLONG IS LEADING THE
MARKET BY GOOD QUALITY,
EXCELLENT SERVICE,
SYSTEMATIC SOLUTIONS AND
QUICK AND ACCURATE ABILITY
TO DELIVER THE GOODS.



To Form a Full-chain Comprehensive Advantage



Quality Comes from Profession




Management system certificated by ISO9001,ISO14001 of BSI.Test Laboratory accredited by the China National Accreditation Service of Conformity Assessment(CNAS).

International Supply Chain to Guarantee Better and Better Service



Kinlong owned more than 1000 sales outlets at home and abroad, with a sales team of more than 6,000 staff to provide customers with rapid response. With more than 30 offices,10 subsidiaries,15 warehoused overseas market, and more will be set up.

PROJECT PROCESS NODES



Advantages of Kinlong Shower Enclosure



Product Advantages

- Glass: Made of automotive grade tempered glass with a crushing particle count of ≥ 50 , which is higher than the national standard 40, making it safer;
- Stainless steel material: chromium 18 or above that fully complies with national standards; Nickel above 8, corrosion-resistant;
- Aluminum alloy material: using 6063 international brand, high density, good hardness, sturdy and durable;
- Hinge lifespan ≥ 50000 times, exceeding the standard lifespan of 30000 times, to prevent sagging;
- Pulley: Smooth, silent, with a lifespan of over 100000 times, durable and long-lasting;
- Sealing strip: imported raw materials, without adding recycle materials, resistant to aging;
- Eliminate ordinary glass silicone and provide exclusive use of anti mold sealing glass silicone, which does not mold and ensures better quality;
- The hardware components are of good quality and high popularity, and are often designated by Party A.



Service Advantages

- Quick response to proposals and quotations; Offer reasonable configuration and best price;
- Fast delivery of samples and orders. Cooperate in emergency situations;
- Product insurance+installation and construction insurance, dual insurance, making customers more confident;
- Full time project manager+professional, standardized, and efficient construction team to ensure project progress, quality and safety;
- Provide comprehensive hardware solutions (shower enclosure+bathroom hardware) to improve efficiency and reduce costs for customers;
- Professional quality assurance, lifelong service, localized sales+service team, worry free service;
- Focusing on the integrated research and development, manufacturing, sales, installation and construction of "shower rooms+bathroom hardware" in the engineering field.



Technology

- Editor in Chief Standard: JG/T 427-2014 General Technical Requirements for Residential Bathroom Hardware Accessories;
- Participating standard: QB/T 2584-2023 Shower Room Standard;
- Compilation standard: JG/T 326-2011 Hardware for Hinged Glass Doors;
- Participating standard: QB/T 5280-2018 Glass Door Hinge;
- Edited the technical manual of "Indoor Detailed Design Dataset - Bathroom Design" by China Construction Industry Press;
- National level CNAS laboratory;
- Zhongshan Engineering Technology Center, Guangdong Province.



01 SOLUTION SPACE



Fresh colors, colorful feelings, fragrant breath, simple life is different.






HOTEL SHOWER ENCLOSURE


Space type: Hotel scene

Matching scheme: Shower enclosure, shower faucet, basin faucet, bathtub faucet, angle valve, floor drain, soap dispenser, hanging basket, electric towel rack, bath towel rack, towel rack, clothes hook, hook rack, makeup mirror, clothes dryer, folding clothes hanger, hair dryer, perfume dispenser and other product combinations.


Integrated Products




WFJ21010
Towel rack




WFJ21010
Shelf




WFJ2101A
Clothes dryer




WDQ10060
Hair drier




WFJ51010
Perfume dispenser




WFJ41020
Induction soap dispenser




WYG20040-3
Hook rack




WWG65100
Clothes hook




WDL2018A
Floor drain



WSZ71963
Angle valve



WDL60280
Long floor drain











WSZ37510
Floor to floor
bathtub faucet



FINE DECORATION SHOWER ENCLOSURE

Space type: Fine decoration
Matching scheme: Shower enclosure, shower mixer, washbasin mixer, vegetable basin faucet, sink, angle valve, small faucet, floor drain, hanging basket, electric towel rack, kitchen shelf, bath towel rack, towel rack, clothes hook and other product combinations.

Integrated Products

 WWG70230-3 Electric towel rack	 WSZ19600 Basin mixer
 WWG65100 Clothes hook	 WWG65040 Towel rack
 WDL2017C Ultra thin floor drain	 WDL206XC Ultra thin floor drain
 WSZ7110C Angle valve	 WSZ8102B Bib tap



SCHOOL SHOWER ENCLOSURE

Space type: School scene
Matching scheme: Shower enclosure, shower mixer, basin faucet, sensing faucet, angle valve, small faucet, floor drain, hanging basket, towel rack, towel rack, towel box, clothes hook product combination.


Integrated Products



WSZ45982
Induction faucet



WSZ3924A
Shower mixer



WGL14010
Hanging basket



WZH30060
Tissue box



WSZ8102B
Bib tap



WYG10050-5
Hook rack



WDL2017C
Ultra thin floor drain



WSZ7103B
Angle valve



KITCHEN APPLICATION SCENARIOS

Space type: Kitchen scene
Matching scheme: Panoramic door, vegetable basin faucet, sink, angle valve, floor drain, kitchen shelf and other product combinations.

Integrated Products



WCP12170
Water Sink



WYG11080
Kitchen racks



WSZ42192
Vegetable
basin mixer



WSZ43220
Vegetable
basin mixer



WDL2017C
Ultra thin floor drain




WSZ71940
Angle valve




BARRIER-FREE SPACE

Space type: Barrier-free scene
 Matching scheme: safety handrail, tissue box, bathroom stool, baby table and other product combinations.


Integrated Products




WFS12050
Safety handrails




WFS12040
Safety handrails




WFS13050
Safety handrails




WFS11050
Safety handrails



WZH30060
Tissue box



WDQ20040
Hand Dryer











WFG41020
Baby crib



HOSPITAL SCENE

Space type: Hospital scene
Matching plan: Shower enclosure, shower faucet, basin faucet, towel rack, tissue holder, staircase handrail, corridors handrail, hand dryer, sterilizer, soap dispenser, ultra-thin floor drain and other product combinations.

Integrated Products	
 WFS31020 Safety handrails	 WFS22010 Corridors handrail
 WZH10150 Tissue holder	 WYG10050-5 Hook rack
 WDQ20040 Hand dryer	 WFJ51010 Perfume dispenser
 WDL2017C Ultra thin floor drain	 WZH2004A Handpaper box



Description of glass screen identification

TEMPERED GLASS

  **GB 15763.2**
E000000 ZSBIA **QB/T 2584**

TEMPERED GLASS

  **GB 15763.2**
E000000 ZSBIA **QB/T 2584**

 **GB 15763.2**
ZSBIA **QB/T 2584**

GB 15763.2  National standard: Safety Glass for Building Part 2: Tempered Glass

QB/T 2584  Industry standard: Shower Room

Technology

304

Stainless steel 304 profile

It has a strong touch and strong metal texture, which is a very fashionable shower room material. Produced in strict accordance with American ASTM standards, it has excellent bearing capacity, is not easy to deform and has strong corrosion resistance. Perfect display of polished 8K mirror effect, lasting brightness as new.



High-performance hardware technology

Both the main body and accessories are made of top-grade S.S.304 raw materials. By the process of integrated precision casting molding, repeated polishing and grinding, hardware is corrosion resistance, high hardness, safety, and durable.



Vacuum electroplating technology

Using the superb PVD vacuum electroplating process, the surface of high-gloss plating hardware accessories is as bright as new, never fading, strong corrosion resistance, not only has the best texture, but also has a long service life.



Pulley technology

Power system composed of high-strength stainless steel bearings and high-quality imported steel balls is outsourced with modified POM and imported materials, with lubrication function. The wheel seat is sealed to prevent air and water from entering, and the pulley can run smoothly for a long time to prevent jumping and jamming. After the sliding test of the movable door, the service life can reach several decades. Durable and long-lasting.



Tempered glass process

Full-automatic glass cutting machine, advanced computer operation interface, laser positioning, the latest European algorithm, automatic typesetting optimization, high-precision cutting, rough grinding, fine grinding, polishing, chamfering and other processes are processed at one time. The advanced glass tempering furnace adopts the physical tempering method for tempering treatment to improve the strength of glass and ensure the safety of glass.



PET Safety explosion-proof membrane

Imported PET material can increase the strength of glass a few times. Even if the glass bursts due to a high-strength external force, glass fragments will still stick together firmly, which will guarantee your safety.



PVC sealing strip


It is produced by the continuous vulcanization process of food-grade raw material extrusion molding technology. It is used in sanitary products with reasonable design, waterproof and dustproof, bright color, durability, aging resistance, acid and alkali resistance, and fine and glossy section.



Stone base

Clone natural stone base is made of high-performance resin, natural powder and PVC raw materials through vacuum, high pressure and temperature extrusion molding. The new formula has strong toughness and hollow design. It is strong and durable, not easy to break, and lighter. The UV microcrystalline surface is delicate and soft, with clear texture and bright

Shower room product model description



Contents



Minimalist
fashion,
defining a
new style

Panoramic door type	
LG001	P.22
LG002	P.25
LG003	P.29
LG004	P.33
LG005	P.35
LG006	P.37

Hinge type	
GH001	P.57
LH041	P.69
LH042	P.75
LH901	P.83
LH005	P.93
LH003	P.101
LH001	P.111

Shaft type	
GZ001	P.41
LZ049	P.123
LZ081	P.127
LZ041A	P.133
LZ002	P.139

Double Sliding type	
GS001	P.65
LS011	P.147
LS049	P.151
LS048	P.157
LS046A	P.161
LS002	P.165
LS010	P.171
LS052	P.173

Single Sliding type	
GD001	P.51
LD048	P.177
LD042	P.181

Linkage door type	
LL044	P.188
LL044A	P.189
LL005	P.191
LL005A	P.193
LL045	P.196
LL041	P.197
LL003	P.199

Sliding door type	
LT005	P.203
LT040A	P.211
LT045	P.215

Folding phylum	
LB001	P.221



Panoramic Door Type


...



Aesthetic Space



Combination of living room and kitchen
The top design is completed in one go
Narrow the border, fine and warm
Present a full space effect for the living room





Suitable for different scenarios
Redefining high end style



Parlor



kitchen



Indoor balcony





Study




LGS00122 Standard specification: 1400x2200mm
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional configuration: Double pack, single pack, surface mounted, conceal mounted





LGS00121 Standard specification: 1400x2200mm
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional configuration: Double pack, single pack, surface mounted, conceal mounted



LGS00111 Standard specification: 800x2200mm
Customized range: L:600-1200mm, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional configuration: Surface mounted, conceal mounted



Panoramic door type

Panoramic door type



Fill the Space



Aluminium alloy

Extremely narrow line aesthetic realm
Extreme open space experience
Art and function coexist
Redefining modern home



Matte black



Gun grey



Enamel white



Brushed gold




Panoramic door type




Reverse linkage push-pull smooth synchronous opening and closing


Adapt to different scenarios and redefine the high setting style

- 


Parlor




kitchen




Indoor balcony



Study



Multi-function room



Cloakroom




Italian simple aluminum handle

Slender lines and more secluded design

Same direction linkage steadily opens the door space to 65%

SEEKING
NEW PLACE



Panoramic door types

LGS00232

Standard specification: 1800x2200mm


Customized range: L:1500-3500, H:2000-2400mm

Product material: Aluminum Alloy

Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold

Glass thickness: 8/10mm

Optional configuration: Double pack, single pack, surface mounted, conceal mounted



LGS00242

Standard specification: 2000x2200mm


Customized range: L:2000-3500, H:2000-2400mm

Product material: Aluminum Alloy

Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold

Glass thickness: 8/10mm

Optional configuration: Double pack, single pack, surface mounted, conceal mounted



LGS00264

Standard specification: 2000x2000x2200mm


Customized range: L:1500-3500, H:2000-2400mm

Product material: Aluminum Alloy

Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold

Glass thickness: 8/10mm

Optional configuration: Surface mounted,conceal mounted






Balance of Control



Immersive living space
Delighting yourself in a wide range of
circumstances and being simple and
comfortable
Balance stability and beauty
Create eye-catching focus
Reflecting poetic and dynamic space





Immersive solitary living space
The wider of hear in yourself, the more of simple at ease
Balance stability with beauty
Create the focus of personal attention
Reflecting the poetic and flexible space

Track-type sliding door, stable and beautiful

Adapt to different scenarios and redefine the high setting style



Parlor



kitchen



Indoor balcony




Study



Multi-function room



Cloakroom




SEEKING
NEW PLACE

Return type handle with locking tongue, pop up and hide as you like

LGS00322

Standard specification: 1400x2200mm
Customized range: L:1200-2400, H:2000-2400mm


Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional configuration: Double pack, single pack, surface mounted



LGS00311

Standard specification: 800x2200mm
Customized range: L:600-1200, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional configuration: Double pack, single pack, surface mounted






Meticulous Care




Classic shape will make you feel as if you could see the reversal of time. With more meticulous care , your family will feel more comfortable and warm.



LGS00433

Standard specification: 1800x2200mm
Customized range: L:1600-3600, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional configuration: Double pack, single pack, normal



Adapt to different scenarios and redefine the high setting style



Parlor



kitchen



Indoor balcony



Study



Multi-function room




Cloakroom



Charm Space



A beam of light, hit on the glass, sketched an outline, alternating light and dark, indistinct, like telling a distant and beautiful past, let the master inadvertently dream back to the past.



Adapt to different scenarios and redefine the high setting style




Multi-function room



Cloakroom




Toilet



LG00511

Standard specification: 800x2200mm
Customized range: L:650-900, H:1900-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional configuration: Double cover, single cover



Panoramic door type


Panoramic door types




Life realm



Soft rain, like smoke and fog, like light gauze at dawn, is like in Bolivian's dumb sky, intoxicated with the selfless, comfortable, free and unrestrained realm of life.




Adapt to different scenarios and redefine the high setting style



LGS00622

Standard specification: 900x2200mm
Customized range:L:800-1200, H:2000-2400mm


Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional configuration: Ouble glass 4+4, double glass 5+5




LGS00644

Standard specification: 1800x2200mm
Customized range:L:1600-2000, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional configuration: Ouble glass 4+4, double glass 5+5







Simplicity and purity



One door for two purposes: Unique shaft structure can easily realize 240° internal and external door opening.

Minimal: 25mm on the front of the upper track

Safety: Glass edge metal wrap, multiple safety protection.



This series can be used for both inner and outer door opening





Enjoy a
Romantic
Life Quietly



Simplicity and Purity









GZT00141 Standard specification: 2000x900x2200mm
Customized range: L:1600-2200, W:800-1200mm, H:1850-2400

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Brushed gold
Glass thickness: 8/10mm
Optional stone base: 50x60mm




GZS00131 Standard specification: 1400x2000mm
Customized range: L:1200-1600, H:1850-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Brushed gold
Glass thickness: 8/10mm
Optional stone base: 50x60mm




GZL00131 Standard specification: 1000x800x2200mm
Customized range: L:900-1500, W:800-1200, H:1850-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Brushed gold
Glass thickness: 8/10mm
Optional stone base: 50x60mm




GZS00121 Standard specification: 1000x2200mm
Customized range: L:800-1500, H:1850-2400mm


Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Brushed gold
Glass thickness: 8/10mm
Optional stone base: 50x60mm



GZT00152 Standard specification: 2000x800x2000mm
Customized range: L:2000-3000, W:800-1200, H:1850-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Brushed gold
Glass thickness: 8/10mm
Optional stone base: 50x60mm





Fill the space with simplicity



Buffer damping: Can be installed with buffer damping, buffer door closing, anti-pinch hand
Minimal: 26mm from the front view of the upper rail
Safety: Glass edge metal wrap, multiple safety protection








GDS00121

Standard specification: 1200x2000mm
 Customized range: L:1200-1500, H:1850-2400mm


Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



GDS00131

Standard specification: 1600x2000mm
 Customized range: L:1500-1800, H:1850-2400mm


Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



GDL00131

Standard specification: 1400x900x2000mm
 Customized range: L:1200-1500, W:800-1200, H:1850-2400mm


Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



GDT00141

Standard specification: 2200x900x2000mm
 Customized range: L:2000-3000, W:800-1200, H:1850-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm






Smart simplicity



Concealed hinge: The hinge is Concealed and not exposed, with strong bearing capacity
Minimal: 20mm on the front face of the upper track
Safety: Glass edge metal wrap, multiple safety protection



This series is exterior door








GHS00121

Standard specification: 1000x2000mm
Customized range: L:900-1500, H:1850-2400mm


Product material: Aluminum Alloy
Surface treatment: Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



GHS00131

Standard specification: 1400x2000mm
Customized range: L:1200-1600, H:1850-2400mm


Product material: Aluminum Alloy
Surface treatment: Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



GHL00131

Standard specification: 1200x900x2000mm
Customized range: L:900-1500, W:800-1200, H:1850-2400mm


Product material: Aluminum Alloy
Surface treatment: Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



GHT00152

Standard specification: 2000x900x2000mm
Customized range: L:1900-2500, W:800-1200, H:1850-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm





Poetry of simple residence





Ground rail sliding door: adjustable lower support bearing structure, smooth sliding
Minimal: 25mm on the front of the upper track
Safety: glass edge metal wrap, multiple safety protection.



GSS00122 Standard specification: 1400x2000mm
Customized range: L:1200-1600, H:1850-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm







Internal and external hinge



Nobility is not the luxury of material, not the luxury of life, but the attitude and personality of life. The noble honor of the classic series meets the needs of bathroom life, and is also a business card that reflects your identity.



This series can be both open-out or open-in door






Hinge type

Hinge type




LHS04121 Standard specification: 1000x2000mm
Customized range: L:900-1400mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHS04131 Standard specification: 1400x2000mm
Customized range: L:1200-1500mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHP04131 Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHL04131 Standard specification: 1200x900x2000mm
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHT04152 Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm





Total package box



Nobility is not the luxury of material, not the luxury of life, but the attitude and personality of life. The noble honor of the classic series meets the needs of bathroom life, and is also a business card that reflects your identity



This series is exterior door



Hinge type

SEEKING
NEW PLACE



Hinge type

Hinge type




Hinge type

LHS04211

Standard specification: 800x2000mm
Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8/10mm
Optional stone base: 50x60mm



LHS04221A

Standard specification: 1000x2000mm
Customized range: L:900-1400mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8/10mm
Optional stone base: 50x60mm



LHS04221B

Standard specification: 1000x2000mm
Customized range: L:800-1400mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8/10mm
Optional stone base: 50x60mm



LHS04231

Standard specification: 1400x2000mm
Customized range: L:1200-1500mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LHP04231

Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LHL04231

Standard specification: 1200x900x2000mm
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LHT04252

Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm





Elegant Unique



Nobility is not the luxury of material, not the luxury of life, but the attitude and personality of life. The noble honor of the classic series meets the needs of bathroom life, and is also a business card that reflects your identity



This series can make in open-out or open-in door





Hinge type



Hinge type

PURIFIED WORLD,
CAREFREE ENJOYMENT

Hinge type



ETERNALLY
BLOOMS IN TIME

ELEGANCE



Hinge type

Hinge type




Hinge type



LHS90111

Standard specification: 800x2000mm
Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHS90121

Standard specification: 1000x2000mm
Customized range: L:800-1400mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHS90131

Standard specification: 1500x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHP90131

Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHL90131

Standard specification: 1200x900x2000mm
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHL90141

Standard specification: 1500x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHU90141

Standard specification: 1200x900x900x2000mm
Customized range: L:900-1300mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHU90151

Standard specification: 1500x900x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHT90152

Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHF90162

Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHE90172

Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm





Beautiful space



Home is a port. On every evening when you return home, you should feel comfortable at the first time. To enjoy life is to have the most comfortable experience.





This series can be open-out or open-in door





PERFECT
FEELING



- Product features:
- The glass does not need to be cut, greatly reducing the risk of self-explosion;
 - The water retaining strip does not need to be cut, and it is installed in a through-type manner to achieve perfect dry-wet separation





THE DESIGN CONCEPT ORIGINATED FROM NATURE, MAKES SUNSHINE ,


green plant, shower space to be integrated with each other and create a lively atmosphere, people can enjoy the intimate experience brought from water and nature.

Based on the design concept of nature, sunshine, green plants and shower space are integrated into each other, creating a fresh atmosphere where people can enjoy the intimate experience brought by water and nature.




LHS00511 Standard specification: 800x2000mm
Customized range: L:700-900mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHS00521 Standard specification: 1000x2000mm
Customized range: L:800-1400mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHS00531 Standard specification: 1500x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHP00531 Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHL00531 Standard specification: 1200x900x2000mm
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHL00541 Standard specification: 1500x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHU00541 Standard specification: 1200x900x900x2000mm
Customized range: L:900-1300mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHU00551 Standard specification: 1500x900x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHT00552 Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm




LHF00562 Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LHE00572 Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm





Classic Trend



Behind every product, there is a story. From design to production, it is the formation and recognition of product personality and style. Every process is forged with a high level of quality and texture.



This series is exterior door





Hinge type



Hinge type

INTIMATE
EXPERIENCE



RATIONALITY
AND SENSITIVITY



Hinge type



CREATE
QUALITY MODEL



Hinge type

LHS00311

Standard specification: 800x2000mm
Customized range: L:700-900mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHS00321

Standard specification: 1000x2000mm
Customized range: L:800-1400mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHS00331

Standard specification: 1500x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHP00331

Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHL00331

Standard specification: 1200x900x2000mm
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHL00341

Standard specification: 1500x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHU00341

Standard specification: 1200x900x900x2000mm
Customized range: L:900-1300mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHU00351

Standard specification: 1500x900x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHT00352

Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHF00362

Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open

LHE00372

Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 mm
Optional stone base: 50x60mm

Left open

Right open



Touch Elegance



With ingenious design, simple and clear lines, elegant design is not limited by any era and trend, and is different from the style of secular vision, making sanitary life full of charm.



This series can be open-out or open-in door





Hinge type



ANGLE IS RELEASED,
UNIVERSAL CORNER JOINT



Hinge type




BRAND
STYLE

LHS00111

Standard specification: 800x2000mm
Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHS00121

Standard specification: 1000x2000mm
Customized range: L:800-1400mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHS00131

Standard specification: 1500x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHP00131

Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHL00131

Standard specification: 1200x900x2000mm
Customized range: L1:900-1500mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHL00141

Standard specification: 1500x900x2000mm
Customized range: L1:1200-1800mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHU00141

Standard specification: 1200x900x900x2000mm
Customized range: L:900-1300mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHU00151

Standard specification: 1500x900x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHT00152

Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHF00162

Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHE00172

Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm





Shaft Type
...
Shower enclosure

Shaft type



Fashion model



The stylish and simple exterior design is unforgettable. Line handle design, diamond shaped minimalist aesthetics, classic fashion, making love home more tasteful.




This series can be used for both inner and outer door opening



Shaft type


LZS04921 Standard specification: 1000x2000mm
Customized range: L:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZL04931 Standard specification: 1200x900x2000mm
Customized range: L:900-1500mm, W: 800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZP04931 Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2: 800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LZT04952 Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W: 800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



Shaft type



Fashion Fields



In the field of fashion, find your own personality, and in every detail of life, let you enjoy the "bath" freely.




This series can be applicated in open-out or open-in doors



Shaft type

Shaft type




Shaft type



LZS08111

Standard specification: 800x2000mm
Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LZS08121

Standard specification: 1000x2000mm
Customized range: L:900-1300mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LZS08131

Standard specification: 1400x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LZP08131

Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LZL08131

Standard specification: 1200x900x2000mm
Customized range: L1:1000-1500mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LZT08152

Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



Shaft type



Classic Enjoy



Tailored for people with taste, it represents the highest level of artistic bathroom life. It is a label of identity and status. It is culture, art, enjoyment and treasure. It is our long-awaited lifestyle.



This series can be applicated in open-out or open-in doors



Shaft type



RELEASE
POETIC IMAGINATION


Shaft type

Shaft type




LZS041A21 Standard specification: 1000x2000mm
Customized range: L:800-1300mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZS041A31 Standard specification: 1500x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZP041A31 Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZL041A31 Standard specification: 1200x900x2000mm
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZL041A41 Standard specification: 1500x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZU041A41 Standard specification: 1200x900x900x2000mm
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZU041A51 Standard specification: 1500x900x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZT041A52 Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZF041A62 Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



LZE041A72 Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



Shaft type



Gorgeous appearance



The gorgeous instrument shows the worship and creation of the ultimate life, the perfect unity of the construction and shape of work and energy, the artistic creation of geometric squares, and the integration of practicality and taste.



This series can be applied in open-out or open-in doors



Shaft type



Shaft type





Shaft type





LZS00231 Standard specification: 1200x2000mm
Customized range: L:1000-1400mm, H:2000-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8mm
Optional stone base: 50x60mm





LZP00231 Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:2000-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8mm
Optional stone base: 50x60mm



LZL00231 Standard specification: 1200x900x2000mm
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8mm
Optional stone base: 50x60mm



INTIMATE
EXPERIENCE



Double Sliding Type

• • •
Shower enclosure

Double Sliding type



Fashion Versatile



With the rapid development of the times, people's demands for quality of life are also increasing. The high-end light luxury gun has a gray tone, unlocking a new aesthetic and fashion. It not only has a high aesthetic value, but also smooth line design, making it more fashionable and versatile.





Double Sliding type



LSS01122

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm




Product material: Aluminium alloy
Surface treatment: Matte black / Bright silver
Glass thickness: 8 / 10mm
Optional stone base: 80x60mm



LSS01121

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm




Product material: Aluminium alloy
Surface treatment: Matte black / Bright silver
Glass thickness: 8 / 10mm
Optional stone base: 80x60mm



LSS01131

Standard specification: 2000x2000mm
Customized range: L:1500-2100mm, H:1850-2200mm



Product material: Aluminium alloy
Surface treatment: Matte black / Bright silver
Glass thickness: 8 / 10mm
Optional stone base: 80x60mm



LSS01142

Standard specification: 2200x2000mm
Customized range: L:2000-2400mm, H:1850-2200mm




Product material: Aluminium alloy
Surface treatment: Matte black / Bright silver
Glass thickness: 8 / 10mm
Optional stone base: 80x60mm



LSL01132

Standard specification: 1400x900x2000mm
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: Aluminium alloy
Surface treatment: Matte black / Bright silver
Glass thickness: 8 / 10mm
Optional stone base: 80x60mm





Journey of Taste



Transparent and flexible design space, sharp edges and corners, precise structural design, perfect combination of art and science and technology, resolute and powerful, but also comprehensive, interpreting modern life.



Mirror Matte black Gun grey





Double Sliding type




Double Sliding type



LSS04922

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm



LSS04921

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm



LSL04932

Standard specification: 1400x900x2000mm
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm



LSL04931

Standard specification: 1400x900x2000mm
Customized range: L:1200-1600mm, W:1800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm



LSS04942

Standard specification: 1600x2000mm
Customized range: L:1500-2000mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm





Release the space



The combination of first-class materials and advanced craftsmanship brings a warm and delicate texture, interpreting elegance from a new design perspective, allowing people to experience a luxurious and comfortable bathroom life, and bringing an extremely spiritual living atmosphere.






LSS04822

Standard specification: 1400x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 /12mm
Optional stone base: 50x60mm



LSS04821

Standard specification: 1400x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 /12mm
Optional stone base: 50x60mm



LSL04832

Standard specification: 1400x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 /12mm
Optional stone base: 50x60mm



Double Sliding type



Taste Life



The combination of first-class materials and advanced technology brings a warm and delicate texture, deduces grace from a new design perspective, lets people experience a noble and comfortable bathroom life, and brings a very spiritual life style.




Double Sliding type






LSS046A22 Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm




LSS046A21 Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm




LSS046A31 Standard specification: 1500x2000mm
Customized range: L:1400-1800mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm




LSS046A42 Standard specification: 1800x2000mm
Customized range: L:1500-2000mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm



LSL046A32 Standard specification: 1400x900x2000mm
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x80mm




Double Sliding type



Delicate Texture



No matter how perfect the product design is, it needs to be realized through production. The accuracy of material selection and molding, and the accurate measurement of lofting and cutting all reflect our work style of meticulous work and excellence.



Double Sliding type



Double Sliding type



Double Sliding type


SEEKING
NEW PLACE



LSS00222

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: Aluminum Alloy
Surface treatment: Gloss Silver / Matte Silver
Glass thickness: 8mm
Optional stone base: 50x80mm



LSS00221

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: Aluminum Alloy
Surface treatment: Gloss Silver / Matte Silver
Glass thickness: 8mm
Optional stone base: 50x80mm



LSS00242

Standard specification: 1600x2000mm
Customized range: L:1500-2000mm, H:1850-2200mm


Product material: Aluminum Alloy
Surface treatment: Gloss Silver / Matte Silver
Glass thickness: 8mm
Optional stone base: 50x80mm



LSL00232

Standard specification: 1400x900x2000mm
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm


Product material: Aluminum Alloy
Surface treatment: Gloss Silver / Matte Silver
Glass thickness: 8mm
Optional stone base: 50x80mm



LSL00231

Standard specification: 1400x900x2000mm
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: Aluminum Alloy
Surface treatment: Gloss Silver / Matte Silver
Glass thickness: 8mm
Optional stone base: 50x80mm





Fashion Minimalism



Originating from the design concept of nature, sunlight, green plants, and shower spaces complement each other seamlessly, creating a lively atmosphere where people can enjoy the intimate experience brought by water and nature.




Matte black

LSS01022

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: Aluminum Alloy
Surface treatment: Matte Black
Glass thickness: 8 / 10mm
Optional stone base: 60x80mm





Simple Fashion




No matter how perfect a product design is, it needs to be achieved through production. From material selection to accurate molding, from layout to precise cutting, all reflect our meticulous and meticulous work style of striving for excellence.



LSS05222

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Matte
Glass thickness: 8 / 10mm
Optional stone base: 60x80mm





Single Sliding Type
Shower enclosure

Single Sliding type

Single Sliding type



Beautiful Attractive



With the simplest lines, the simplest geometric surfaces and geometric bodies, and through the simplest combination, the horizontal and vertical, line and surface, surface and body, practical and beautiful are skillfully combined into a whole, full of modern fashion.






LDS04821

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LDL04831

Standard specification: 1400x900x2000mm
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LDS04831

Standard specification: 1500x2000mm
Customized range: L:1400-1800mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LDS04842

Standard specification: 1800x2000mm
Customized range: L:1600-2000mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 mm
Optional stone base: 50x60mm





Beautiful Attractive




With the simplest lines, the simplest geometric surfaces and geometric bodies, and through the simplest combination, the horizontal and vertical, line and surface, surface and body, practical and beautiful are skillfully combined into a whole, full of modern fashion.






LDT04241 Standard specification: 2000x900x2000mm
Customized range: L:2000-3000mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8mm
Optional stone base: 50x80mm




LDT04231 Standard specification: 2000x900x2000mm
Customized range: L:2000-2600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8mm
Optional stone base: 50x80mm



LDT04221 Standard specification: 1800x900x2000mm
Customized range: L:1800-2400mm, W:900-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8mm
Optional stone base: 50x80mm



Single Sliding type

Single Sliding type



Linkage Door Type

• • •
Shower enclosure



Beauty of simplicity




The combination of first-class materials and advanced craftsmanship brings a warm and delicate texture, interpreting elegance from a new design perspective, allowing people to experience a luxurious and comfortable bathroom life, and bringing an extremely spiritual living atmosphere.



LLS04432

Standard specification: 1200x2000mm
Customized range: L:1000-1500mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x80mm



LLL04442

Standard specification: 1200x900x2000mm
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x80mm





Freehand elements



Rationality and sensibility are intertwined, integrated, and sublimated here. The simple composition and freehand elements highlight the profound charm of art, technology, sensibility, and intellect.





LLL044A42 Standard specification: 1400x2000mm
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8mm
Optional stone base: 50x80mm

LLS044A32 Standard specification: 1200x900x2000mm
Customized range: L:1000-1500mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8mm
Optional stone base: 50x80mm





Enticing Space




The exquisite and delicate texture highlights an elegant and generous atmosphere, depicting the infinite vitality of life. The combination of nature and culture allows you to easily have a peaceful and charming space.



LLS00532

Standard specification: 1200x2000mm
Customized range: L:1000-1500mm, H:1850-2200mm

Product material: Aluminum Alloy
Surface treatment: Matte black / Bright silver / Sand silver
Glass thickness: 8/10/12mm
Optional stone base: 50x80mm





Enticing Space





The exquisite and delicate texture highlights an elegant and generous atmosphere, depicting the infinite vitality of life. The combination of nature and culture allows you to easily have a peaceful and charming space.



LLS005A32 Standard specification: 1200x2000mm
Customized range: L:1100-1500mm, H:1850-2200mm

Product material: Aluminum Alloy
Surface treatment: Matte black / Bright silver / Sand silver
Glass thickness: 8/10/12mm
Optional stone base: 50x80mm





Simplicity and purity




Craftsmanship quality is the persistent pursuit of materials and craftsmanship, never forgetting the original intention, and a people-oriented design attitude, allowing us to enjoy this simple and pure beautiful life.



LLS04532

Standard specification: 1400x2000mm
Customized range: L:900-1500mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 6 / 8mm
Optional stone base: 80x60mm



LLL04542

Standard specification: 1400x900x2000mm
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2000mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8mm
Optional stone base: 80x60mm



Linkage door type

Linkage door type



Balance of Beauty



The combination of first-class materials and advanced technology brings a warm and delicate texture, deduces grace from a new design perspective, lets people experience a noble and comfortable bathroom life, and brings a very spiritual life style.



LLS04132

Standard specification: 1200x2000mm
Customized range: L:1000-1500mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 6 / 8mm
Optional stone base: 50x80mm

LLL04142

Standard specification: 1200x900x2000mm
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 6 / 8mm
Optional stone base: 50x80mm



Linkage door type

Linkage door type



Magnificent chic



Classic works of art touch the soul. Gorgeous and unique design combined with exquisite and excellent craftsmanship, make people move, and give full play to the aesthetic feeling, which can be regarded as the perfect combination of creativity and technology.





LLS00332

Standard specification: 1200x2000mm
Customized range: L:1000-1500mm, H:1850-2200mm


Product material: Aluminum Alloy
Surface treatment: Matte black / Bright silver / Sand silver

Glass thickness: 6/8mm
Optional stone base: 50x80mm

Left open

Right open






Sliding Door Type
...
Shower enclosure

Sliding door type

Sliding door type



Pure and Happy



In the world of innocence, I have a easily moved heart. In passion, I woven into colorful memories. I also seek sensible happiness and finally a melancholy and confused heart, and find my own way of life.





Sliding door type

Sliding door type

Simple structural atmosphere, bright and friendly colors and natural light combine the beauty of contemporary life. The open shower space transforms the entire bathroom into a charming area, which highlights the pure and simple design style.



THE ATMOSPHERE WITH SIMPLE STRUCTURE


bright and warm colors and natural light, combined with the beauty of contemporary life, the open style of bathroom shower space makes the whole bathroom shower space makes the whole bathroom to be transformed into an area with full charming ,thus it highlights the pure concise design style more than before.



LTC00542

Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: Aluminum Alloy
Surface treatment: Gloss Silver / Matte Silver / Matte black
Glass thickness: 6 / 8mm
Optional stone base: 50x60mm



LTL00542

Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: Aluminum Alloy
Surface treatment: Gloss Silver / Matte Silver / Matte black
Glass thickness: 6 / 8mm
Optional stone base: 50x60mm



LTS00521

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: Aluminum Alloy
Surface treatment: Gloss Silver / Matte Silver / Matte black
Glass thickness: 6 / 8mm
Optional stone base: 50x60mm





Charm Space



A beam of light hits the glass, outlining a silhouette, intertwined with light and dark, as if telling a distant and beautiful past, making the owner inadvertently dream back to the past.






LTC040A42

Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black/Gun ash
Glass thickness: 6/8mm
Optional stone base: 50x60mm



LTS040A21

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black/Gun ash
Glass thickness: 6/8mm
Optional stone base: 50x60mm



LTS040A31

Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black/Gun ash
Glass thickness: 6/8mm
Optional stone base: 50x60mm



LTS040A42

Standard specification: 1800x2000mm
Customized range: L:1500-2200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black/Gun ash
Glass thickness: 6/8mm
Optional stone base: 50x60mm



LTL040A31

Standard specification: 1400x900x2000mm
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black/Gun ash
Glass thickness: 6/8mm
Optional stone base: 50x60mm



LTL040A41

Standard specification: 1500x900x2000mm
Customized range: L:1400-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black/Gun ash
Glass thickness: 6/8mm
Optional stone base: 50x60mm



LTL040A52

Standard specification: 1800x900x2000mm
Customized range: L:1500-2200mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black/Gun ash
Glass thickness: 6/8mm
Optional stone base: 50x60mm





Quality Superior



Perceived space aesthetics, including temperature, depth and breadth. Fashion lifestyle involves all aspects of life, such as clothing, food and drink, behavior and even emotional expression.





THE DESIGN CONCEPT ORIGINATED FROM NATURE, MAKES SUNSHINE ,


green plant, shower space to be integrated with each other and create a lively atmosphere, people can enjoy the intimate experience brought from water and nature.



LTP04531

Standard specification: 1100x1100x2000mm
Customized range: L1:900-1300mm, L2:1050-1300mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun ash
Glass thickness: 8/10mm
Optional stone base: 50x60mm



LTL04521

Standard specification: 900x900x2000mm
Customized range: L:700-900mm, W:700-1200mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun ash
Glass thickness: 8/10mm
Optional stone base: 50x60mm




LTL04531

Standard specification: 900x900x2000mm
Customized range: L:900-1400mm, W:700-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun ash
Glass thickness: 8/10mm
Optional stone base: 50x60mm



Based on the design concept of nature, sunshine, green plants and shower space are integrated into each other, creating a fresh atmosphere where people can enjoy the intimate experience brought by water and nature.






Folding Door
...
Shower enclosure

Folding Door

Folding Door



Space collocation



The dazzling and concise lines, beautiful streamlined design, and imaginative space combination make your bathroom more beautiful!







LBS00121

Standard specification: 900x2000mm
Customized range: L:700-900mm, H:1850-2200mm

Product material: Aluminum Alloy
Surface treatment: Bright Silver / Sand Silver / Matte Black
Glass thickness: 8 mm
Optional stone base: 50x60mm



How to choose a shower enclosure?

1. Check the room type and choose right style

(1) Choose the room type according to bathroom layout. The conventional room types on the market are: Straight，Curved.

2. Look at the glass, choose safety explosion-proof glass

- (1) Glass is the core component of shower enclosure, and glass safety is the most important part of purchasing a shower enclosure.
- ① Toughened glass with CCC certification mark and processed with fine grinding and chamfering and rounding of four corners;
- ② The appearance is transparent, and there are no defects such as dots and bubbles.

2. Look at the profile, it must be solid and durable

- (1)shower enclosure profile is a metal frame which supports and moves tempered glass. The material is divided into stainless steel 304 and high-quality aluminum alloy.
- ① Appearance: Profiles with good gloss, strong corrosion resistance, and no defects such as color difference and trachoma;
- ② Quality; high-quality aluminum alloy: the hardness of aluminum material is above 12 degrees, and the conventional thickness is above 1.2mm; stainless steel 304: the conventional thickness is above 0.8mm.

3. Look at the pulley, be light and smooth

- (1) Material of pulley:
- ① The bearing of the pulley is made of compressive and heavy-duty materials;
- ② The bracket of the pulley is made of 304 stainless steel, which is resistant to deformation and corrosion;
- ③ The life of the pulley needs to reach more than 25000 times of pushing and pulling.

4. Look at the seal, separate dry and wet

- (1) The main observation parts for the sealing of the shower enclosure are connection between the glass and the wall, the joint between sealing strip and glass (profiles, accessories), magnetic attraction between sealing strips,whether the joint between shower enclosure and stone base (bottom basin) is sealed.

5. Certificate of shower enclosure

- (1) The 3C certificate, quality inspection certificate, and patent certificate of a product is a direct manifestation of product quality.

Cleaning and maintenance of shower enclosure

1. Cleaning and Maintenance

- ① Please keep the shower enclosure clean to prevent hair and other debris from blocking the drainage outlet;
- ② When wiping the shower enclosure glass, remember not to use corrosive liquids to wipe it. Use corrosive liquids to wipe the shower enclosure glass will reduce the glossiness of the glass surface;
- ③ Prohibit strong acidic detergents containing acetone, water or ammonia; When cleaning, do not use acid, alkali, or sharp tools to avoid damaging the shower surface glossiness of bathtub, hardware, aluminum and other accessories;
- ④ Pay attention to regular cleaning and maintenance of shower enclosure hardware accessories;
- ⑤ If the glass sealant falls off, it may cause water leakage. So, once it falls off, please make sure to make up for it again.

2. Maintenance of tempered glass, stainless steel profiles, aluminum alloy profiles, and stone bases

- ① Do not scratch or impact the glass surface (especially the edges) with hard objects;
- ② Do not wipe the surface of glass (profiles, stone bases) with corrosive solutions such as strong acids and bases to avoid damaging the surface glossiness;
- ③ Do not use rigid materials such as metal wires to wipe the surface of glass (profiles, stone bases) to avoid scratches on the surface;
- ④ Prevent direct sunlight and exposure.

The standard of customized shower enclosure



Customized requirements for application：

A. Sliding door screen

1. When customer doesn't have special requirements, the production standard of sliding door screens is to reasonably allocate the size of each piece of glass on the premise of maximizing the opening space.
2. Recommend a reasonable screen according to exact width:

Width(mm)	Linkage door	Double sliding	One fix and one sliding	Two fix and one sliding	Two fix and two sliding
< 1000	●				
1000-1200			●		
1200-1600		●	●		
1400-2000				●	●
Under the premise of ensuring the safety of the house, the limit width of the movable glass should not exceed 800mm, and the fixed glass can be relatively wide to ensure safety.					

3. If the upper, middle and bottom widths measured on site are inconsistent, the upper, middle and bottom width dimensions (actual size) should be indicated.
4. The capping size must be clearly noted that height is true and size has not been reduced, and 3-5mm will be appropriately subtracted during factory production.

B. Swing door application

1. When placing an order, it is necessary to write clearly the customized width of fixed glass or movable glass. If not specified, the factory will reasonably allocate the glass size according to the specific width of the product.
2. Recommend a reasonable screen according to the specific width:

Width(mm)	90° single swing door screen	One fix and one sliding	Two fix and one sliding		
< 800	●				
800-1500		●			
1200-2000			●		
The movable glass has a width of 600-650mm, of which two fixed and one living shower room, and the small fixed glass is 150-300mm.					

3. If the upper, middle and lower widths measured on site are inconsistent, the upper, middle and lower width dimensions (actual size) should be indicated.
4. The capping size must be clearly noted that the height is true and the size has not been reduced. The factory will appropriately subtract 3-5mm.

Customized requirements for square-shaped shower enclosure：

- (1) Ensure the angle is 90°
- (2) Order the size of the length, width and height (usually the size of the room body of the order is placed in the size of the outer edge of the stone base),
- (3) If you need the net size of the house (formed size after installation), you must indicate on the order (the net size of the house is smaller than the size of the order)
2. Without specifying the installation location, the house is usually installed in the middle of the stone base.
3. When the length and width are not equal, the corner direction and door opening direction of the shower room must be indicated.
4. The capping size must be clearly noted that the height is true and the measurement has not been reduced. The factory will appropriately subtract 3-5mm

Customized requirements for diamond-shaped shower enclosure：

1. Order requirements for diamond-shaped shower enclosure:
- (1) The angle is ensured to be 135°，
- (2) The optional diamond-shaped stone base has two specifications of bevel length 636 and 707 (the bevel length of the customized factory stone base must be indicated),
- (3) Place an order with the dimensions of length, width and height (usually the size of the room body of the order is placed in the size of the outer edge of the stone base).
- (4) If you need the net size of the house (formed size after installation), you must indicate on the order (the net size of the house is smaller than the size of the order).
2. If you need to make your own stone base, please ask the technical engineer for the stone base drawings, and make them according to the requirements.
3. If the customer has pre-embedded the stone base，please measure according to the size measurement method provided by the company, and calculate whether the three side dimensions meet 135°.
- If the stone base is irregular or with steps, you need to provide specific size sketches and on-site photos, and confirm with the company's designer that it can be produced before placing an order.
4. Without specifying the installation location, the house is usually installed in the middle of the stone base.
5. The cap size must be clearly noted that the height is not reduced by the actual measurement, and 3-5mm will be appropriately subtracted during the factory production.

Customized requirements for curved shower enclosure：

1. Curved room order requirements:
- (1) The standard arc radius of the stone base is 550mm. The radius cannot be changed. The size difference can only be achieved by changing the length of the two straight sides.
- (2) Place an order with the dimensions of length, width and height (usually the size of the room in the order is placed in the size of the outer edge of the stone base).
- (3) If you need the net size of the house (formed size after installation), it must be indicated on the order (the net size of the house is smaller than the size of the order).
2. If you need to make your own stone base, please ask the technical engineer for the stone foundation drawings, and make them according to the designing requirements.
3. If the customer has pre-embedded the stone base, please measure according to the size measurement method provided by the company, and calculate whether the stone foundation R can satisfy us. The smallest R manufactured. If the stone base is irregular or with steps, you need to provide specific size sketches and on-site photos, and confirm with the company's designers whether it can be produced. You can place an order.
4. When the length and width are not equal, the left and right directions of the room should be indicated separately.
5. The cap size must be clearly noted that the height is not reduced by the actual measurement, and 3-5mm will be appropriately subtracted during the factory production.



Standard for dimensional measurement of shower enclosure



Purpose: Standardize the measurement procedure, improve measurement efficiency and size accuracy.
Note: For the measurement of on-site size, please measure the size after bathroom tiles are installed.
Tools: tape measure, protractor, angle ruler, pencil, notebook, etc.
Length unit: mm

If there is a top rod, the height of the rod should be considered when measuring the height of the shower enclosure. Refer to the catalogue to select the model with rod. When placing an order, indicate whether the height of the room body is to the height of the top of the rod or the height of the glass.

Hot tip:

- ① The measured size is subject to actual measurement and cannot be increased or decreased!
- ② The measured size is the outermost edge size of the stone base. When placing an order, the outermost edge size of the stone base will be quoted!
- ③ The measured size must indicate the width of the stone base.

Other considerations:

- ① Consult the customer about the distribution of water and electric wires, and ensure that the installation avoids water pipes and circuits.
- ② The measured size must be the actual size and cannot be increased or decreased.
- ③ Provide a simple layout diagram of the bathroom (photograph).
- ④ Whether there are collision objects in the opening direction of the shower enclosure and the surrounding area.
- ⑤ Determine the direction of the room body (left and right type).
- ⑥ If it is a high floor, pay attention to the size of the bathroom door and elevator to ensure that the goods can enter the home smoothly.



Double velvet+ultra white glass/normal glass
Process: sparkling silver thread laminated



Double velvet+ultra white glass/normal glass
Process: silver thread laminated



Small wick+ultra white glass/normal glass
Process: Transparent adhesive



Normal glass+Normal glass
Process: oil sand laminated



Small wick+ultra white/normal glass
Process: opaque adhesive



Double velvet+ultra white/normal glass
Process:sparkling coffee gold laminated



European Grey+European Grey
Process: Transparent laminated



Tea glass+Tea glass
Process: frosting laminated



Ultra white glass+ultra white glass
Process: Pink gradient laminated




Normal glass+normal glass
Process: Blue gradient laminated

Shower enclosure laminated glass sample


Color for stone base



Specification for stone base




Shape of stone base




Measurement of shower enclosure


Size measurement for shower screen




Size measurement for square shower enclosure



Size measurement for diamond shower enclosure



Size measurement for shower enclosure with window



Size measurement for fan shaped shower enclosure



Handle



L8L313 L-shaped D12 round tube precision head telephone handle
Center hole spacing: 900+300



LSN220 10K20 square tube round head unilateral handle
Center hole spacing: 900



LSN220 10K20 square tube round head unilateral handle
Center hole spacing: 900



LSP315 diamond angle precision cast flat head handle
Center hole spacing: 450



LSN206 10K15 square tube precision casting head unilateral handle
Center hole spacing: 900



LSW221 12.5K18D pipe precision pin head unilateral handle
Center hole spacing: 900



LSW221 12.5K18D pipe precision pin head unilateral handle
Center hole spacing: 900



LSP318 Precision Pin Head Cone Flat Head Handle
Center hole spacing: 450

Handle



LSD201 square tube 25X25
Center distance: 450/600mm



LSD204 square tube 19X19
Center distance: 400/450/600mm



LSN203 flat tube 25X13
Center distance: 450/600mm



LSN209 circular tube Φ 25
LSN210 circular tube Φ 19
Center distance: 145mm



LSD202 circular tube Φ 25
Center distance: 450/600mm



LSN201 square tube 25X25
Center distance: 450/600mm



LSN204 square tube 19X19
Center distance: 450/600mm



LSP201 square tube 25X25
Center distance: 300/450mm



LSD203 flat tube 25X13
Center distance: 450/600mm



LSN202 circular tube Φ 25
Center distance: 450/600mm



LSN208 elliptical tube 24X12
Center distance: 145mm



LSP202 circular tube Φ 25
Center distance: 300/450mm


Handle



LSP203 flat tube 25X13
Center distance: 300/450mm



LSP204 square tube 19X19
Center distance: 300/450mm



LSL301 square tube 25X25
Center distance: 425X275mm



LSL304 square tube 19X19
Center distance: 425X275mm



LSL302 circular tube ϕ 25
Center distance: 425X275mm



LSL303 flat tube 25X13
Center distance: 425X275mm



LSL305 circumference 25X10 circular tube ϕ 25
LSL306 circumference 30X15 circular tube ϕ 30
Center distance: 425X275mm/450X300mm



LSU403 square tube 25X13
Center distance: 300X800X300mm





Scan for more information

**Create Values for the Customers
Sincerely and Whole-heartedly**

Unique value is created by professionalism, but no future
shall be created by speculation.