




Bathroom Hardware Typical Product Catalogue



Guangdong Kinlong Hardware Products Co.,Ltd.

NO.3 Jianlang RD,Daping Industrial Zone,Tangxia Town,Dongguan City,China

T: 0086-769-82166666 82136666

F: 0086-769-82955240 82955241

E: mail@kinlong.com

H: www.kinlong.com

STOCK CODE: 002791

TO IMPROVE THE HUMAN
BEING'S LIVING CONDITIONS AND
MAKE KINLONG THE SYNONYM
FOR HIGH-QUALITY.

More than **900,000** m² production area.

More than **60** subsidiaries.

More than 1000 sales offices both in domestic and overseas .

 ${\sf More\ than}\ 16,000\ {\sf employees}.$

ESTABLISHING BENCHMARK AND PURSUING EXCELLENCE

Kinlong was established in 2003 and is a company engaged in design and research, manufacturing and sales of construction and building products. We are committed to provide high-quality products and services. After years of development, Kinlong has become a reputable brand in the construction industry.

Kinlong industrial park has an area of more than 900,000 square meters and has an employment of more than 16000 staff. Kinlong owns more than 60 subsidiaries, and with over 1000 sales branches in the domestic and overseas markets. The company has more than 20,000 categories of products, which has been sold to more than 100 countries and areas. Kinlong, with it's sophisticated production management, provides customers with integrated solutions for different functional buildings.

Focusing on providing integrated construction and building accessories and diversified products, Kinlong continues to meet customer needs and market changes with the sales model of "R&D + manufacturing + service", and sets up its own marketing networks to directly provide customers with products and technical services. With years of precipitation and accumulation, Kinlong is at the forefront of the industry.

Over the years, Kinlong has been embracing the philosophy of "Unique value is created by professionalism, but no future shall be created by speculation". This has made Kinlong standing on the leading position in construction hardware market. Kinlong has provided products and services for many famous buildings around the world, and the landmark buildings of countless cities have become the pride and glory of Kinlong people.

To every designer, engineer and company committed in construction industry, Kinlong is always the most trustworthy and reliable partner.

Social Responsibility



For more than ten years, Kinlong has not forgotten to give back to the society while developing itself. By the end of 2023, more than 90 kinlong social charity schools have been donated and built in remote and backward areas.





INNOVATION AND ENTERPRISING INDUSTRY BENCHMARK

KINLONG KEEPS MAKING
PROGRESS BY INNOVATION, BY
WHICH WE HAVE OBTAINED
RECOGNITION AND HIGH PRAISE
FROM STATE
DEPARTMENTS, GOVERNMENT
UNITS AND SECTORS.



Kinlong adheres to the philosophy that Unique value

can only be created by professionalism, speculation

has no future. Our enterprise core value is to respect

Respecting science; Striving for coexistence and all-

win; Promoting constant innovation; Pursuing sincerity

and trustworthiness. and we always insist making

innovation, breaking through and making progress,

increasing our capacity of research, by which we have

obtained recognition and praise from government

departments, units and all areas in the society and get

many achievements. We pay great attention to the

needs from our customers and the prospect of our

industry, consistently pursuing perfect, good quality,

excellent service and systematic solutions. Our quick

and accurate ability of handing over are always

1000 patents, among them
100 of invention patents.

Participate 200 industrial standards

ENTERPRISE REPRESENTATIVE HONORSecond Prize in National Science and Technology Progress Award

First Prize in Huaxia Construction Science and Technology Award

Second Prize in Huaxia Construction Science and Technology Award

Special Prize in China Steel Structure Association Science and Technology Award

First Prize in China Steel Structure Association Science and Technology Award

Innovation Award in China Steel Structure Association Science and Technology Award

The most influential brand of Jinxuan Award in the construction door, window and curtain wall industry for four consecutive sessions;

2021 TOP500 Preferred Supplier of Comprehensive
Strength of Chinese Real Estate Development
Enterprises-Smart Community Service Category

National High-Tech Enterprise

.

REPRESENTATIVE R&D INNOVATION HONOR

National Intellectual Property Demonstration Enterprise

Laboratory center approved by the National Accreditation Board

Guangdong Provincial Enterprise Technology

Center and Provincial Engineering Center

.

MARKET BY GOOD QUALITY,
EXCELLENT SERVICE,
SYSTEMATIC SOLUTIONS AND
QUICK AND ACCURATE ABILITY
TO DELIVER THE GOODS.

KINLONG IS LEADING THE



To Form a Full-chain Comprehensive Advantage



Quality Comes from Profession



Management system certificated by ISO9001,ISO14001 of BSI. Test Laboratory accredited by the China National Accreditation Service of Conformity Assessment(CNAS).

International Supply Chain to Guarantee Better and Better Service



Kinlong owned more than 1000 sales outlets at home and abroad, with a sales team of more than 6,000 staff to provide customers with rapid response. With more than 30 offices,10 subsidiaries,15 warehoused overseas market, and more will be set up.

Advantages of bathroom hardware products



Product advantages

- ① Shower faucet: Leading a lead-free and healthy life as the chief editor of standard CJ/T 406 2012 Stainless Steel Faucet. Offering a brand new shower experience with the pulse spray technology art. Leading the way in water efficiency, taking the lead in implementing water efficiency standards. Assisting in low-carbon environmental protection;
- ② Shower accessories:Leading the high-end shower industry hardware accessories model as the chief editor of the standard JG/T 427-2014 General Technical Requirements for Residential Bathroom Hardware Accessories. Having multiple utility model patents, free from opening hinges, with one pieces sealing strip running through technology, making the waterproof ability, and the lifespan far exceeding national standards; ③ Kitchen and bathroom hardware: Focusing on user safety, with food grade 304 material, whose harmful
- substance precipitation is lower than the national industry standard requirements; ④ Sink: Focus on user safety, with 304 material, unique noise reduction technology, and nano easy cleaning
- ⑤ Floor drain: The product's lifespan, performance, load-bearing capacity, drainage flow rate, sealing performance, etc. all meet industry standards, with a wide range of types available, and can be customized accept Taking the lead in implementing new standards;
- 6 Furniture hardware: Buffering technology, mute design, good versatility, easy installation, and strong
- Thotal supplies: Safe, complete categories, energy-saving and environmentally friendly, automatic fragrance and disinfection technology, more options;
- ® Public accessories: High load-bearing, complete categories, widely range of application scenarios, antibacterial technology, developing aging friendly, barrier free smart bathroom
- Auxiliary accessories: One-stop solution, convenient and comfortable, with a variety of styles to meet



Service advantages

- ① Quick response to proposals and quotations; Offering reasonable configuration and best price;
- ② Fast delivery of samples and orders. Standard parts in stock, can be coordinated in emergency situations; ③ Purchasing insurance for products, national CNAS certification testing report;
- ④ Full time product manager, professional, standardized, and efficient, ensuring that products meet project
- ⑤ Provide comprehensive hardware solutions (shower room+bathroom hardware) to improve efficiency and reduce costs for customers;
- © Professional quality assurance, lifelong service, localized sales+service team, worry free service;
- Tocusing on the integrated research and development, manufacturing, and sales of shower rooms and bathroom hardware in the engineering field.



Technology


- ① Editor in chief/co editor in the formulation of multiple product standards to assist in the healthy development of the industry:
- 2 Participated in the compilation of the technical manual "Indoor Detailed Design Dataset Bathroom Design" by China Construction Industry Press, standardizing the detailed requirements for industry products;
- 3 Having a national level CNAS laboratory to ensure consumer safety during use;
- Awarded the title of "Engineering Technology Center of Zhongshan City, Guangdong Province";
 There are currently 37 national patents for bathroom hardware products, including 1 Chinese invention.
- patent, 12 Chinese utility model patents, and 24 Chinese appearance patents. Our products cover faucets, pendants, glass door hinges, sliding door accessories, hanging baskets, floor drains, clothes hooks, and

Enjoy a slow and fine life

. . .







There are some differences between the picture and the real products, please refer to the real products.

The dimension in the catalogue may differ slightly with the real products, KIN LONG reserves the right to modify or cancel the products mentioned above without prior notice.

COMPARISON OF COMMON BATHROOM MATERIAL PERFORMANCE

1) Base material

From good to bad: high quality stainless steel, brass (commonly used H59 or H62), aluminum magnesium alloy (commonly known as space aluminum), etc.

- a)High-quality 304 stainless steel has good corrosion resistance and can pass 300 hours neutral salt spray test without rusting.
- b) Due to the characteristics of the material itself, the brass material inevitably contains lead and other heavy metals in production, and its price is higher than that of stainless steel
- c) Aluminum-magnesium alloy has the advantages of light weight, durability, high strength and corrosion resistance, and the style is also very beautiful, but it will become black after a long time.

2 Surface treatment

The surface treatment of stainless steel hangers generally polished to satin, and the surface of brass is generally chrome-plated

- a) The polished satin surface of stainless steel has the metallic luster of stainless steel, which is scratch resistant; the mirror surface is bright and mellow, and the visual effect is better than satin.
- b) The quality of brass chrome-plated hardware will be effected by the thickness of the coating. If the coating is too thin, it will easily fall off and deform.

 Therefore, choosing products from standard manufacturers will be more guaranteed;
- c) The surface of aluminum-magnesium alloy is usually treated with anodizing, and the surface has no metallic luster, so the visual effect is not as good as brass chrome-plated and stainless steel polished.

3 Mechanical properties

- a) The tensile strength of 304 stainless steel is 575MPa, about 2 times that of brass and 2 times that of aluminum magnesium alloy (space aluminum). The hardness can reach 38 ~ 45HRC. It is the hardest of the three materials and has strong deformation resistance.
- b) The tensile strength of brass (H59 or H62) is about 296MPa, and its hardness is lower than that of stainless steel.
- c) Aluminum-magnesium alloy (space aluminum) has the lowest density among the three materials, and its tensile strength is usually not more than 300 MPa.

4 Production and processing

- a) The processing procedure of stainless steel products is as follows: raw materials (or castings) \rightarrow machining (blanking, drilling, etc.) \rightarrow polishing (polishing from coarse to fine step by step) \rightarrow assembly. The whole process is environmentally friendly.
- b) The processing procedure of brass chromium plating products is as follows: raw materials (or casting and forging) \rightarrow machining (blanking, drilling, etc.) \rightarrow polishing (polishing from coarse to fine step by step) \rightarrow electroplating (several times of electroplating) \rightarrow assembly. In the processing and production of brass chromium plating products, several times of electroplating must be carried out, and electroplating has a great impact on the environment.
- c) Aluminum magnesium alloy (space aluminum): raw materials (or castings) \rightarrow machining (blanking, drilling, etc.) \rightarrow polishing (polishing from coarse to fine) \rightarrow anodizing \rightarrow assembly

5 Maintenance

- a) The surface of stainless steel with natural color, which has strong corrosion resistance because of its protective film, so it does not need regular maintenance; if rust appears on the surface due to improper maintenance or use, neutral cleaning agent such as polishing wax can be used to remove it.
- b) Brass chrome-plated products need to be maintained frequently, and the surface should be kept clean; when the surface is damaged due to carelessness, it can not be repaired, because the bathroom environment is generally wet, and after a long time, it will produce copper rust (green), which will cause a large area of coating to fall off and the product will be scrapped.
- c) The surface of aluminum magnesium alloy products is generally anodized, which is not resistant to corrosion in a humid and warm environment, and the surface is prone to oxidation and corrosion.

WORLD PROJECTS

People-oriented design concept, advocating the perfect combination of vision and touch, difficult to detect exquisite details, fully elegant and noble.





CONTENTS

MIXER SERIES

Shower mixer		Vegetable basin mixer	
WSZ36000	018	WSZ42000	064
WSZ39000	029	WSZ43000	06
WSZ35000	035	WSZ44000	069
WSZ34000	035		
WSZ91000	036		_
		Sink	
Floor to floor bathtub mixer		WCP12000	07.
WSZ37000	038	WCP11000	075
Concealed shower faucet		Angle valve	
WSZ69000	042	WSZ71000	07
Basin mixer		Bib tap	
Dasin mixer		WSZ81000	082
WSZ19000	048	WSZ74000	083
WSZ12000	055		
WSZ82000	055	D .	
WSZ15000	058	Drain	
WSZ13000	058	WSZ96000	08
		Drain pipe	
Induction faucet		WSZ95000	08
WSZ45000	059	WSZ96000	088

MIXER SERIES



HANGERS SERIES

langers			Hanging basket	
VWG65000		092	WGL30000	112
VWG19000		093	WGL30000	112
VWG35000		093		
VWG52000		093	Clothes hook	
VWG55000		094	WYG00000	114
VWG40000		095	WYG51000	114
VWG53000		097	WYG53000	114
VWG56000		098	WYG11000	114
VWG57000		098	WYG12000	114
/WG64000		098		
VWG63000		099	Hook track	
/WG62000		100	WYG10000	116
VWG51000		101	WYG20000	116
VWG52000		102		
			Kitchen shelf	
Electric tow	vel rack		WYG11000	118
		103		
***************************************		103	Niche	
			WGL53000	119
langing ba	asket			
VGL23000		107	Floor drain	
VGL10000		108	WDL20000	124
VGL11000		109	WDL30000	124
VGL21000		109	WDL31000	126
VGL12000		109	WDL90000	135
VGL13000		110	WDL20000	136
VGL23000		110	WDL10/20/30	137
VGL14000		110	WDL39000	139
VGL22000		110	WDL60000	144
VGL24000		110	WDL90000	148
VGL20000		112		

HANGERS SERIES



FLOOR DRAIN



BARRIER-FREE FACILITIES HOTEL SUPPLIES





BARRIER-FREE FACILITIES HOTEL SUPPLIES

Handrail			Bathroom mirror	
WFS41000		153	WHJ40000	16
WFS21000		153		
WFS22000		156	Cosmetic mirror	
WFS11000		157	WHJ10000	170
WFS12000		158	WHJ20000	170
WFS13000		159		
WFS31000		162	Clothes dryer	
WFS41000		163	WFJ21000	170
WFS42000		163		
			Hair drier	
Shower seat	ts		WDQ10000	172
WYD10000		164	Hand dryer	
			WDQ20000	173
Baby crib			Soap dispenser	
WFG40000		164	WFJ10000	174
		WFJ41000	174	
			Tissue box	
			WZH10000	175
			WZH30000	175

Tissue box

WZH20000 ----- 178

SHOWER ENCLOSURE ACCESSORIES



SHOWER ENCLOSURE ACCESSORIES

Glass door hinge		Handle	
WHY20000	182	WLS110	197
WHY31000	182	WLS150	197
WHY55000	183	WLS160	197
WHY11000	184	WLS180	197
WHY12000	185	WLS510	198
WHY19000	188	WLS511	198
		WLS560	198
Fixed clip		WLS561	198
WWB11000	189	WLS562	199
WWB12000	190	WLS563	199
WWB31000	190	WLS570	199
		WLS580	199
Support rad		WLS91000	200
Support rod		Sealing strip	
WCG10000	191		201
WCG50000	191	WJT10000	201
		WJT20000	204
Accessories		WJT30000	204
WCG20000	193	WJT40000	204
WCG10000	194	Sliding door accessories	
WCG60000	195	WTL10000	213





01

SOLUTION SPACE

Fresh colors,
a colorful feeling,
Fragrant scent,
simple life
Distinctive.





HOTEL **SHOWER ENCLOSURE**

Space type: Hotel scene

Matching scheme: Shower enclosure, shower mixer, basin mixer, bathtub mixer, angle valve, floor drain, soap dispenser, hanging basket, electric towel rack, bath towel rack, towel rack, clothes hook, hook track, makeup mirror, clothes dryer, folding clothes hanger, hair dryer, perfume sprayer and other product combinations.

Integrated Products







WFJ21010 Shelf











Induction soap dispenser





WWG65100 Clothes hook





WYG20040-3 Hook rack




WSZ71963 Angle valve









FINE DECORATION SHOWER ENCLOSURE

Space type: Fine decoration scene

Matching scheme: shower enclosure, shower mixer, washbasin mixer, vegetable basin faucet, sink, angle valve, small faucet, floor drain, hanging basket, electric towel rack, kitchen shelf, bath towel rack, towel rack, clothes hook and other product combinations.

Integrated Products















WWG65040 Towel rack






WDL206XC Ultra thin floor drain









SCHOOL SHOWER ENCLOSURE

Space type: School scene

Matching scheme: Shower enclosure, shower mixer, basin faucet, induction faucet, angle valve, small faucet, floor drain, hanging basket, towel rack, towel rack, tissue box, clothes hook and other product combinations.

Integrated Products









WGL14010 Hanging basket

WZH30060 Tissue box





WSZ8102B Bib tap

WYG10050-5 Hook track





WSZ7103B Angle valve





KITCHEN APPLICATION SCENARIOS

Space type: Kitchen scene

Matching scheme: Panoramic door, vegetable basin faucet, sink, angle valve, floor drain, kitchen shelf and other product combinations.

Integrated Products



WCP12170



WYG11080 Kitchen racks






WDL2017C Ultra thin floor drain



WSZ71940 Angle valve

09 For Better Living \ \ 10





BARRIER-FREE SPACE

Space type: Barrier-free scene

Matching scheme: safety handrail, tissue box, bathroom stool, baby table and other product combinations.

Integrated Products





WFS12050 Safety handrails

WFS13050 Safety handrails

WFS11050 Safety handrails





WZH30060 Tissue box

WDQ20040 Hand Dryer



WFG41020 Baby crib





HOSPITAL SCENE

Space type: Hospital scene

Matching plan: Shower enclosure, shower mixer, basin mixer, towel rack, tissue holder, staircase handrail, corridors handrail, hand dryer, sterilizer, soap dispenser, ultra-thin floor drain and other product combinations.

Integrated Products



WFS31020 Safety handrails



WFS22010 Corridors handrail



WZH10150 Tissue holder



WYG10050-5 Hook track







WFJ51010 Perfume Dispenser





WZH2004A Handpaper box





Bathroom hardware MIXER



Light luxury and beauty Embellish life

Inspired by life, constantly pursuing quality, controlling every detail by detail, only for the best encounter.





Shower Mixer

Knob four function shower mixer


Hidden spray gun design with high aesthetic value and light luxury style






Product name: Four function shlef

Surface treatment: Chrome /Gun gray
Main material: ABS shell+PPA core body
+Tempered reflective glass
Top spray shower: 10 inches, ABS













WSZ36046 Water efficiency level three


Product name: Two function shelf shower

Surface treatment: Chrome /Gun gray Main material: ABS shell+PPA core body +Tempered reflective glass

Top spray shower: 10 inches, ABS Handheld shower: ABS, three functions













Surface treatment: Chrome /Gun gray Main material: ABS shell+PPA core body







Shower Mixer

Knob four function shower mixer

Starting from appearance and enjoying quality






WSZ36045 Water efficiency level three

Product name: Four function shelf shower

Surface treatment: Chrome /Gun gray Main material: ABS shell+PPA core body


+Tempered reflective glass
Top spray shower: 9 inches, ABS
Handheld shower: ABS, three functions





Bathroom New Favorite Exquisite and Simple

Tempered glass large shelf, comfortable shower, better understanding of you



Three Function Handheld Shower







WSZ36043 Water efficiency level three

Product name: Two function shelf shower

Surface treatment: Chrome /Gun gray Main material: ABS shell+PPA core body

+Tempered reflective glass Handheld shower: ABS, three functions

WSZ36044 Water efficiency level three

Product name: Three function shelf

Main material: ABS shell+PPA core body

Top spray shower: 9 inches, ABS







Top spray shower with built-in needle plate utilizes water pressure to remove dirt Automatically pop out the ejector pin when water comes out Automatically reset to complete cleaning when turning off water



Three discharge modes





Piano keys style Smooth arc line design







WSZ36049 Water efficiency level three




Product name: Three function shelf shower mixer

Surface treatment: Chrome Main material: ABS+Brass Top spray shower: 10 inches, ABS Handheld shower: ABS, three functions










WSZ36073 Water efficiency level two

Product name: Four function shelf

shower mixer Surface treatment: Chrome /Gun gray/

Matte black Main material: Brass

Top spray shower: ABS, 300*200mm Handheld shower: ABS, three functions





WSZ36072 Water efficiency level two


Product name: Three function shelf shower mixer

Surface treatment: Chrome/Gun gray/ Matte black

Main material: Brass

Top spray shower: ABS, 10 inches Handheld shower: ABS, three functions





WSZ36076 Water efficiency level two



Product name: Four function shelf shower mixer


Surface treatment: Chrome /Gun gray/ Matte black

Main material: Brass

Top spray shower: ABS, 315*210mm Handheld shower: ABS, three functions










Product name: Four function shelf

shower mixer Surface treatment: Chrome /Gun gray/

Main material: Brass+Aluminum alloy storage board

Top spray shower: ABS, 280*190mm Handheld shower: ABS. Three functions








WSZ39380 Water efficiency level three

Product name: Three function shower mixer

Surface treatment: Chrome Main material: Brass Top spray shower: 9 inches, ABS

Handheld shower: ABS, three functions






29

WSZ39400 Water efficiency level three

Product name: Three function shower mixer

Surface treatment: Chrome Main material: Brass Top spray shower: 9 inches, ABS Handheld shower: ABS, three functions






Product name: Two function shower

Surface treatment: Chrome Main material: Brass Top spray shower: 9 inches, ABS Handheld shower: ABS, three functions
























Simple design frees up space




Shower Mixer

Natural drizzle feeling, thermostatic shower

Safe and anti-scalding, round and exquisite copper casting



















35 For Better Living \(\frac{1}{36}\)























WSZ37510

Surface treatment:Chrome / Matte black

Product name: Floor to floor bathtub Main material: Brass

Installation method: Floor standing Water outlet method: Bubble water/ Handheld shower






WSZ37520

Surface treatment:Chrome / Matte black

Product name: Floor to floor bathtub

Main material: Brass Installation method: Floor standing Water outlet method: Bubble water/ Handheld shower







Wall mounted concealed shower Start your fashion life

Craftsmanship quality, Bionic rain shower activates every inch of your skin.







WSZ6905B Water efficiency level three



Product name:Two function concealed shower mixer Main material: PPA Top spray shower: ABS Handheld shower: ABS, single function



Opening size: 170mm long x 120mm wide; Depth 55-70 (excluding hot melt plugs)



WSZ6956B



Product name:Two function concealed shower mixer Main material: PPA

Top spray shower: ABS
Handheld shower: ABS, single function







Opening size: 170mm long x 120mm wide; Depth 55-70 (excluding hot melt plugs)





WSZ6955B




Product name:Two function concealed shower mixer Main material: Brass

Top spray shower: ABS,9 inches
Handheld shower: ABS, single function

43







Hole size: 105x115x (58-65) mm deep



WSZ6904B




Product name:Two function concealed shower mixer Main material: Brass

Top spray shower: ABS,9 inches Handheld shower: ABS, single function







Hole size: 105x115x (58-65) mm deep





WSZ6903B

Product name:Two function concealed shower mixer


Main material: Brass
Top spray shower: ABS,9 inches Handheld shower: ABS, single function























Shower water can be switched



Wash water mode



Can be pulled/360° for cleaning without dead corners








WSZ19590 Surface treatment:Chrome

Main material: Zinc alloy+Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water, with pulling and lifting.






WSZ19600


Surface treatment:Chrome

Main material: Zinc alloy+304 Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water, with pulling.



For Better Living \ \ \ 48 47







WSZ19370

Surface treatment:Chrome/Gun Grey/Matte Black

Main material: Zinc coated plastic Valve core: Ceramic Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water, with a 360° rotation of the water nozzle





WSZ19360

Surface treatment:Chrome/Gun Grey/Matte Black

Main material: Zinc coated copper Valve core: Ceramic Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water, with pulling, lifting, and a 360° rotation of the water nozzle.





WSZ19400

Surface treatment:Chrome/Gun Grey/Matte Black

Main material: Zinc coated copper Valve core: Ceramic Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water, with pulling and lifting.



49 For Better Living \sqrt{50}





WSZ19410

Surface treatment:Chrome/Gun Grey/Matte Black

Main material: Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.





WSZ19470

Surface treatment:Chrome/Gun Grey/Matte Black

Main material: Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.








WSZ19540

Surface treatment:Chrome

Main material: Zinc coated plastic Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.






WSZ19560

Surface treatment:Chrome

Main material: Zinc coated plastic Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.





WSZ19480

Surface treatment:Chrome/Gun Grey/Matte Black

Main material: Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.





WSZ19500

Surface treatment:Chrome/Gun Grey/Matte Black

Main material: Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.





51



Preferred refined copper body

Cold and hot water single handle dual control bid farewell to the harsh winter days





WSZ19130

Surface treatment:Chrome

Main material: Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.






WSZ19510

Surface treatment:Chrome

Main material: Brass
Valve core: Ceramic valve core
Installation bore diameter: Ø35mm
Features: Single handle dual control
for hot and cold water.






WSZ19520

Surface treatment:Chrome

Main material: Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.





WSZ19490

Surface treatment:Chrome

Main material: Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.





WSZ19140

Surface treatment:Chrome

Main material: Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.





Main material: Brass Valve core: Ceramic valve core Installation bore diameter: Ø35mm Features: Single handle dual control for hot and cold water.



53 For Better Living \(\frac{1}{2} \) 54





WSZ12160

Surface treatment:Mirror/Matte/Gun gray/Matte black

Product name: Basin faucet Main material: 304 Installation bore diameter: Ø35mm Features: single handle dual control





WSZ12150

Surface treatment:Matte

Product name: Basin faucet Main material: 304 Installation bore diameter: Ø35mm Features: single handle dual control





WSZ1206D

Surface treatment:Mirror/Matte

Product name: Basin faucet Main material: 304 Installation bore diameter: Ø35mm Features: single handle dual control







WSZ82070

Surface treatment:Matte

Product name: Single cold basin faucet Main material: 304 Installation bore diameter: Ø25mm Features: Single handle single control





WSZ82072

Surface treatment:Matte

Product name: Single cold basin faucet Main material: 304 Installation bore diameter: Ø25mm Features: Single handle single control





WSZ82030

Surface treatment:Matte

Product name: Single cooling faucet Main material: 304 Installation bore diameter: Ø25mm Features: Single handle dual control for hot and cold water, with 360° rotation.





WSZ82060

Surface treatment:Matte

Product name: Single cooling faucet Main material: 304 Installation bore diameter: Ø25mm Features: Single handle dual control for hot and cold water, with 360° rotation.








Single cold basin faucet

For Better Living \ \ \ 56 55



57





WSZ15120

Surface treatment:Chrome

Product name: Wall mounted basin faucet Main material: Brass Features:Single handle dual control for hot and cold water.








WSZ15130

Surface treatment:Chrome

Product name: Wall mounted basin faucet Main material: Brass Features:Single handle dual control for hot and cold water.







WSZ15110

Surface treatment: Chrome/Gun Grey/Matte Black

Product name: Wall mounted basin faucet

Main material: Brass Features:Single handle dual control for hot and cold water.






WSZ13120

Surface treatment: Chrome/Gun Grey/Matte Black

Product name: Split basin faucet Main material: Brass Features:Single handle dual control for hot and cold water.





For Better Living \ \ \ 58





WSZ45940

Surface treatment:Chrome

Product name: Induction faucet Main material: Brass Installation method: Wall mounted Features:Electronic induction Sensing distance: ≥150mm Power-on mode: AC/DC





WSZ45981

Surface treatment:Chrome

Product name: Induction faucet Main material: Brass Installation bore diameter:Ø25mm Features:Electronic induction Sensing distance: ≥150mm Power-on mode: AC/DC





WSZ45982

Surface treatment:Chrome

Product name: Induction faucet Main material: Brass Installation bore diameter:Ø25mm Features:Electronic induction Sensing distance: ≥150mm Power-on mode: AC/DC





WSZ45983

Surface treatment:Chrome

Product name: Induction faucet Main material: Zinc alloy coated plastic Installation bore diameter: Ø35mm Features: Electronic induction Sensing distance: ≥150mm Power-on mode: DC DC







61

Kitchen basin mixer

Cold and hot water single handle dual control, 360° rotatable, flexible water usage, making the user experience more diverse and colorful.










WSZ42130

Surface treatment:Gun Grey

Product name: Vegetable basin mixer Main material: 304 Installation bore diameter: Ø35mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with pulling, and a 360° rotation of the water nozzle.





WSZ42140

Surface treatment:Matte

Product name: Vegetable basin mixer Main material: 304 Installation bore diameter: Ø35mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with pulling, a 360° rotation of the water nozzle, hydroelectric power generation, and temperature display.





WSZ42150

Surface treatment:Matte

Product name:Vegetable basin mixer Main material: 304 Installation bore diameter: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with pulling, and a 360° rotation of the water nozzle.





WSZ42160

Surface treatment:Matte

Product name:Vegetable basin mixer Main material: 304 Installation bore diameter: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with pulling, and a 360° rotation of the water nozzle.







Kitchen basin faucet

Soft foaming and smooth water flow without splashing



WSZ42180

Surface treatment:Matte

Product name: Vegetable basin mixer Main material: 304 Installation bore diameter: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with pulling, and a 360° rotation of the water






WSZ42190

Surface treatment:Matte

Product name:Vegetable basin mixer Main material: 304 Installation bore diameter: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with pulling, and a 360° rotation of the water nozzle.







WSZ43220

Surface treatment:Chrome

Product name:Vegetable basin mixer Main material: Brass Installation bore diameter: Ø35mm Scope of application: Kitchen
Features:Single handle dual control for
hot and cold water, with a 360° rotation of the water nozzle.







WSZ43140

Surface treatment:Chrome

Product name:Vegetable basin mixer Main material: Brass Installation dimension: Ø35mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with a 360° rotation of the water nozzle.





WSZ43120

Surface treatment:Chrome

Product name:Vegetable basin mixer Main material: Brass Installation bore diameter: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with a 360° rotation of the water nozzle.






WSZ43180

Surface treatment:Chrome

Product name:Vegetable basin mixer Main material: Brass Installation dimension: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with pulling, and a









WSZ42192

Surface treatment:Gun Grey

Product name: Vegetable basin faucet Main material: 304 Installation bore diameter: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with pulling, and a 360° rotation of the water nozzle.





WSZ44020

Surface treatment:Matte

Product name: Vegetable basin faucet Main material: 304 Installation bore diameter: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with a 360° rotation of the water nozzle.







WSZ44010

Surface treatment:Matte

Product name:Vegetable basin faucet Main material: 304 Installation bore diameter: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with a 360° rotation of the water nozzle.





WSZ44030

Surface treatment:Matte

Product name:Vegetable basin faucet Main material: 304 Installation bore diameter: Ø35mm Pulling length: Maximum 500mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with a 360° rotation of the water nozzle.







WSZ44040

Surface treatment:Matte

Product name: Vegetable basin mixer Main material: 304 Installation bore diameter: Ø35mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with a 360° rotation of the water nozzle.





WSZ44050

Surface treatment:Matte

Product name: Vegetable basin mixer Main material: 304 Installation bore diameter: Ø35mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with a 360° rotation of the water nozzle.





WSZ44060

Surface treatment:Chrome

Product name:Vegetable basin mixer Main material: 304 Installation bore diameter: Ø35mm Scope of application: Kitchen Features:Single handle dual control for hot and cold water, with a 360° rotation of the water nozzle.










WCP12200

Surface treatment:Satin

Product name:Sink (Single bowl) Main material: 304 Scope of application: Kitchen Process: Unibody drawing
Bore diameter for upon mouth:600x430x(4xR9)






WCP12210

Surface treatment:Satin

Product name:Sink (Single bowl) Main material: 304 Scope of application: Kitchen Process: Unibody drawing
Bore diameter for upon mouth:660x430x(4xR9)





WCP12030

Surface treatment:Satin

Product name:Sink (Single bowl) Main material: 304 Scope of application: Kitchen Process: Unibody drawing Bore diameter for upon mouth: 594x404x(4xR32)





WCP12040

Surface treatment:Satin

Product name:Sink (Single bowl) Main material: 304 Scope of application: Kitchen Process: Unibody drawing Bore diameter for upon mouth: 401x401x(4xR25)






WCP12050

Surface treatment:Satin

Product name:Sink (Single bowl)
Main material: 304 Scope of application: Kitchen Process: Unibody drawing Bore diameter for upon mouth: 355x305x(4xR50)






WCP12060

Surface treatment:Satin

Product name:Sink (Single bowl) Main material: 304 Scope of application: Kitchen Process: Manual groove Bore diameter for upon mouth: 790x410x(4xR6)









WCP12070

Surface treatment:Satin

Product name:Sink (Single bowl) Main material: 304 Scope of application: Kitchen Process: Unibody drawing Bore diameter for upon mouth: 580x430x(4xR35)





WCP12150

Surface treatment:Satin

Product name:Sink (Single bowl) Main material: 304
Scope of application: Kitchen
Process: Unibody drawing
Bore diameter for upon mouth:
445x375x(4xR20)






WCP12160

Surface treatment: Satin

Product name:Sink (Single bowl) Main material: 304 Scope of application: Kitchen Process: Unibody drawing Bore diameter for upon mouth: 580x430x(4xR20)






WCP12170

Surface treatment: Hydrophobic nano

Product name:Sink (Single bowl)
Main material: 304 Scope of application: Kitchen Process: Unibody drawing Bore diameter for upon mouth: 660x430x(4xR20)










WCP11030

Surface treatment: Satin

Product name:Sink (Double bowl) Main material: 304 Scope of application: Kitchen Process: Unibody drawing Bore diameter for upon mouth: 750x400x(4xR25)






WCP11040

Surface treatment: Satin

Product name:Sink (Double bowl) Main material: 304 Scope of application: Kitchen Process: Unibody drawing Bore diameter for upon mouth: 699x386x(4xR25)






WCP11060

Surface treatment: Satin

Product name:Sink (Double bowl) Main material: 304 Scope of application: Kitchen Process: Unibody drawing Bore diameter for upon mouth: 760x410x(4xR20)






WCP12180

Surface treatment: Hydrophobic nano

Product name:Sink (Double bowl)
Main material: 304
Scope of application: Kitchen
Process: Manual groove
Bore diameter for upon mouth:
670x445x(4xR15)







WSZ7103B Surface treatment: Satin

Product name:Angle valve Main material: 304





WSZ7105B

Surface treatment: Satin

Product name:Angle valve Main material: 304





WSZ7110H/C

Surface treatment: Satin

Product name:Angle valve Main material: 304





WSZ71090

Surface treatment: Satin

Product name:Angle valve Main material: 304



ANGLE VALVE



WSZ71091

Surface treatment: Satin

Product name:Angle valve Main material: 304 Features: G1/2 inlet G3/4 outlet





WSZ71092

Surface treatment: Satin

Product name:Angle valve Main material: 304 Features: G3/4 inlet G1/2 outlet





WSZ73010

Surface treatment: Satin

Product name:Dual-purpose angle valve Main material:304 Features:One inlet, two outlet Simultaneously turn on or turn off





WSZ73020

Surface treatment: Satin

Product name:Dual-purpose angle valve Main material:304 Features:One inlet, two outlet Simultaneously turn on or turn off





Precision copper casting crack proof and explosion-proof





WSZ71960

Surface treatment:Chrome

Product name:Angle valve Main material:Brass Features: G1/2 inlet G3/4 outlet, automatic water stop/washing machine connector





WSZ71961

Surface treatment:Chrome

Product name:Angle valve Main material:Brass Features: Space saving, washing machine connector






WSZ71963

Surface treatment:Chrome

Product name:Angle valve Main material:Brass Features:One inlet, two outlet, dual handle dual control



ANGLE VALVE



WSZ71120

Surface treatment:Chrome

Product name: Angle valve Main material:Brass





WSZ71130

Surface treatment:Chrome

Product name: Angle valve Main material:Brass





WSZ7191H/C

Surface treatment:Chrome

Product name:Angle valve Main material:Copper covered plastic Features: Explosion proof and break proof, lead-free design





WSZ7192H/C

Surface treatment:Chrome

Product name:Angle valve Main material:Copper covered plastic Features:Explosion proof and break proof, lead-free design





WSZ7193H/C

Surface treatment:Chrome

Product name:Angle valve Main material:Copper covered plastic Features: Explosion proof and break proof, lead-free design



KIN LONG

Comfortable and convenient to switch freely





WSZ71940

Surface treatment:Chrome

Product name:Angle valve Main material:Brass





WSZ71941

Surface treatment:Chrome

Product name:Angle valve Main material:Brass





Surface treatment:Chrome

Product name:Angle valve Main material:Brass

WSZ71950





WSZ71951

Surface treatment:Chrome

Product name:Angle valve Main material:Brass





WSZ8102B

Surface treatment:Satin

Product name:Small faucet Main material:304





WSZ8103B

Surface treatment:Satin

Product name:Small faucet Main material:304





WSZ81060

Surface treatment:Satin

Product name:Small faucet Main material:304







WSZ8102D

Surface treatment:Satin

Product name:Small faucet Main material:304





WSZ8103D

Surface treatment:Satin

Product name:Small faucet Main material:304





WSZ8106D

Surface treatment:Satin

Product name:Small faucet Main material:304







WSZ81930

Surface treatment:Chrome

Product name:Small faucet





WSZ8194A

Surface treatment:Chrome

Product name:Small faucet






WSZ81960

Surface treatment:Chrome

Product name:Small faucet Main material:Brass



For Better Living \ \ 82 81





Mini washing machine faucet



WSZ81983

Surface treatment:Chrome

Product name:Small faucet Main material:Brass Features:Single handle single control, automatic water stop





WSZ74950

Surface treatment:Matte

Main material:304+ABS Features:Single handle single Installation dimension:G1/2



83



WSZ74960

Surface treatment:Chrome

Main material:Brass+ABS Features:Single handle single Installation dimension:G1/2







WSZ81990

Surface treatment:Chrome

Product name:Small faucet Main material:Brass Features:Single handle single





WSZ81993

Surface treatment:Chrome

Product name:Small faucet Main material:Brass Features:Single handle single





WSZ81992

Surface treatment:Chrome

Product name:Small faucet Main material:Brass Features:Single handle single





WSZ81991

Surface treatment:Chrome

Product name:Small faucet Main material:Brass Features:Single handle single









Press one button to quickly drain the water



DRAIN









85 For Better Living \(\frac{1}{2}\) 86



DRAIN



Product name: Pop-up drain


















DRAINAGE PIPE






		y			
Model	Main material	Surface treatmen			
WSZ95010	Brass	Chrome			
WSZ9501A	Nonrust steel	Chrome			
WSZ9501B 304 Satin					
Product name: Drain pipe					









WSZ95220 (Caliber: G1/2-G1/2) WSZ95230 (Caliber: G1/2-G3/4) WSZ95240 (Caliber: G3/4-G3/4)

Product name:Stainless steel wire braided pipe Main material:304 Surface treatment:Satin





89

03

Bathroom hardware HANGERS




Fashionable and minimalist Style selection

Every bathroom hangers has an extremely reasonable size, and everything looks natural and harmonious.



For Bett





Reasonable storage Free up more bathroom space



WWG65090

Surface treatment: Gun Grey

Product name: Towel rack Main material: 304





WWG65100

Surface treatment: Gun Grey

Product name: Towel rack Main material: 304






WWG65210

Surface treatment: Gun Grey

Product name: Towel rack Main material: 304





WWG65010

Surface treatment: Gun Grey

Product name: Towel rack Main material: 304






WWG65040

Surface treatment: Gun Grey

Product name: Towel rack Main material: 304







WWG1901A

Surface treatment: Mirror

Product name: Towel rack Main material: 304






WWG1903A

Surface treatment: Mirror

Product name: Towel rack Main material: 304






WWG1904A

Surface treatment: Mirror

Product name: Towel rack Main material: 304





WWG55090

Surface treatment: Mirror

Product name: Clothes hook Main material: 304





WWG55210

Surface treatment: Mirror

Product name: Tissue holder Main material: 304





WWG3509A

Surface treatment: Mirror

Product name: Clothes hook Main material: 304





WWG3501A

Surface treatment: Mirror

Product name: Towel rack Main material: 304






WWG3504A

Surface treatment: Mirror

Product name: Towel rack Main material: 304





WWG55010

Surface treatment: Mirror

Product name: Towel rack Main material: 304






WWG55040

Surface treatment: Mirror

Product name: Towel rack Main material: 304





WWG3521A

Surface treatment: Mirror

Product name: Tissue holder Main material: 304






WWG5201A

Surface treatment: Gun Grey

Product name: Towel rack Main material: Aluminum alloy






WWG52043

Surface treatment: Gun Grey

Product name: Towel rack Main material: Aluminum alloy







93







WWG4001A

Surface treatment: Mirror

Product name: Towel rack Main material: 304






WWG4004A

Surface treatment: Mirror

Product name: Towel rack Main material: 304





WWG4801A

Surface treatment: Matte black

Product name: Towel rack Main material: Aluminum alloy





WWG4804A

Surface treatment: Matte black

Product name: Towel rack Main material: Aluminum alloy





WWG5009A

Surface treatment: Mirror

Product name: Clothes hook Main material: 304





WWG40090

Surface treatment: Mirror

Product name: Clothes hook Main material: 304





WWG40100

Surface treatment: Mirror

Product name: Clothes hook Main material: 304





WWG40010

Surface treatment: Mirror

Product name: Towel rack Main material: 304






WWG40040

Surface treatment: Mirror

Product name: Towel rack Main material: 304







Product name: Toilet brush Main material: 304









WWG53010

Surface treatment: Matte black

Product name: Towel rack Main material: 304

WWG53210

Main material: 304

Surface treatment: Matte black

Product name: Tissue holder





WWG53040

Surface treatment: Matte black

Product name: Towel rack Main material: 304





WGL22020

Surface treatment: Matte black

Product name: Hanging basket





Main material: 304+ABS






WWG56040

Surface treatment: Matte black

Product name: Towel rack Main material: Aluminum alloy





WWG56010

Surface treatment: Matte black

Product name: Towel rack Main material: Aluminum alloy





WWG56210

Surface treatment: Matte black









WWG57010

Surface treatment: Mirror

Product name: Towel rack Main material: 304






WWG57040

Surface treatment: Mirror

Product name: Towel rack Main material: 304





WWG64010

Surface treatment: Chrome

Product name: Towel rack Main material: Brass






WWG64040

Surface treatment: Chrome

Product name: Towel rack Main material: Brass





WWG64210

Surface treatment: Chrome

Product name: Towel rack Main material: Brass





WWG64090

Surface treatment: Chrome

Product name: Clothes hook Main material: Brass







SIMPLE FASHION IMPROVE **YOUR HOME STYLE**





WWG63010

Surface treatment: Chrome

Product name: Towel rack Main material: Zinc alloy + stainless steel





WWG63040

Surface treatment: Chrome

Product name: Towel rack Main material: Zinc alloy + stainless steel



WWG63210

Surface treatment: Chrome

Product name: Tissue holder Main material: Zinc alloy + stainless steel





WWG63240 Surface treatment: Chrome

Product name: Toilet brush Main material: Zinc alloy + stainless steel







WWG62010

Surface treatment: Chrome

Product name: Towel rack Main material: Zinc alloy + stainless steel





WWG62040

Surface treatment: Chrome

Product name: Towel rack Main material: Zinc alloy + stainless steel





WWG62210

Surface treatment: Chrome

Product name: Tissue holder Main material: Zinc alloy + stainless steel





Surface treatment: Chrome

Product name: Toilet brush Main material: Zinc alloy + stainless steel









Small Space Storage Artifact



WWG51010

Surface treatment: Persian gray

Product name: Towel rack Main material: Aluminum alloy





WWG51040

Surface treatment: Persian gray

Product name: Towel rack Main material: Aluminum alloy





WZH10160

Surface treatment: Persian gray

Product name: Tissue holder Main material: Aluminum alloy





WZH10150

Surface treatment: Persian gray

Product name: Tissue holder Main material: Aluminum alloy





WWG52010

Surface treatment: Persian gray

Product name: Towel rack Main material: Aluminum alloy





WWG52040

Surface treatment: Persian gray

Product name: Towel rack Main material: Aluminum alloy





WGL10060

Surface treatment: Persian gray

Product name: Hanging basket Main material: Aluminum alloy





WGL20060

Surface treatment: Persian gray

Product name: Hanging basket Main material: Aluminum alloy





Huayue Life Slow enjoyment

101



Home Storage Good helper



WGL23020

Surface treatment: Satin

Product name: Platform storage rack Main material: 304








WGL23040

Surface treatment: Gun Grey

Product name: Platform storage rack Main material: 304






WGL23030

Surface treatment: Satin

Product name: Platform storage rack Main material: 304





WGL23050

Surface treatment:Satin

Product name: Platform storage rack Main material: 304




High Beauty Hanging Basket



WGL10110

Surface treatment: Gun Grey

Product name: Hanging basket Main material: Aluminum alloy





WGL10120

Surface treatment:Sandblasting silver

Product name: Hanging basket Main material: Aluminum alloy






WGL10100

Surface treatment: Persian gray

Product name: Hanging basket Main material: Aluminum alloy






WGL30060

Surface treatment: Persian gray

Product name: Double layer hanging basket Main material: Aluminum alloy





Hanging Basket Strength Faction

Solid thickened material for corrosion prevention and rust prevention





WGL11010

Surface treatment:Mirror

Product name: Hanging basket Main material: 304





WGL21010

Surface treatment:Mirror

Product name: Hanging basket Main material: 304





WGL12010

Surface treatment:Mirror

Product name: Hanging basket Main material: 304+ABS





WGL13010

Surface treatment:Mirror/Matte black

Product name: Hanging basket





WGL23010

Surface treatment:Mirror/Matte black

Product name: Hanging basket Main material: 304





WGL10070

Surface treatment:Persian gray

Product name: Hanging basket Main material: Aluminum alloy





WGL14010

Surface treatment:White

Product name: Hanging basket Main material: ABS








WGL22010

Surface treatment:Mirror

Product name: Hanging basket Main material: 304+ABS





WGL24010

Surface treatment:White

Product name: Hanging basket Main material: ABS





KIN LONG

Storage upgrade to expand space





WGL10030

Surface treatment:Mirror

Product name: Hanging basket Main material: 304 Size:220*220*60





WGL10040

Surface treatment:Mirror

Product name: Hanging basket Main material: 304 Size:215*215*60





WGL10050

Surface treatment:Mirror

Product name: Hanging basket Main material: 304 Size:230*230*60





WGL20040

Surface treatment:Mirror

Product name: Hanging basket Main material: 304 Size:265*120*60






WGL20050

Surface treatment:Mirror

Product name: Hanging basket Main material: 304 Size:275*140*60





WGL10090

Surface treatment: Chrome

Product name: Hanging basket Main material: 304 Size:200*200*152






WGL30010

Surface treatment:Mirror

Product name: Hanging basket Main material: 304 Size:250*250*320





WGL30020

Surface treatment:Mirror

Product name: Hanging basket Main material: 304 Size:230*230*320







WGL30050

Surface treatment: Chrome

Product name: Hanging basket Main material: 304 Size:200*200*440





WGL40030

Surface treatment:Mirror

Product name: Hanging basket Main material: 304 Size:275*140*500







HOUSEHOLD CLOTHES HOOK







WYG0004A

Surface treatment:Mirror

Product name: Gravity clothes hook Patent No.:CN201330230902.0 Main material: 304





WYG0004C

Surface treatment:Mirror

Product name: Gravity clothes hook Main material: 304





WYG11010

Surface treatment:Mirror

Product name: Clothes hook Main material: 304





WYG11020

Surface treatment:Mirror

Product name: Towel bar Main material: 304





WYG12010

Surface treatment: Chrome

Product name: Clothes hook Main material: Brass





WYG12020

Surface treatment: Chrome

Product name: Clothes hook Main material: kirsite





WYG12030

Surface treatment: Chrome

Product name: Clothes hook Main material: kirsite





WYG12040

Surface treatment: Gun Grey/Matte black

Product name: Clothes hook Main material: Aluminum alloy







WYG51750

Surface treatment: Mirror





WYG53680

Surface treatment:Mirror


Product name: Gravity clothes hook Patent No.:CN201430047199.4



Product name: Gravity clothes hook Main material: 304










WYG10040-3 WYG10040-5

Product name: Hook track Main material: 304







Surface treatment: Mirror/Matte

Product name: Hook track Main material: 304





WYG20020-3 WYG20020-5

Surface treatment: Chrome

Product name: Hook track Main material: Kirsite







WYG20040-3 WYG20040-5

Surface treatment: Chrome

Product name: Hook track Main material: Zinc alloy+Stainless steel









Kitchen storage is a good helper as exquisite as you



It's culture, it's boutique, Or art is no longer important, The most important thing is that it satisfies the high simplicity of life, Enjoy and unrestrained.



WYG11060

Surface treatment: Matte gray

Product name: Kitchen racks Main material: Aluminum alloy





WYG11070

Surface treatment: Matte gray

Product name: Kitchen racks Main material: Aluminum alloy





WYG11080

Surface treatment:Glossy

Product name: Kitchen racks Main material: Aluminum alloy





WGL53010

Surface treatment: Brushed gold/gun gray/matte black

Product name: Niche Main material: 304






WGL53020

Surface treatment: Brushed gold/gun gray/matte black

Product name: Niche Main material: 304






WGL53030

Surface treatment: Brushed gold/gun gray/matte black

Product name: Niche Main material: 304








WGL5301A


Surface treatment: Brushed gold/gun gray/matte black

Product name: Niche Main material: 304



115 For Better Living \ \ \ \ 116





04


Bathroom hardware FLOOR DRAIN



Craftsmanship
casting
Rounds of
quality inspection

Craftsmanship casting, layer by layer quality inspection, always guarding the cleanliness of Love Home, creating the most comfortable and elegant environment for people.







WDL2017C

Wall thickness:2mm

Product name: Floor drain (ultra-thin) Main material: 304 Surface treatment: Satin

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mi
VDI 2017C	040	10	ass	□10

C:Plastic flap structure



WDL2016C

Wall thickness:2mm

Product name: Floor drain (ultra-thin) Main material: 304 Surface treatment: Satin

	C:Plastic fl	ap structu
\ / \	D/100 100 \	C(100 100)

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL2016C	Ø40	19	Ø32	□100



WDL2017C-50

Wall thickness:2mm

Product name: Floor drain (ultra-thin) Main material: 304 Surface treatment: Satin

Surface treatment: Satin				C:Plastic t	lap structure
	Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
	WDL2017C-50	Ø50	19	Ø43.5	□100



WDL2016C-50

Wall thickness:2mm

Product name: Floor drain (ultra-thin) Main material: 304 Surface treatment: Satin

C:Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL2016C-50	Ø50	19	Ø43.5	□100



WDL3018C Wall thickness: 3.6mm

Product name: Imitation copper floor drain Main material: 304

 Model
 Applicable pape diameter
 A(mm)
 B(mm)
 C(mm)

 WDL3018C
 Ø50
 18
 Ø44.5
 □100

C:Plastic flap structure



WDL3019C Wall thickness: 3.6mm

Product name: Imitation copper floor drain Main material: 304

Main material: 304 Surface treatment: Brushed nickel



C:Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
VDL3019C	Ø50	18	Ø44.5	□100





Effectively collecting hair



Exquisitely crafted without burrs



Wet Area Floor Drain



Product name: Floor drain Main material: 304 Surface treatment: Satin A:Stainle sealin


Surface treatment: Satin

A:Stainless steel deep water sealing structure

Model

Applicable pipe dameter | A(mm) | B(mm) | C(mm) |

WDL2018A | Ø50 | 21 | Ø45 | □100



WDL2018C Wall thickness: 2mm

Product name: Floor drain Main material: 304 Surface treatment: Satin C:Plastic flap struct

 Model
 Applicable pipe diameter
 A(mm)
 B(mm)
 C(mm)

 WDL2018C
 Ø50
 21
 Ø45
 □100



WDL2019C Wall thickness: 2mm

Product name: Floor drain Main material: 304 Surface treatment: Satin C:Plastic flap structure

 Model
 Applicable pipe diameter
 A(mm)
 B(mm)
 C(mm)

 WDL2019C
 Ø75
 17.2
 Ø62
 □100








WDL1011A/C Wall thickness: 1mm

Product name: Floor drain Main material: 304 Surface treatment: Satin



A: Stainless steel deep	۲
water seal structur	е
C: Plastic flap structu	r

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL1011A	Ø50	28	Ø45	□100
WDL1011C	Ø50	28	Ø45	□100



Wall thickness: 1mm

Product name: Floor drain Main material: 304 Surface treatment: Satin



water seal structure C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL1012A	Ø50	28	Ø45	□100
WDL1012C	Ø50	28	Ø45	□100



WDL2011A/C Wall thickness: 2mm

Product name: Floor drain Main material: 304 Surface treatment: Satin

C	C
	B
Б	

A: Stainless steel deep water seal structure C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL2011A	Ø50	25	Ø45	□100
WDL2011C	Ø50	25	Ø45	□100



WDL2012A/C Wall thickness: 2mm

Product name: Floor drain Main material: 304 Surface treatment: Satin



A: Stainless steel deep water seal structure C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL2012A	Ø50	25	Ø45	□100
WDL2012C	Ø50	25	Ø45	□100



WDL3011A/C Wall thickness: 3mm

Surface treatment: Satin

Product name: Floor drain Main material: 304




A: Stainless steel deep water seal structure C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL3011A	Ø50	26	Ø45	□100
WDL3011C	Ø50	26	Ø45	□100



WDL3015A/C Wall thickness: 3mm

Product name: Floor drain Main material: 304 Surface treatment: Satin



A: Stainless steel deep water seal structure C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL3015A	Ø50	26	Ø45	□100
WDL3015C	Ø50	26	Ø45	□100





WDL2011C-75 Wall thickness: 2mm

Product name: Floor drain(high flow rate)

Main material: 304 Surface treatment: Satin

Applicable pipe diameter	A(mm)	B(mm)	C(mm)		
Ø75	24	Ø63	□100		


C: Plastic flap structure



Wall thickness: 2mm Product name: Floor drain(high flow rate)

Main material: 304

Surface treatment: Satin		C: Pla	istic flap structure
Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø75	24	Ø63	□100





Wall thickness: 3mm

Product name: Floor drain(high flow rate) Main material: 304

Surface treatment: Satin		C: Pla	stic flap structure
Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø75	25	Ø63	□100



WDL3015C-75

Wall thickness: 3mm

Product name: Fi Main material: 30 Surface treatmen	14	,	c ic flap structure
Applicable pipe diameter	A(mm)	B(mm)	C(mm)

Ø75 25 Ø63 □100



WDL2014C

Wall thickness: 2mm

Product name: Floor drain(high flow rate) Main material: 304 Surface treatment: Satin

C: Plastic flap structure Applicable pipe diameter A(mm) B(mm) C(mm)

Ø75 30 Ø63 □120







WDL2013C

Wall thickness: 2mm

Surface treatment: Satin

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø75	30	Ø63	□120

C: Plastic flap structure



WDL3017C Wall thickness: 3mm

Product name: Floor drain(high flow rate) Main material: 304 Surface treatment: Satin

Applicable pipe diameter	A(mm)	B(mm)	C(mm)		
Ø75	31	Ø63	□120		





C: Plastic flap structure







Wall thickness: 3mm

Product name: Floor drain(high flow rate) Main material: 304 Surfac

C: Plastic flap structure

Surface treatment: Satin					
Applicable pipe diameter	A(mm)	B(mm)	C(mm)		
Ø75	31	Ø63	□120		



WDL3931A/C

Wall thickness: 3mm

Product name: Floor drain

Main material: Co	opper
Surface treatmer	nt:Chrome
Madal	Applicable

Model	Applicable pipe diameter	A(mm)	B(mm)	C(m
WDL3931A	Ø50	20	Ø44	□1
WDL3931C	Ø50	20	Ø44	□1



A: Stainless steel deep water seal structure

A: Stainless steel deep

water seal structure

		C: Plastic fla	: Plastic flap structur		
e ieter	A(mm)	B(mm)	C(mm)		
)	20	Ø44	□100		
)	20	0144	□100		





Wall thickness: 3mm Product name: Floor drain

Main material: Copper

Surface treatment:Chrome

A: Stainless steel deep water seal structure C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL3932A	Ø50	20	Ø44	□100
WDL3932C	Ø50	20	Ø44	□100



WDL3941A/C

Wall thickness: 4mm

Product name: Floor drain Main material: Copper Surface treatment:Chrome

Surface treatment:		C: Plastic flap		
Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL3941A	Ø50	21	Ø44	□100
WDL3941C	Ø50	21	Ø44	□100



WDL3942A/C Wall thickness: 4mm

Product name: Floor drain

Main material: Copper water seal structure Surface treatment:Chrome

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL3942A	Ø50	21	Ø44	□100
WDL3942C	Ø50	21	Ø44	□100





WDL3931C-75 Wall thickness: 3mm

Product name: Floor drain (high flow rate)

Main material: Brass C: Plastic flap structure Surface treatment:Chrome

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø75	20	Ø63	□100



WDL3941C-75

Wall thickness: 4mm

Product name: Floor drain (high flow rate)

_	,				. 01	
Sur	ta	ce	1	treatmer	nt:Chrome	



C: Plastic flap structure

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø75	21	Ø63	□100



WDL3932C-75

Wall thickness: 3mm

Product name: Floor drain (high flow rate) Main material: Brass

C: Plastic flap structure Surface treatment:Chrome Applicable pipe diameter A(mm) B(mm) C(mm)

Ø75 20 Ø63 □100



WDL3942C-75

Wall thickness: 4mm



Product name: Floor drain (high flow rate) Main material: Brass

C: Plastic flap structure


nace treatment. Chrome						
Applicable pipe diameter	A(mm)	B(mm)	C(mm			
0.75	21	Ø63	□100			




WDL39190

Wall thickness: 3mm

Product name: Floor drain Main material: Brass Surface treatment:Chrome









General Floor Drain For Dry/Wet Areas



WDL205XC Wall thickness: 2mm

Product name: Floor drain (ultra-thin) Main material: 304 Surface treatment:Satin

C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL205XC	Ø40	19	Ø32	□100



WDL206XC

Wall thickness: 2mm

Product name: Washing machine floor drain Main material: 304 Surface treatment:Satin

C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL206XC	Ø40	19	Ø32	□100



WDL205XC-50

Wall thickness: 2mm

Product name: Floor drain (ultra-thin) Surface treatment:Satin

C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
/DL205XC-50	Ø50	19	Ø43.5	□100



WDL206XC-50

Wall thickness: 2mm

Product name: Floor drain (ultra-thin) Surface treatment:Satin

C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL205XC-50	Ø50	19	Ø43.5	□100



WDL307XC

Wall thickness: 3.6mm

Product name: Imitation copper floor drain Main material: 304

Surface treatment:Brushed nickel

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL307XC	Ø50	18	Ø44.5	□100

C: Plastic flap structure



WDL308XC

Wall thickness: 3.6mm

Product name: Imitation copper floor drain Main material: 304



C: Plastic flap structure

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL308XC	Ø50	18	Ø44.5	□100







WDL95010 Surface treatment: Chrome

Product name: Washing machine adapter Main material: Plastics





WDL95020

machine adapter

Surface treatment: Beige Product name: Washing





WDL95030 Surface treatment: Beige

Product name: Washing machine adapter Main material: Plastics



General Floor Drain For Dry / Wet Areas



Product name: Washing machine floor drain Main material: 304

Surface treatm			C: Plastic fla	p structur
Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm
WDL101XA	Ø50	28	Ø45	□100

WDL101XC Ø50 28 Ø45 □100



WDL102XA/C

Product name: Washing machine floor drain Main material: 304 Surface treatment:Satin

Main material: 304 Surface treatment:Satin			water sea C: Plastic fla	l structure
Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL102XA	Ø50	28	Ø45	□100
WDL102XC	Ø50	28	Ø45	□100



WDL201XA/C

Wall thickness: 2mm

Product name: Washing machine floor drain Main material: 304 Surface treatment:Satin

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL201XA	Ø50	25	Ø45	□100
WDL201XC	Ø50	25	Ø45	□100



WDL202XA/C Wall thickness: 2mm

Product name: Washing machine floor drain Main material: 304 Surface treatment:Satin

A: Stainless steel deep water seal structure C: Plastic flap structure

A: Stainless steel deep

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL202XA	Ø50	25	Ø45	□100
WDL202XC	Ø50	25	Ø45	□100



WDL301XA/C

Wall thickness: 3mm

Product name: Washing machine floor drain Main material: 304
Surface treatment:S

buriace treatment.Saum			or radare map	oti dictai c
Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL301XA	Ø50	26	Ø45	□100
WDL301XC	Ø50	26	Ø45	□100



WDL303XA/C Wall thickness: 3mm

Product name: Washing machine floor drain Main material: 304

	seal st	A C C C C C C C C C C C C C C C C C C C
/		

Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL303XA	Ø50	26	Ø45	□100
WDL303XC	Ø50	26	Ø45	□100



General Floor Drain For Dry / Wet Areas




Wall thickness: 2mm



Product name: Washing machine floor drain (high flow rate) Main material: 304

Surface treatment:Satin





C: Plastic flap structure



Wall thickness: 2mm

Product name: Washing machine floor drain (high flow rate) Main material: 304 Surface treatment:Satin

C: Plastic flap structure

Applicable pipe diameter A(mm) B(mm) C(mm) Ø75 24 Ø63 □100



WDL301XC-75

Wall thickness: 3mm

Product name: Washing machine floor drain (high flow rate) Main material: 304 Surface treatment:Satin

C: Plastic flap structure Applicable pipe diameter A(mm) B(mm) C(mm)

Ø75 25 Ø63 □100






WDL303XC-75

Wall thickness: 3mm

Surface treatment:Satin



C: Plastic flap structure





WDL203XC Wall thickness: 2mm

Product name: Washing machine floor drain (high flow rate) Main material: 304

odinoo todinon.odin			
Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø75	30	Ø63	□120



C: Plastic flap structure

WDL204XC

Wall thickness: 2mm

Product name: Washing machine floor drain (high flow rate) Main material: 304 Surface treatment:Satin



Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø75	30	Ø63	□120



WDL3012C

Wall thickness: 3mm

Product name: Floor drain

Main material: 30)4
Surface treatmer	nt:Chrome
Applicable	A /wa wa \

			1-
Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø50	21	Ø45	□100



WDL3013C

Wall thickness: 3mm

Product name: Floor drain Main material: 304 Surface treatment:Chrome



pplicable pe diameter	A(mm)	B(mm)	C(mm)
Ø75	21	Ø63	□100



WDL302XC

Wall thickness: 3mm

Product name: Washing machine floor drain (high flow rate) Main material: 304 Surface treatment:Chrome

C	
B	

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø50	23	Ø45	□100



WDL305XC

Product name: Washing machine floor drain (high flow rate) Main material: 304 Surface treatment: Satin



C: Plastic flap structure

pplicable ipe diameter	A(mm)	B(mm)	C(mm)
Ø75	31	Ø63	□120




WDL306XC Wall thickness: 3mm

Product name: Washing machine floor drain (high flow rate) Main material: 304

C: Plastic flap structure

andoo a odamoi	it.Oddii		
Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø75	31	Ø63	□120







WDL39080

Wall thickness: 3mm

Product name: Washing machine floor drain Main material: Brass Surface treatment:Chrome

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø50	27	Ø45	□100



WDL391XC-75 Wall thickness: 3mm

Product name: Washing machine floor drain (high flow rate) Main material: Brass Surface treatment:Chrome

	C	
lacti	c flan	etructi

Surface treatmer	nt:Chrome	C. Flastic Hap structi		
Applicable pipe diameter	A(mm)	B(mm)	C(mm)	



WDL392XC-75

Wall thickness: 3mm

Product name: Washing machine floor drain (high flow rate) Main material: Brass

C: Plastic flap str

Surface treatment	nt:Chrome	
Applicable pipe diameter	A(mm)	Е



ructure	

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
pipe diameter	()	- ()	- ()
Ø75	20	Ø63	□100



WDL393XC-75

Wall thickness: 4mm

Product name: Washing machine floor drain (high flow rate) Main material: Brass



Ø75 20 Ø63 □100



Surface treatment	nt:Chrome	C: Plastic flap structure		
Applicable pipe diameter	A(mm)	B(mm)	C(mm)	
Ø75	21	Ø63	□100	



WDL394XC-75 Wall thickness: 4mm

Product name: Washing machine

floor drain (high flow rate) Main material: Brass Surface treatment:Chrome




C: Plastic flap structure

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø75	21	Ø63	□100



Wall thickness: 2mm





	U. I	lastic	пар	Strui

Applicable pipe diameter	适用管径	A(mm)	B(mm)	C(mm)
WDL207XC	Ø75	17.2	Ø62	□100

Dry Area Floor Drain



WDL392XA/C

Wall thickness: 3mm

Product name: Washing ma
floor drain
Main material: Copper
Surface treatment:Chrome

urface treatment:	Chrome	C: Plastic fla	p structure	
Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL392XA	Ø50	20	Ø44	□100
WDL392XC	Ø50	20	Ø44	□100



WDL394XA/C Wall thickness: 4mm

Product name: Washing machine floor drain Main material: Copper

A: Stainless steel deep water seal structure

illace treatifient. Officine			c: Plastic ilap	Structure
Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL394XA	Ø50	21	Ø44	□100
WDL394XC	Ø50	21	Ø44	□100



WDL391XA/C

Wall thickness: 3mm

Product name: Washing machine floor drain Main material: Copper Surface treatment:Chro

Juliace treatment.	Sillonie	C. Flastic Hap structure			
Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)	
WDL391XA	Ø50	20	Ø44	□100	
WDL391XC	Ø50	20	Ø44	□100	

A: Stainless steel deep



WDL393XA/C Wall thickness: 4mm

Product name: Washing machine floor drain



Main material: Copper Surface treatment:Chrome			A: Stainless s water sea C: Plastic fla	l structure
Model	Applicable pipe diameter	A(mm)	B(mm)	C(mm)
WDL393XA	Ø50	21	Ø44	□100
WDL393XC	Ø50	21	Ø44	□100






Waterfall drainage design

Invisible floor drain

Enjoy a beautiful life with both quality and appearance



Dry Area Floor Drain



WDL40070

Wall thickness: 3mm

Product name: Invisible floor drain Main material: 304

Surface treatmer	В		
Applicable pipe diameter	B(mm)	C(mm)	
Ø50 28		Ø45	□100

B
C(mm)

WDL40090

Wall thickness: 3mm

Product name: Invisible floor drain Main material: 304 Surface treatment:Satin

mm) C(mm)		The second secon
mm) C(mm)		В
	mm)	C(mm)

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø50	25.5	Ø45	□100



WDL4902E

Product name: Invisible floor drain Surface tre

Surface treatment:Chrome			В
Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø50	31	Ø45	□100



WDL49040

Wall thickness: 3mm

Product name: Invisible floor drain Main material: Brass Surface treatment:Chrome

	B
)	C(mm)

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø50	44	Ø44	□100



WDL49030

Wall thickness: 3mm

Product name: Invisible floor drain Main material: Brass Surface treatment:Chrome

Applicable pipe diameter	A(mm)	B(mm)
Ø50	41	Ø44




WDL3014C

Wall thickness: 3mm

Product name: Floor drain Main material: 304 Surface treatment:Chrome		<u> -</u>	C	
	Applicable pipe diameter	A(mm)	B(mm)	C(mm)





General Floor Drain For Dry / Wet Areas













WDL60260

Wall thickness: 2mm

Product name:Long floor drain Main material: 304 Surface treatment:Satin			< C 		
Applicable pipe diameter	A(mm)	B(mm)	C(mm)	D(mm)	
Ø50	31	43.8	600	30	



WDL60270


Wall thickness: 2mm

Product name:Long floor drain Main material: 304 Surface treatment:Satin					
Applicable pipe diameter	A(mm)	B(mm)	C(mm)	D(mm)	
Ø50	25	43.8	600	30	




Wall thickness: 2mm

Product name:Long floor drain Main material: 304 Surface treatment:Satin Applicable pipe diameter A(mm) B(mm) C(mm) D(mm) Ø50 26 43.8 600 30







Carefully solve wall corner drainage

Balcony corner Bathroom corner Kitchen corner







Product name:Floor drain Main material: 304 Surface treatment:Satin

 Model
 Applicable pipe diameter
 A(mm)
 B(mm)
 C(mm)

 WDL90050-100
 Ø100
 43
 Ø91
 □151



L-shaped design Wall corner side floor drain

Increase drainage capacity and design specifically for special scenarios



WDL90050 Wall thickness: 1.5mm

Product name:Wall and floor drain Main material: 304

Surface treatme	ent:Satin	
Applicable pipe diameter	A(mm)	B(ı

(mm) C(mm) Ø50 77 Ø42 □100


304 material Triangle floor drain

Shower rooms/Bathrooms/Balconies for both wet and dry areas



WDL90060 Wall thickness: 1mm

Product name:Triangle floor drain Main material: 304 Surface treatment:Satin





Cleanout Floor Drain



WDL90040

Wall thickness: 1mm

Product name:Cleaning floor drain Main material: 304 Surface treatment:Satin

	(
					_
(mm)		(:(m	m	١

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø110	12	5	□150



WDL90070

Wall thickness: 2mm

Product name:Cleaning floor drain Main material: 304 Surface treatment:Satin



Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø110	24	Ø100	□150



WDL90080

Wall thickness: 3mm

Product name:Cleaning floor drain Main material: 304 Surface treatment:Satin

	В.	
	0	
	С	
(mm)	C(mm)	

Applicable pipe diameter	A(mm)	B(mm)	C(mm)
Ø110	21	Ø100	□150



WDL39230 Wall thickness: 4mm

Product name:Floor drain Main material: Copper Surface treatment:Chrome



pe diameter	A(mm)	B(mm)	C(mm)
Ø50	29	Ø45	□100



147

05

Barrier-free facilities



Anti slip assistance Always guard

Art and practicality complement each other, which not only brings you comfort and enjoyment, but also makes you a pleasing art treasure.





Nylon handrail& Staircase handrail



WFS41012

Product name: Nylon armrest Main material: ABS+Stainless steel Surface treatment: White+6#(6#) wood grain





WFS41013

Product name: Nylon armrest Main material: ABS+Stainless steel Surface treatment: White+1#(1#) wood grain






WFS21010


Features: Anti slip function

Product name: Stair railing Main material: Nylon+Aluminum alloy Surface treatment: Yellow











Product name: Corridors handrail Main material: Aluminum alloy+PVC Surface treatment: White+Blue





WFS22020

Product name: Corridors handrail Main material: Aluminum alloy+PVC Surface treatment: White+Blue





WFS22030


Product name: Corridors handrail Main material: Aluminum alloy+PVC Surface treatment: White+Blue





Standing and sitting with dedication to achieve safety handrails

Antibacterial resin coating, anti slip design, super load-bearing






WFS11040

Features: Antibacterial / Anti slip

Product name: Safety handrails Main material: 304 Surface treatment: White antibacterial resin coating






WFS11050

Features: Antibacterial / Anti slip

Product name: Safety handrails Main material: 304 Surface treatment:White antibacterial





WFS11080

Features: Antibacterial / Anti slip


Product name: Safety handrails Main material: 304 Surface treatment:White antibacterial







Product name: Safety handrails Main material: 304 Surface treatment: White antibacterial resin coating






WFS13040

Features: Antibacterial / Anti slip

Product name: Safety handrails Main material: 304 Surface treatment: White antibacterial resin coating








Features: Antibacterial / Anti slip

Product name: Safety handrails Main material: 304 Surface treatment:White antibacterial resin coating




155



WFS12050

Features: Antibacterial / Anti slip

Product name: Safety handrails Main material: 304 Function: Hydraulic buffering function Surface treatment:White antibacterial resin coating





WFS13050


Features: Antibacterial / Anti slip

Product name: Safety handrails Main material: 304 Surface treatment:White antibacterial
















Surface treatment: Mirror/Satin

Product name: Safety handrails Main material: 304





WFS11010

Surface treatment: Mirror/Satin

Product name: Safety handrails Main material: 304






WFS12010

Surface treatment: Mirror/Satin

Product name: Safety handrails Main material: 304






WFS13020

Surface treatment: Mirror/Satin

Product name: Safety handrails Main material: 304






WFS1107L/R

Surface treatment: Mirror/Satin

Product name: Safety handrails Main material: 304







Features: Anti slip function

Product name: Safety handrails Main material: Nylon+304/Aluminum alloy Surface treatment: White/Yellow+Mirror





WFS41011

Features: Anti slip function

Product name: Safety handrails Main material: Nylon+Aluminum alloy Surface treatment: White/Yellow+Mirror






WFS42110

Features: Anti slip function

Product name: Safety handrails Main material: Nylon+304/Aluminum alloy Surface treatment: White/Yellow+Mirror





Surface treatment: White/Yellow

Product name: Bathroom stool Main material: Nylon+Aluminum alloy





WFG41010

Surface treatment: Grey

Product name: Baby stand Main material: HDPE







WFG41020

Surface treatment: Grey

Product name: Baby stand Main material: HDPE







WFS42080

Features: Anti slip function

Product name: Safety handrails Main material: Nylon+Aluminum alloy Surface treatment: White/Yellow+Mirror






WFS42090

Features: Anti slip function

Product name: Safety handrails Main material: Nylon+Aluminum alloy Surface treatment: White/Yellow





WFS4107L/R

Features: Anti slip function

Product name: Safety handrails Main material: Nylon+Aluminum alloy Surface treatment: White/Yellow





Foldable

baby safety seat





06

Bathroom hardware Hotel Supplies



Fashionable design
Be pretty and intelligent

The appearance of the product is fashionable and simple, with smooth curves. It is generous and exudes spiritual energy, and naturally contains precious elements.





WHJ40010

Surface treatment: Mirror/Sanded

Product name: Bathroom mirror Main material: Copper free environmentally friendly mirror glass Features: Antioxidant, copper and lead free, green and environmentally friendly

Optional Configuration Features

















WHJ40030

Surface treatment: Mirror/Sanded

Product name: Bathroom mirror (with frame) Main material: Copper free environmentally friendly mirror glass Features: Antioxidant, copper and lead free,

green and environmentally friendly








WHJ40020

Surface treatment: Mirror/Sanded

Product name: Bathroom mirror Main material: Copper free environmentally friendly mirror glass Features: Antioxidant, copper and lead free, green and environmentally friendly







WHJ40040

Surface treatment: Mirror/Sanded

Product name: Bathroom mirror (with frame) Main material: Copper free environmentally friendly mirror glass Features: Antioxidant, copper and lead free, green and environmentally friendly


















Makeupmirror Clothes dryer



WHJ1004A

Surface treatment:Chrome

Product name: Makeup mirror Main material:Copper Features:Flat mirror+3x magnifying glass






WHJ2006A

Surface treatment:Chrome

Product name: Makeup mirror Main material: Copper Features:3x magnifying glass Light source: LED Input voltage: AC220V Wiring port: 3 pin





WHJ1008A

Surface treatment:Chrome

Product name: Makeup mirror Main material:Copper Features:Flat mirror+3x magnifying glass









WFJ2101A Surface treatment:Mirror

Product name: Clothes dryer Main material:304 Minimum rope length: 2.2 m Max capacity: 5kg





WFJ2102A Surface treatment:Mirror

Product name: Clothes dryer Main material:304 Minimum rope length: 2.2 m Max capacity: 5kg





Soap Dispenser



WFJ10020

Surface treatment:Transparent

Product name:Soap dispenser Main material: ABS





WFJ10030

Surface treatment:Transparent

Product name:Soap dispenser Main material: ABS



Soap Dispenser



WFJ41010

Surface treatment:White

Product name:Soap Dispenser Main material: ABS Features: No contact/red, Infrared sensing function





WFJ41020

Surface treatment:White

Product name:Soap Dispenser Main material: ABS Features: No contact/red, Infrared sensing function





167

WFJ10040

Surface treatment:Transparent

Product name:Soap dispenser Main material: ABS





WFJ10050

Surface treatment:Dark brown

Product name:Soap dispenser Main material: ABS





WFJ51010

Surface treatment:White

Product name:Perfume Dispenser Main material: ABS





Full pack waterproof tissue box


360 degree all-round closure, rejecting splashing of tissues





WZH1006A Surface treatment:Matte


Product name:Tissue box Main material: 304





WZH1007A Surface treatment:Matte

Product name:Tissue box Main material: 304





WZH30060 Surface treatment:White

Product name:Tissue box Main material: ABS





WZH30070 Surface treatment:White

Product name: Tissue box Main material: ABS



Tissue Holder/Box



WZH10100

Surface treatment:Mirror

Product name:Tissue holder Main material: 304






WZH10120 Surface treatment:Mirror

Product name:Tissue box Main material: 304





Main material: 304





WZH10140 Surface treatment:Mirror

Product name:Tissue holder





WZH10050 Surface treatment:Mirror

Product name:Tissue holder Original model: ZH105









Surface treatment:Persian gray

Product name: Tissue box Main material: Aluminum alloy






Tissue Holder/Box



WZH1009A

Surface treatment:Mirror

Product name:Tissue box Main material: 304 Original model: ZH109A








WZH10110

Surface treatment:Mirror

Product name:Tissue holder Main material: 304






WZH10250

Surface treatment:Mirror

Product name:Tissue holder Main material: 304





WZH10150

Surface treatment:Persian gray

Product name:Tissue holder Main material: Aluminum alloy





WZH1018A

Surface treatment:Matte black

Product name:Tissue box Main material: Aluminum alloy









07

Bathroom hardware SHOWER



The simpler,
The more
extraordinary

Sparkplug people the quality of advocacy lift and fully experience the joy of living, good, romantic and creative.



HYDRAULIC HINGE



Product name: Hydraulic buffering hinge Main material: 304


Surface treatment: Mirror| Satin

Applicable door thickness: 8~12mm Applicable door width: 600~800mm Maximum door weight: 45kg/pair



WHY2002Z


Features: Double 90 Damping 90








Features: Double 90 Damping





WHY2005Z






Product name: Stamped hinge Main material: 304 Surface treatment: Mirror| Satin

Applicable door thickness: 8~12mm Applicable door width: 600~800mm Maximum door weight: 45kg/pair



WHY3102E


Features: Double 90 Elastic





WHY3104E


Features: Double 90 Elastic





WHY3105E



























175
















WHY55056

Features: single 90 180



Product name: Glass door hinge Main material: 304 Surface treatment: Mirror| Satin


Applicable door thickness: 8~12mm Applicable door width: 600~800mm Maximum door weight: 65kg/pair



WHY11010










WHY11020








WHY11030











WHY11040















WHY11060

Features: Double 90 Electr 90























177




Product name: Glass door hinge Main material: 304 Surface treatment: Mirror| Satin Applicable door thickness: 8~12mm Applicable door width: 600~800mm Maximum door weight: 65kg/pair



WHY12010









WHY12020













WHY12030

Features: Double 90 Elestic 90












WHY12040










WHY12050











WHY12060









179




















Product name: Glass door hinge Main material: 304 Surface treatment: Mirror| Satin Applicable door thickness: 8~12mm Applicable door width: 600~800mm Maximum door weight: 50kg/pair



WHY1101D

Features: Double 90 Elastic 90







WHY1102D

Features: Double 90 Daste 90








WHY1103D










WHY1104D


Features: Double 90 Easte 135





WHY1105D








WHY1201D

Features: Double 90 Electr 90





Product name: Glass door hinge Main material: 304 Surface treatment: Mirror| Satin Applicable door thickness: 8~12mm Applicable door width: 600~800mm



WHY1202D

Maximum door weight: 50kg/pair

Features: Double 90 Electic 90







WHY1204D

Maximum door weight: 50kg/pair



















WHY19040

Maximum door Weight: 45kg/pair Opening mode: outward opening Patent No.: CN 213953312 U

Features: Single 90 Electic 135










WHY19050

Maximum door Weight: 45kg/pair Opening mode: outward opening Patent No.: CN 213953312 U



Glass free from opening The sealant strip is completely clipped in





WHY19010

Maximum door Weight: 45kg/pair Opening mode: outward opening Patent No.: CN 213953312 U

The sealant strip is completely

Features: Single 90 Elastic 90 Glass free from opening















































Multi Angle Glass Fixing Clip



WWB11010

Surface treatment:Mirror

Product name: Fixing clip Applicable thickness:8~12mm Main material: 304 Bore diameter size: Ø16





WWB1102E

Surface treatment:Mirror/Satin

Product name: Fixing clip (Casting) Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16





WWB1103E

Surface treatment:Mirror

Product name: Fixing clip Applicable thickness:8~12mm Main material: 304 Bore diameter size: Ø16





WWB1105E

Surface treatment:Mirror

Product name: Fixing clip Applicable thickness:8~12mm Main material: 304 Bore diameter size: Ø16





WWB1108E

Surface treatment:Mirror/Satin

Product name: Fixing clip (Casting) Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16





WWB1201E

Surface treatment:Mirror/Satin

Product name: Fixing clip (Casting) Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16





WWB1202E

Surface treatment:Mirror/Satin

Product name: Fixing clip (Casting) Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16





WWB1203E

Surface treatment:Mirror/Satin

Product name: Fixing clip (Casting) Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16





WWB1208E

Surface treatment:Mirror/Satin

Product name: Fixing clip (Casting) Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16





WWB3102F

Surface treatment:Mirror/Satin

Product name: Fixed clip (stamped) Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16 Wall thickness: 3mm





WWB3102E

Surface treatment:Mirror/Satin

Product name: Fixed clip (stamped) Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16 Wall thickness: 4mm





WWB3103E

Surface treatment:Mirror/Satin

Product name: Fixed clip (stamped) Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16 Wall thickness: 4mm





WWB3101F

Surface treatment:Mirror/Satin

Product name: Fixed clip Applicable thickness: 8~12mm Main material: 304 Bore diameter size: Ø16 Wall thickness: 3mm





WWB3103F

Surface treatment:Mirror/Satin









★ : The length can be customized according to the project needs



★ WCG10020

Surface treatment:Mirror/Satin

Product name: Support rod Main material: 304 Applicable thickness: 8~12mm





★ WCG10060

Surface treatment:Mirror/Satin

Product name: Support rod Main material: 304 Applicable thickness: 8~12mm





★ WCG10090

Surface treatment:Mirror/Satin

Product name: Support rod Main material: 304 Applicable thickness: 8~12mm






★ WCG10110

Surface treatment:Mirror/Satin

Product name: Support rod Main material: 304 Applicable thickness: 8~12mm






★ WCG50010

Surface treatment:Mirror/Satin

Product name: Support rod Main material: 304 Applicable thickness: 8~12mm





★ WCG50100

Surface treatment:Mirror/Satin

Product name: Support rod Main material: 304 Applicable thickness: 8~12mm





★ WCG50050

Surface treatment:Mirror/Satin

Product name: Support rod Main material: 304 Applicable thickness: 8~12mm






★ WCG50110

Surface treatment:Mirror/Satin

Product name: Support rod Main material: 304 Applicable thickness: 8~12mm









WCG20010

Surface treatment:Mirror/Satin

Product name: Glass clip Main material: 304 Applicable thickness: 8~12mm Applicable pipe diameter: Ø19 | Ø25.4





WCG20030

Surface treatment:Mirror/Satin

Product name: Connector Main material: 304 Applicable pipe diameter: Ø19 | Ø25.4





WCG20080

Surface treatment:Mirror/Satin

Product name: Connecting pipe Main material: 304





WCG20020

Surface treatment:Mirror/Satin

Product name: Fixed seat Main material: 304 Applicable pipe diameter: Ø19 | Ø25.4





WCG20100

Surface treatment:Mirror/Satin

Product name: Connector Main material: 304 Applicable pipe diameter: Ø19 | Ø25.4





WCG60080-25

Surface treatment:Mirror/Satin

Product name: Connecting pipe Main material: 304







WTL10010

Surface treatment:Mirror/Satin

Product name: Fixed seat Installation position: Wall installation Main material: 304





WTL10050

Surface treatment:Mirror/Satin

Product name: Fixed seat Installation position: Wall installation Main material: 304





WTL10090 Surface treatment:Mirror/Satin

Product name: 135° Connector Installation position: Wall installation Main material: 304







WCG2001D-25

Surface treatment:Mirror/Satin

Product name: Glass clip Main material:304 Applicable pipe diameter:





WCG6001D-25

Surface treatment:Mirror/Satin

Product name: Glass clip Main material:304 Applicable pipe diamete □25.4 Applicable thickness: 8~12mm





WCG2002D-25

Surface treatment:Mirror/Satin

Product name: Fixed seat Main material:304 Applicable pipe diameter: Ø25.4





WCG6002D-25

Surface treatment:Mirror/Satin

Product name: Fixed seat Main material:304 Applicable pipe diameter: □25.4





WCG2003D-25

Surface treatment:Mirror/Satin

Product name: Universal connector Main material:304 Applicable pipe diameter: Ø25.4





WCG6003D-25


Surface treatment:Mirror/Satin

Product name: Universal connector Main material:304 Applicable pipe diameter:





Product name: Fixed seat Installation position: Wall installation Main material:304





WTL10150

Surface treatment:Mirror/Satin

Product name: Fixed seat Installation position: Wall installation Main material:304





WTL30010

Surface treatment:Mirror

Product name: U-slot Main material:304 Applicable glass thickness: 8/10/12mm





WTL30020

Surface treatment:Mirror

Product name: U-slot Main material:304 Applicable glass thickness: 8/10/12mm



High hardness without


Stainless steel

deformation

U-shaped groove







Product name: Handle Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~12mm


Code Model Bore diameter Handle pipe diameter B(mm) D(mm) F(mm) WLS1105A/B/T Ø14 Ø25 475 275 70 WLS1104A Ø12 Ø19 457 152 60

Note: When the distance between the door leaf and the fixed glass is less than 10mm, type B structure is selected.





Product name: Handle Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~12mm



Code Model	Bore diameter	Handle pipe diameter	L(mm)	B(mm)	D(mr
WLS15050	Ø14	Ø25	500	475	70
WLS15040	Ø12	Ø19	476	457	60



WLS160

Product name: Handle Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~12mm







Code Model	Bore diameter	Handle pipe diameter	L(mm)	B(mm)	D(mm)
WLS1805A/B	Ø14	Ø25	500	475	70
WLS1804A/B	Ø14	Ø25	400	375	70





WLS510

Product name: Handle Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~12mm


Code Model	Bore diameter	Handle pipe diameter	B(mm)	D(mm)	F(mm)
WLS5105A/B	Ø12	20*20	475	275	60







Product name: Handle Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~12mm



Code Model	Bore diameter	Handle pipe diameter	B(mm)	D(mm)	F(mm)	
WLS51150	Ø12	25*10	475	275	50	



WLS560

Product name: Handle Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~12mm

Code Model	Bore diameter	Handle pipe diameter	L(mm)	B(mm)	D(mm)
WLS56020	Ø12	30*15	180	165	40
WLS56030	Ø12	30*15	290	275	55



WLS561

Product name: Handle Main material: 304

	e treatment: I able thickness			
Cod	de Model	Bore diameter	Handle pipe diameter	L(mm)
	050450	~40	0.000	



WLS56150 Ø12 25*10 477 457 50






WLS562

Product name: Handle Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~12mm





WLS563

Product name: Handle Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~12mm



Code Model	Bore diameter	Handle pipe diameter	L(mm)	B(mm)	D(mm
WLS56350	Ø12	25*10	495	475	50




	Code Model	Bore diameter	Handle pipe diameter	B(mm)	D(mm)	F(mm)	G(mm)
WLS57050 Ø12 30*15 475 275 55 65	WLS57050	Ø12	30*15	475	275	55	65



WLS580

Product name: Handle Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~12mm



Code Model	Bore diameter	Handle pipe diameter	L(mm)	B(mm)	D(mm)
WLS58050	Ø12	30*15	490	475	55

SMALL, EXQUISITE, SIMPLE AND STYLISH





WLS91010

Product name: Handle Main material: 304 Applicable thickness: 8~12mm Bore diameter size: Ø12mm





WLS91020 Surface treatment:Mirror/Satin

Product name: Handle Main material: 304 Applicable thickness: 8~12mm Bore diameter size: Ø12mm





WLS91030 Surface treatment:Mirror/Satin

Product name: Handle Main material: 304 Applicable thickness: 8~12mm Bore diameter size: Ø12mm















Silver border


Phnom Penh



WJT10010

Features: Waterproof for the bottom or side of the door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12 mm Installation method: Clamped into the side of the lass





WJT10030

Features:Waterproof for the side of the 90° swing door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12 mm Installation method:Clamped into the side of the glass





WJT10020

Features: Waterproof for the side of the 180° swing door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12 mm Installation method: Clamped into the side of the glass







WJT1003T

Features: Waterproof for the gap of fixing and active door leaf of the sliding door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12 mm Installation method: Clamped into the side of the glass







WJT10040

Features: Waterproof for the side of the 135° swing door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12 mm Installation method: Clamped into the side of the glass








Features: Waterproof for the gap of the door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12 mm Installation method: Clamped into the side of the glass






WJT10050

Features: Waterproof for the bottom or side of the door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12 mm Installation method: Clamped into the side of the glass





WJT10080

Features: Waterproof for the gap of the door leaves of the sliding door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12 mm Installation method: Clamped into the side of the glass















Phnom Penh



WJT10090

Features: Waterproof for the joint of glass to ground or wall

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10mm Installation method: Clamped into the side of the glass







WJT20010

Features: Waterproof for the side of the 90° or 180° swing door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12mm Installation method: Clamped into the side of the glass



197





WJT10110

Features: Waterproof for the joint of fixing glass

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10mm Installation method: Clamped into the side of the glass






WJT20020

Features: Waterproof for the gap of the door leaves of the sliding door

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12mm Installation method: Clamped into the side of the glass






Features: Waterproof for the side of the 135° swing

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12mm Installation method: Clamped into the side of the glass










WJT30010

Features: Waterproof for the joint of the two door leaves and fixing glass

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12mm Installation method: Use with WJT20030





Features: Waterproof for the side column profile

Product name: Sealing strip Main material: PVC Surface treatment: Transparent / Black Applicable thickness: 8 | 10 | 12mm Installation method: Insert to the profile notch is put in and used together with WTL30110 or WTL30120












LS010 Surface treatment: Matte black/Chrome Glass thickness: 8mm - 10mm Maximum door weight: 50kg



Installation diagram of shower room







Spare parts list



★ : Custom size products ◆ : Optional Accessories

199 For Better Living \(\frac{1}{2}\) 200






LS052 Surface treatment: Matte black/Chrome/Satin Glass thickness: 8mm - 10mm Maximum door weight: 50kg




Installation diagram of shower room







Installation diagram of suspension wheel



Spare parts list



★ : Custom size products ◆: Optional Accessories







WTL110B1 Surface treatment: Mirror or Satin Glass thickness: 8mm - 10mm Maximum door weight: 50kg




Installation diagram of shower room






Guide rail installation diagram



Installation diagram of guide wheel



Spare parts list



★ : Custom size products ◆ : Optional Accessories







WTL151B1 Surface treatment: Specular light or Satin Glass thickness: 8mm - 10mm Maximum door weight: 50kg




Installation diagram of shower room






Guide rail installation diagram



Installation diagram of guide wheel



Spare parts list



★ : Custom size products ◆ : Optional Accessories



Accessory Products



WTL10210

Product name: Fixed seat Main material: 304 Surface treatment: Mirror | Satin Installation position: Wall installation





WTL10220

Product name: Stopper Main material: 304 Surface treatment: Mirror | Satin





WTL10230

Product name: Guide wheel Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~10mm Maximum door weight: 50kg





WTL10240

Product name: Guide rail support Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~10mm



207



WTL10260

Product name: Stop Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~10mm





WTL20220

Product name: Stopper Main material: 304 Surface treatment: Mirror | Satin





WTL20230

Product name: Lifting wheel Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~10mm Maximum door weight: 50kg





WTL20240

Main material: 304

Product name: Guide rail support

Surface treatment: Mirror | Satin

Applicable thickness: 8~10mm

Original model: YTL205 Product name: Guide groove Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~10mm



WTL20050



WTL20260

Product name: Stop Main material: 304 Surface treatment: Mirror | Satin Applicable thickness: 8~10mm









★ WTL10270

Product name: Rail Main material: 304 Surface treatment: Mirror | Satin





★ WTL20270

Product name: Rail Main material: 304 Surface treatment: Mirror | Satin



★ : The length can be customized according to the project needs

