


\*All rights reserved.  
\*Copyright is owned by KIN LONG.  
\* Printed in January,2025.

KIN LONG

KIN LONG  
*For Better Living*

Shower Enclosure Product Catalogue



Shower Enclosure Product Catalogue



**Guangdong Kinlong Hardware Products Co.,Ltd.**  
NO.3 Jianlang RD,Daping Industrial Zone,Tangxia Town,Dongguan City,China  
T: 0086-769-82166666 82136666  
F: 0086-769-82955240 82955241  
E: mail@kinlong.com  
H: www.kinlong.com

www.kinlong.com



STOCK CODE: 002791

Improve the human being's living conditions and make Kinlong the synonym for high-quality.

More than **900,000**㎡  
production area.

More than **60** subsidiaries.

More than **1000** sales offices both  
in domestic and overseas .

More than **15,000** employees.

# ESTABLISHING BENCHMARK AND PURSUING EXCELLENCE

Kinlong was established in 2003 and is a company engaged in design and research, manufacturing and sales of construction and building products. We are committed to provide high-quality products and services. After years of development, Kinlong has become a reputable brand in the construction industry.

Kinlong industrial park has an area of more than 900,000 square meters and has an employment of more than 15000 staff. Kinlong owns more than 60 subsidiaries, and with over 1000 sales branches in the domestic and overseas markets. The company has more than 20,000 categories of products, which has been sold to more than 100 countries and areas. Kinlong, with it's sophisticated production management, provides customers with integrated solutions for different functional buildings.

Focusing on providing integrated construction and building accessories and diversified products, Kinlong continues to meet customer needs and market changes with the sales model of "R&D + manufacturing + service", and sets up its own marketing networks to directly provide customers with products and technical services. With years of precipitation and accumulation, Kinlong is at the forefront of the industry.

Over the years, Kinlong has been embracing the philosophy of "Unique value is created by professionalism, but no future shall be created by speculation". This has made Kinlong standing on the leading position in construction hardware market. Kinlong has provided products and services for many famous buildings around the world, and the landmark buildings of countless cities have become the pride and glory of Kinlong people.

To every designer, engineer and company committed in construction industry, Kinlong is always the most trustworthy and reliable partner.

## Social Responsibility



For more than ten years, Kinlong has not forgotten to give back to the society while developing itself. By the end of 2024, more than 90 kinlong social charity schools have been donated and built in remote and backward areas.





# INNOVATION AND ENTERPRISING INDUSTRY BENCHMARK

Kinlong is committed to driving progress through innovation. Our approach has earned us recognition and high praise from state departments, government units, and sectors.



## ENTERPRISE REPRESENTATIVE HONOR

Second Prize in National Science and Technology Progress Award

First Prize in Huaxia Construction Science and Technology Award

Second Prize in Huaxia Construction Science and Technology Award

Special Prize in China Steel Structure Association Science and Technology Award

First Prize in China Steel Structure Association Science and Technology Award

Innovation Award in China Steel Structure Association Science and Technology Award

The most influential brand of Jinxuan Award in the construction door, window and curtain wall industry for four consecutive sessions;

2021 TOP500 Preferred Supplier of Comprehensive Strength of Chinese Real Estate Development Enterprises-Smart Community Service Category

National High-Tech Enterprise

.....

## REPRESENTATIVE R&D INNOVATION HONOR

National Intellectual Property Demonstration Enterprise

Laboratory center approved by the National Accreditation Board

Guangdong Provincial Enterprise Technology

Center and Provincial Engineering Center

.....

Kinlong adheres to the philosophy that Unique value can only be created by professionalism,speculation has no future. Our enterprise core value is to respect Respecting science; Striving for coexistence and all-win; Promoting constant innovation; Pursuing sincerity and trustworthiness. and we always insist making innovation, breaking through and making progress, increasing our capacity of research, by which we have obtained recognition and praise from government departments, units and all areas in the society and get many achievements. We pay great attention to the needs from our customers and the prospect of our industry, consistently pursuing perfect, good quality, excellent service and systematic solutions. Our quick and accurate ability of handing over are always leading the market.

Kinlong leads the market with good quality, excellent service, systematic solutions and fast and accurate delivery.

## To Form a Full-chain Comprehensive Advantage



## Quality Comes from Profession



Management system certificated by ISO9001,ISO14001 of BSI.Test Laboratory accredited by the China National Accreditation Service of Conformity Assessment(CNAS).

## International Supply Chain to Guarantee Better and Better Service




Kinlong owned more than 1000 sales outlets at home and abroad, with a sales team of more than 5,000 staff to provide customers with rapid response.With more than 30 offices,10 subsidiaries,15 warehoused overseas market,and more will be set up.

More than **1000** patents, among them **100** of invention patents.

Participate **200** industrial standards compile.

# PROJECT PROCESS NODES





Advantages of Kinlong  
Shower Enclosure



Product Advantages

- Glass: Made of automotive grade tempered glass with a crushing particle count of  $\geq 50$ , which is higher than the national standard 40, making it safer;
- Stainless steel material: chromium 18 or above that fully complies with national standards; Nickel above 8, corrosion-resistant;
- Aluminium alloy material: using 6063 international brand, high density, good hardness, sturdy and durable;
- Hinge lifespan  $\geq 50000$  times, exceeding the standard lifespan of 30000 times, to prevent sagging;
- Pulley: Smooth, silent, with a lifespan of over 100000 times, durable and long-lasting;
- Sealing strip: imported raw materials, without adding recycle materials, resistant to aging;
- Eliminate ordinary glass silicone and provide exclusive use of anti mold sealing glass silicone, which does not mold and ensures better quality;
- The hardware components are of good quality and high popularity, and are often designated by Party A.



Service Advantages

- Quick response to proposals and quotations; Offer reasonable configuration and best price;
- Fast delivery of samples and orders. Cooperate in emergency situations;
- Product insurance+installation and construction insurance, dual insurance, making customers more confident;
- Full time project manager+professional, standardized, and efficient construction team to ensure project progress, quality and safety;
- Provide comprehensive hardware solutions (shower enclosure+bathroom hardware) to improve efficiency and reduce costs for customers;
- Professional quality assurance, lifelong service, localized sales+service team, worry free service;
- Focusing on the integrated research and development, manufacturing, sales, installation and construction of "shower rooms+bathroom hardware" in the engineering field.



Technology

- Editor in Chief Standard: JG/T 427-2014 General Technical Requirements for Residential Bathroom Hardware Accessories;
- Participating standard: QB/T 2584-2023 Shower Room Standard;
- Compilation standard: JG/T 326-2011 Hardware for Hinged Glass Doors;
- Participating standard: QB/T 5280-2018 Glass Door Hinge;
- Edited the technical manual of "Indoor Detailed Design Dataset - Bathroom Design" by China Construction Industry Press;
- National level CNAS laboratory;
- Zhongshan Engineering Technology Center, Guangdong Province.







01

SOLUTION  
SPACE



Fresh colors,  
a colorful feeling,  
Fragrant scent,  
simple life  
Distinctive.






## HOTEL SHOWER ENCLOSURE

Space type: Hotel scene

Matching scheme: shower enclosure, shower faucet, basin faucet, bath towel rack, towel rack, paper towel rack, clothes dryer, clothes hook, hair dryer, floor drain, angle valve and other product combinations.







PURIFIED WORLD,  
CAREFREE ENJOYMENT



Immersed  
in the  
beauty of  
peaceful art














## HARDCOVER SHOWER ROOM

Space type: Fine decoration

Matching program: shower enclosure, shower faucet, basin faucet, bath towel rack, towel rack, paper towel rack, entry coat hooks, ultra-thin floor drain, angle valves and other product combinations.







*Warm home decoration  
is a good medicine for  
healing life, allowing  
people to find peace in  
busy life.*












Description of glass screen identification


TEMPERED GLASS

  **GB 15763.2**  
**E000000 ZSBIA QB/T 2584**

TEMPERED GLASS

   China Compulsory Product Certification

   Zhongshan Shower Room Association

**GB 15763.2**  National standard: Safety Glass for Building Part 2: Tempered Glass

**QB/T 2584**  Industry standard: Shower Room

# Technology

304

Stainless steel 304 profile

It has a strong touch and strong metal texture, which is a very fashionable shower room material. Produced in strict accordance with American ASTM standards, it has excellent bearing capacity, is not easy to deform and has strong corrosion resistance. Perfect display of polished 8K mirror effect, lasting brightness as new.



High-performance hardware technology

Both the main body and accessories are made of top-grade S.S.304 raw materials. By the process of integrated precision casting molding, repeated polishing and grinding, hardware is corrosion resistance, high hardness, safety, and durable.



Vacuum electroplating technology

Using the superb PVD vacuum electroplating process, the surface of high-gloss plating hardware accessories is as bright as new, never fading, strong corrosion resistance, not only has the best texture, but also has a long service life.



Pulley technology

Power system composed of high-strength stainless steel bearings and high-quality imported steel balls is outsourced with modified POM and imported materials, with lubrication function. The wheel seat is sealed to prevent air and water from entering, and the pulley can run smoothly for a long time to prevent jumping and jamming. After the sliding test of the movable door, the service life can reach several decades. Durable and long-lasting.



Tempered glass process

Full-automatic glass cutting machine, advanced computer operation interface, laser positioning, the latest European algorithm, automatic typesetting optimization, high-precision cutting, rough grinding, fine grinding, polishing, chamfering and other processes are processed at one time. The advanced glass tempering furnace adopts the physical tempering method for tempering treatment to improve the strength of glass and ensure the safety of glass.



PET Safety explosion-proof membrane

Imported PET material can increase the strength of glass a few times. Even if the glass bursts due to a high-strength external force, glass fragments will still stick together firmly, which will guarantee your safety.

PVC

PVC sealing strip

It is produced by the continuous vulcanization process of food-grade raw material extrusion molding technology. It is used in sanitary products with reasonable design, waterproof and dustproof, bright color, durability, aging resistance, acid and alkali resistance, and fine and glossy section.




Stone base

Clone natural stone base is made of high-performance resin, natural powder and PVC raw materials through vacuum, high pressure and temperature extrusion molding. The new formula has strong toughness and hollow design. It is strong and durable, not easy to break, and lighter. The UV microcrystalline surface is delicate and soft, with clear texture and bright



Shower room product model description




Minimalist  
fashion,  
defining a  
new style

# Contents

<b>Panoramic door type</b>  LG018 P.21 LG019 P.29 LG020 P.35 LG040 P.43 LG041 P.47 LG042 P.51 LG021 P.55 LG009 P.61 LG005 P.65 LG006 P.67	<b>Hinge type</b>  GH001 P.87 LH045 P.97 LH041 P.103 LH042 P.109 LH901 P.117 LH005 P.127 LH003 P.135 LH001 P.145	<b>Shaft type</b>  GZ001 P.71 LZ003 P.157 LZ050 P.163 LZ049 P.169 LZ041A P.173 LZ002 P.179	<b>Double Sliding type</b>  GS001 P.93 LS013 P.187 LS055 P.189 LS011 P.191 LS049 P.195 LS048 P.201 LS046A P.205 LS002 P.209 LS010 P.215 LS052 P.217
<b>Single Sliding type</b>  GD001 P.81 LD048 P.221 LD042 P.225	<b>Linkage door type</b>  LL005 P.231 LL005A P.233 LL005B P.235 LL044 P.237 LL044A P.239 LL045 P.241 LL041 P.243 LL003 P.245	<b>Sliding door type</b>  LT049 P.251 LT046 P.255 LT005 P.259 LT040A P.267 LT045 P.271	<b>Folding phylum</b>  LB001 P.277





Panoramic Door Type

◦ ◦ ◦





## Aesthetic space



Combination of living room and kitchen  
An integrated top-to-bottom design  
Narrow frame with delicate, warm lines  
Present a spacious effect for the living room



Matte black



Moonlit gray



Enamel white



iPhone gold









**LGS018A11** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black/Moonlit gray/Enamel white/iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS018B22** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black/Moonlit gray/Enamel white/iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS018B42** Standard specification: 1400x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black/Moonlit gray/Enamel white/iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS018C32** Standard specification: 1800x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black/Moonlit gray/Enamel white/iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGL018C64** Standard specification: 1800x1800x2200mm  
Customized range: W1:1500-3500mm, W2:1500-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black/Moonlit gray/Enamel white/iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



**LG018 3516 Lifting rail 2+1 linkage**






## THE DESIGN CONCEPT ORIGINATED FROM NATURE, MAKES SUNSHINE.


green plant, shower space to be integrated with each other and create a lively atmosphere, people can enjoy the intimate experience brought from water and nature.








Same direction linkage  
steadily opens the door  
space to 65%



LGS018D11

Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



LGS018E22

Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



LGS018E42

Standard specification: 1400x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



LGS018F32

Standard specification: 1800x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




LGL018F64

Standard specification: 1800x1800x2200mm  
Customized range: W1:1500-3500mm, W2:1500-3500mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



Adapt to different scenarios and redefine the high-end custom



### LG018 3507 Lifting rail 2+1 linkage







## Balance of control



Immersive solo living space

A wide range of spaces to please the senses,  
and simplicity to realize.

Balancing stability and aesthetics

Creating an eye-catching center of attention

Reflecting the poetic spirit of the space



Matte black



Moonlit gray



Enamel white



iPhone gold









**LGS019A11** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS019B22** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS019B42** Standard specification: 1400x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS019C32** Standard specification: 1800x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGL019C64** Standard specification: 1800x1800x2200mm  
Customized range: W1:1500-3500mm, W2:1500-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LG019 4516 Hanging Rail Two-Panel Bypass**



SIMPLE SPACE,  
ELEGANT LIFE,  
NATURALLY.








Same direction linkage  
steadily opens the door  
space to 65%



LGS019D11

Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



LGS019E22

Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



LGS019E42

Standard specification: 1400x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



LGS019F32

Standard specification: 1800x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




LGL019F64

Standard specification: 1800x1800x2200mm  
Customized range: W1:1500-3500mm、W2:1500-3500mm、H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Moonlit gray / Enamel white / iPhone gold  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



Adapt to different scenarios and redefine the high-end style



## LG019 4507 Lift Rail Two Door Lift Trip







## Perfect System Series



Immersive living space  
Delighting yourself in a wide range of  
circumstances and being simple and  
comfortable  
Balance stability and beauty  
Create eye-catching focus  
Reflecting poetic and dynamic space







Enjoy oneself  
and broaden  
one's horizons  
to simplicity  
and ease











Adapt to different scenarios and redefine the high-end style




**LGS020A11** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black /  
New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS020B22** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black /  
New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS020B42** Standard specification: 2000x2200mm  
Customized range: L:2000-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black /  
New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS020C32** Standard specification: 1800x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black /  
New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGL020C64** Standard specification: 2000x2000x2200mm  
Customized range: W1:1600-3500、W2:1600-3500、H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black /  
New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



**LG020 4013 Lift Rail Triple-Linkage**



**LG020 4013 Lift Rail Two-Panel Linkage**







## Balance of control



### Simplicity

Balancing stability and aesthetics  
Creating an eye-catching focal point  
Reflecting the poetic spirit of the space



Matte black



Brushed Gun Gray




Brushed gold






Adapt to different scenarios and redefine the high-end style




LGS040A11    Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type



LGS040B22    Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type




LGS040B42    Standard specification: 1400x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type




LGS040C32    Standard specification: 1800x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type



LGL040C64    Standard specification: 1800x1800x2200mm  
Customized range: W1:1500-3500mm, W2:1500-3500mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type







## Balance of control



Extremely narrow line aesthetic realm  
Extreme open space experience  
Art and function coexist  
Redefining modern home



Matte black



Brushed Gun Gray




Brushed gold






Adapt to different scenarios and redefine the high setting style




**LGS041A11** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type



**LGS041B22** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type




**LGS041B42** Standard specification: 2000x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type



**LGS041C32** Standard specification: 1800x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type



**LGL041C64** Standard specification: 2000x2000x2200mm  
Customized range: W1:1500-3500mm, W2:1500-3500mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type







## Charm Space



Combination of living room and kitchen  
The top design is completed in one go  
Narrow the border, fine and warm  
Present a full space effect for the living room



Matte black



Brushed Gun Gray




Brushed gold






Adapt to different scenarios and redefine the high setting style




LGS042A11 Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type




LGS042B22 Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type




LGS042B42 Standard specification: 2000x2200mm  
Customized range: L:2000-3500mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type




LGS042C32 Standard specification: 1800x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type



LGL042C64 Standard specification: 2000x2000x2200mm  
Customized range: W1:1600-3500、W2:1600-3500、H:2000-2400mm

Product material: S.S.304  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 6/10mm  
Type: concealed type







## Trending Door Series



Aluminium alloy

For the ultimate bathing experience.  
Its spaciousness and fine decorations make  
you feel endless comfort and relaxation.  
Every corner of your home is filled with  
warmth and coziness !



New Titanium  
Brushed Gray



New Skin Black



New Phantom Gray



Adapt to different scenarios and redefine the high setting style



Living room



kitchen



Indoor balcony



Study




Multi-function room






Cloakroom

Hanging Sliding Triple-Linkage  
(Wide-Wide with Thick Panel)



Hanging Sliding Triple-Linkage  
(Wide-Narrow with Thick Panel)



In the realm of art,  
details are like gods.









**LGS021A11** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black / New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS021B22** Standard specification: 1400x2200mm  
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black / New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS021B42** Standard specification: 2000x2200mm  
Customized range: L:2000-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black / New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type




**LGS021C32** Standard specification: 1800x2200mm  
Customized range: L:1600-3500mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black / New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type



**LGL021C64** Standard specification: 2000x2000x2200mm  
Customized range: W1:1600-3500、W2:1600-3500、H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: New Titanium Brushed Gray / New Skin Black / New Phantom Gray  
Glass thickness: 8/10mm  
Type: door with cover type, regular type, concealed type






## Bathroom Door Series



Classic styling will make you feel like you're seeing time reversed. Meticulous care and meticulous care that make your family feel more comfortable and cozy.



Adapt to different scenarios and redefine the high-end style



Multi-function room



Cloakroom




Toilet



LGS00911

Standard specification: 800x2200mm  
Customized range: L:650-900mm, H:1900-2300mm


Product material: Aluminium alloy  
Surface treatment: Matte black/Moonlit gray/Enamel white/iPhone gold  
Glass thickness: 8mm  
Type: main door cover type, Main + auxiliary door cover type






### Main + auxiliary door cover type

Wall finish: Latex Paint, Micro Cement, Art Paint, Water-Based Paint



### Main door cover type:

Wall finish: Latex Paint, Micro Cement, Art Paint, Water-Based Paint





## Bathroom Door Series



A beam of light, hitting the glass, sketched out an outline, light and dark interlaced, if the separation, as if telling a distant and beautiful past, so that the owner inadvertently dreaming back to the past.



Matte black



Brushed Gun Gray



Enamel white



iPhone gold

Adapt to different scenarios and redefine the high setting style




Multi-function room



Cloakroom






Toilet



### LGS00511

Standard specification: 800x2200mm  
Customized range: L:650-900mm, H:1900-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black/Brushed Gun Gray/Enamel white/Brushed gold  
Glass thickness: 8/10mm  
Optional configuration: Double cover, single cover








Folding Door Series



Soft rain, such as smoke, such as fog, such as a veil of dawn, such as in the sky of Bolivian dummy realm, intoxicated in the oblivious, comfortable, free and unrestrained realm of life.



Adapt to different scenarios and redefine the high setting style



Parlor



Kitchen



Indoor balcony



Study



Multi-function room




Cloakroom



LGS00622

Standard specification: 900x2200mm  
Customized range:L:800-1200mm, H:2000-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black/Brushed Gun Gray/Enamel white/Brushed gold  
Glass thickness: 8/10mm  
Optional configuration: Ouble glass 4+4, double glass 5+5




LGS00644

Standard specification: 1800x2200mm  
Customized range:L:1600-2000mm, H:2000-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black/Brushed Gun Gray/Enamel white/Brushed gold  
Glass thickness: 8/10mm  
Optional configuration: Ouble glass 4+4, double glass 5+5





# Minimalism

...

*shower enclosure*





## Simplicity and purity



One door for two purposes: Unique shaft structure can easily realize 240° internal and external door opening.


Minimal: 25mm on the front of the upper track

Safety: Glass edge metal wrap, multiple safety protection.




This series can be used for both inner and outer door opening





Enjoy a  
Romantic  
Life Quietly





# Simplicity and Purity











GZT00141

Standard specification: 2000x900x2200mm  
 Customized range: L:1600-2200, W:800-1200, H:1850-2400mm  
  
 Product material: Aluminium alloy  
 Surface treatment: Matte black/Brushed Gun Gray/Brushed gold  
 Glass thickness: 8/10mm  
 Optional stone base: 50x60mm




GZS00131

Standard specification: 1400x2000mm  
 Customized range: L:1200-1600mm, H:1850-2400mm  
  
 Product material: Aluminium alloy  
 Surface treatment: Matte black/Brushed Gun Gray/Brushed gold  
 Glass thickness: 8/10mm  
 Optional stone base: 50x60mm




GZL00131

Standard specification: 1000x800x2200mm  
 Customized range: L:900-1500, W:800-1200, H:1850-2400mm  
  
 Product material: Aluminium alloy  
 Surface treatment: Matte black/Brushed Gun Gray/Brushed gold  
 Glass thickness: 8/10mm  
 Optional stone base: 50x60mm




GZS00121


Standard specification: 1000x2200mm  
 Customized range: L:800-1500mm, H:1850-2400mm  
  
 Product material: Aluminium alloy  
 Surface treatment: Matte black/Brushed Gun Gray/Brushed gold  
 Glass thickness: 8/10mm  
 Optional stone base: 50x60mm



GZT00152

Standard specification: 2000x800x2000mm  
 Customized range: L:2000-3000, W:800-1200, H:1850-2400mm  
  
 Product material: Aluminium alloy  
 Surface treatment: Matte black/Brushed Gun Gray/Brushed gold  
 Glass thickness: 8/10mm  
 Optional stone base: 50x60mm





Fill the space with simplicity



Buffer damping: Can be installed with buffer damping, buffer door closing, anti-pinch hand  
Minimal: 26mm from the front view of the upper rail  
Safety: Glass edge metal wrap, multiple safety protection










**GDS00121**

Standard specification: 1200x2000mm  
Customized range: L:1200-1500mm, H:1850-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black/Brushed Gun Gray/Brushed gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



**GDS00131**

Standard specification: 1600x2000mm  
Customized range: L:1500-1800mm, H:1850-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black/Brushed Gun Gray/Brushed gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



**GDL00131**

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1500, W:800-1200, H:1850-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black/Brushed Gun Gray/Brushed gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



**GDT00141**

Standard specification: 2200x900x2000mm  
Customized range: L:2000-3000, W:800-1200, H:1850-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black/Brushed Gun Gray/Brushed gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm







## Smart simplicity



Concealed hinge: The hinge is Concealed and not exposed, with strong bearing capacity  
Minimal: 20mm on the front face of the upper track  
Safety: Glass edge metal wrap, multiple safety protection



This series is exterior door










### GHS00121

Standard specification: 1000x2000mm  
Customized range: L:900-1500mm, H:1850-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm



### GHS00131

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm



### GHL00131

Standard specification: 1200x900x2000mm  
Customized range: L:900-1500, W:800-1200, H:1850-2400mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm



### GHT00152

Standard specification: 2000x900x2000mm  
Customized range: L:1900-2500, W:800-1200, H:1850-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm





# Poetry of simple residence





Ground rail sliding door: adjustable lower support bearing structure, smooth sliding  
Minimal: 25mm on the front of the upper track  
Safety: glass edge metal wrap, multiple safety protection.



**GSS00122** Standard specification: 1400x2000mm  
Customized range: L:1200-1600, H:1850-2400mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm












Show Honor



Full frame minimalist cushion hinge design, independent research and development, external cushion hinge style, with 304 stainless steel handles, highlighting the noble and honorable, to meet the needs of the bathroom life, but also reflects your status as a business card!



This series can be both open-out or open-in door






Hinge type




Hinge type

Minimally  
cushioned hinge  
design with  
all inclusive frame




**LHL04531** Standard specification: 1300x900x2000mm  
Customized range: L:1000-1500mm、W:800-1200mm、H:1850-2200mm

Product material: S.S.304  
Surface treatment: Matte Black / Mirror / Brushed Gun Gray / Brushed Titanium  
GoldGlass thickness: 8 /10mm  
Optional stone base: 50x60mm




**LHP04531** Standard specification: 900x900x2000mm  
Customized range: L1:800-1500mm、L2:800-1500mm、H:1850-2200mm

Product material: S.S.304  
Surface treatment: Matte Black / Mirror / Brushed Gun Gray / Brushed Titanium  
GoldGlass thickness: 8 /10mm  
Optional stone base: 50x60mm



**LHS04521** Standard specification: 1400x2000mm  
Customized range: L1:800-1600mm、H:1850-2200mm

Product material: S.S.304  
Surface treatment: Matte Black / Mirror / Brushed Gun Gray / Brushed Titanium  
GoldGlass thickness: 8 /10mm  
Optional stone base: 50x60mm







Internal and external hinge



Nobility is not the luxury of material, not the luxury of life, but the attitude and personality of life. The noble honor of the classic series meets the needs of bathroom life, and is also a business card that reflects your identity.



This series can be both open-out or open-in door





Hinge type

Hinge type






LHS04121

Standard specification: 1000x2000mm  
Customized range: L:900-1400mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm



LHS04131

Standard specification: 1400x2000mm  
Customized range: L:1200-1500mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm



LHP04131

Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm



LHL04131

Standard specification: 1200x900x2000mm  
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm



LHT04152

Standard specification: 2000x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm





Total package box



Nobility is not the luxury of material, not the luxury of life, but the attitude and personality of life. The noble honor of the classic series meets the needs of bathroom life, and is also a business card that reflects your identity



This series is exterior door





Hinge type

SEEKING  
NEW PLACE



Hinge type

Hinge type




Hinge type



LHS04211

Standard specification: 800x2000mm  
Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



LHS04221A

Standard specification: 1000x2000mm  
Customized range: L:900-1400mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



LHS04221B

Standard specification: 1000x2000mm  
Customized range: L:800-1400mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



LHS04231

Standard specification: 1400x2000mm  
Customized range: L:1200-1500mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm



LHP04231

Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm



LHL04231

Standard specification: 1200x900x2000mm  
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm



LHT04252

Standard specification: 2000x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm





Elegant Unique



Nobility is not the luxury of material, not the luxury of life, but the attitude and personality of life. The noble honor of the classic series meets the needs of bathroom life, and is also a business card that reflects your identity



This series can make in open-out or open-in door







PURIFIED WORLD,  
CAREFREE ENJOYMENT

Hinge type



ETERNALLY  
BLOOMS IN TIME

ELEGANCE



Hinge type



Hinge type



Hinge type



LHS90111

Standard specification: 800x2000mm  
Customized range: L:700-900mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHS90121

Standard specification: 1000x2000mm  
Customized range: L:800-1400mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHS90131

Standard specification: 1500x2000mm  
Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHP90131

Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHL90131

Standard specification: 1200x900x2000mm  
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHL90141

Standard specification: 1500x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHU90141

Standard specification: 1200x900x900x2000mm  
Customized range: L:900-1300mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHU90151

Standard specification: 1500x900x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHT90152

Standard specification: 2000x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHF90162

Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open

LHE90172

Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm

Left open

Right open





Beautiful space





Home is a port. On every evening when you return home, you should feel comfortable at the first time. To enjoy life is to have the most comfortable experience.



This series can be open-out or open-in door



# PERFECT FEELING



- Product features:
- The glass does not need to be cut, greatly reducing the risk of self-explosion;
  - The water retaining strip does not need to be cut, and it is installed in a through-type manner to achieve perfect dry-wet separation








## THE DESIGN CONCEPT ORIGINATED FROM NATURE, MAKES SUNSHINE ,


green plant, shower space to be integrated with each other and create a lively atmosphere, people can enjoy the intimate experience brought from water and nature.

Based on the design concept of nature, sunshine, green plants and shower space are integrated into each other, creating a fresh atmosphere where people can enjoy the intimate experience brought by water and nature.




LHS00511 Standard specification: 800x2000mm  
Customized range: L:700-900mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm




LHS00521 Standard specification: 1000x2000mm  
Customized range: L:800-1400mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm




LHS00531 Standard specification: 1500x2000mm  
Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm




LHP00531 Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm




LHL00531 Standard specification: 1200x900x2000mm  
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm




LHL00541 Standard specification: 1500x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm




LHU00541 Standard specification: 1200x900x900x2000mm  
Customized range: L:900-1300mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm




LHU00551 Standard specification: 1500x900x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm




LHT00552 Standard specification: 2000x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm




LHF00562 Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm



LHE00572 Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm







Classic Trend



Behind every product, there is a story. From design to production, it is the formation and recognition of product personality and style. Every process is forged with a high level of quality and texture.



This series is exterior door





Hinge type



Hinge type

INTIMATE  
EXPERIENCE





RATIONALITY  
AND SENSITIVITY



Hinge type



CREATE  
QUALITY MODEL




Hinge type



LHS00311

Standard specification: 800x2000mm  
Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHS00321

Standard specification: 1000x2000mm  
Customized range: L:800-1400mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHS00331

Standard specification: 1500x2000mm  
Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHP00331

Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHL00331

Standard specification: 1200x900x2000mm  
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHL00341

Standard specification: 1500x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHU00341

Standard specification: 1200x900x900x2000mm  
Customized range: L:900-1300mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHU00351

Standard specification: 1500x900x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHT00352

Standard specification: 2000x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHF00362

Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm



LHE00372

Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 mm  
Optional stone base: 50x60mm





Touch Elegance



With ingenious design, simple and clear lines, elegant design is not limited by any era and trend, and is different from the style of secular vision, making sanitary life full of charm.



This series can be open-out or open-in door







Hinge type



# ANGLE IS RELEASED, UNIVERSAL CORNER JOINT

Hinge type





Hinge type



Hinge type

BRAND  
STYLE

LHS00111

Standard specification: 800x2000mm  
Customized range: L:700-900mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHS00121

Standard specification: 1000x2000mm  
Customized range: L:800-1400mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHS00131

Standard specification: 1500x2000mm  
Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHP00131

Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHL00131

Standard specification: 1200x900x2000mm  
Customized range: L1:900-1500mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHL00141

Standard specification: 1500x900x2000mm  
Customized range: L1:1200-1800mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHU00141

Standard specification: 1200x900x900x2000mm  
Customized range: L:900-1300mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHU00151

Standard specification: 1500x900x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHT00152

Standard specification: 2000x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHF00162

Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open

LHE00172

Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8 / 10 / 12 mm  
Optional stone base: 50x60mm

Left open

Right open





Shaft Type  
...  
*Shower enclosure*



Shaft type



### Fashionable minimalism



Concealed Pivot Seat Minimalist Shower Enclosure: Aluminium alloy profile (with wrapped frame), 304 stainless steel pull handle, Aluminium alloy rail, wall material, inside and outside opening concealed pivot style.



This series can be applicated in open-out or open-in doors



Shaft type



Shaft type




Shaft type

LZS00331

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Bright Silver/Matte Black/Milan Gray/Brushed Gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



LZL00331

Standard specification: 1400x900x2000mm  
Customized range: L:1000-1400mm, W:800-1200mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Bright Silver/Matte Black/Milan Gray/Brushed Gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



LZP00331

Standard specification: 1000x1000x2000mm  
Customized range: L:800-1200mm, W:800-1200mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Bright Silver/Matte Black/Milan Gray/Brushed Gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



LZT00352

Standard specification: 2000x900x2000mm  
Customized range: L:2000-3000mm, W:800-1200mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Bright Silver/Matte Black/Milan Gray/Brushed Gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm





Shaft type



Quiet and comfortable



Concealed pivot seat minimalist shower enclosure: stainless steel profiles (with cladding frame), 304 stainless steel pull handle, stainless steel rail, wall material, inside and outside open concealed pivot style.



This series can be used for both inner and outer door opening



Shaft type

Shaft type




Shaft type

Fashionable  
minimalism




**LZS05031** Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror/Matte black/Brushed Gun Gray/Brushed gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm




**LZL05031** Standard specification: 1400x900x2000mm  
Customized range: L:1000-1400mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror/Matte black/Brushed Gun Gray/Brushed gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm




**LZP05031** Standard specification: 1000x1000x2000mm  
Customized range: L:800-1200, W:800-1200, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



**LZT05052** Standard specification: 2000x900x2000mm  
Customized range: L:2000-3000mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray / Brushed gold  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



Shaft type



Fashion model



The stylish and simple exterior design is unforgettable. Line handle design, diamond shaped minimalist aesthetics, classic fashion, making love home more tasteful.



This series can be used for both inner and outer door opening




Shaft type




**LZS04921** Standard specification: 1000x2000mm  
Customized range: L:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




**LZL04931** Standard specification: 1200x900x2000mm  
Customized range: L:900-1500mm, W: 800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




**LZP04931** Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2: 800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm



**LZT04952** Standard specification: 2000x900x2000mm  
Customized range: L:1900-2500mm, W: 800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm



Shaft type



Classic Enjoy



Tailored for people with taste, it represents the highest level of artistic bathroom life. It is a label of identity and status. It is culture, art, enjoyment and treasure. It is our long-awaited lifestyle.



This series can be applicated in open-out or open-in doors



Shaft type





Shaft type




RELEASE  
POETIC IMAGINATION

Shaft type




LZS041A21 Standard specification: 1000x2000mm  
Customized range: L:800-1300mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




LZS041A31 Standard specification: 1500x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




LZP041A31 Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




LZL041A31 Standard specification: 1200x900x2000mm  
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




LZL041A41 Standard specification: 1500x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




LZU041A41 Standard specification: 1200x900x900x2000mm  
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




LZU041A51 Standard specification: 1500x900x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




LZT041A52 Standard specification: 2000x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm




LZF041A62 Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm



LZE041A72 Standard specification: 2000x900x900x2000mm  
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x60mm





Shaft type



Gorgeous appearance



The gorgeous instrument shows the worship and creation of the ultimate life, the perfect unity of the construction and shape of work and energy, the artistic creation of geometric squares, and the integration of practicality and taste.



This series can be applied in open-out or open-in doors



Shaft type



Shaft type





Shaft type







**LZS00231** Standard specification: 1200x2000mm  
Customized range: L:1000-1400mm, H:2000-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8mm  
Optional stone base: 50x60mm





**LZP00231** Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:2000-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8mm  
Optional stone base: 50x60mm



**LZL00231** Standard specification: 1200x900x2000mm  
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black  
Glass thickness: 8mm  
Optional stone base: 50x60mm



INTIMATE  
EXPERIENCE



Double Sliding Type

• • •  
*Shower enclosure*







Double sliding door soft-close series




**Additional damping and cushioning system**  
When opening or closing the door of the shower enclosure  
The damping system acts automatically  
Provides a gentle and even resistance  
Optimal cushioning of the door  
Effectively reduces noise and vibration  
Provides a quieter and more comfortable showering environment



LSS01322

Standard specification: 1400x2000mm  
Customized range: L:1200-1500mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Matte Black / Light silver / Matte Gold  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm



LSL01332

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1500mm, W:700-1500mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Matte Black / Light silver / Matte Gold  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm






Double sliding door soft-close series




**Additional damping and cushioning system**  
When opening or closing the shower enclosure door, the damping system automatically engages, providing gentle and consistent resistance. It ensures optimal cushioning, effectively reducing noise and vibration, creating a quieter and more comfortable showering experience.



LSS05522

Standard specification: 1400x2000mm  
Customized range: L:1100-1500mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Matte Black / Mirror / Brushed Gun Gray  
Glass thickness: 8/10mm  
Optional stone base: 50x80mm



LSL05532

Standard specification: 1400x900x2200mm  
Customized range: L:1100-1500mm, W:700-1500mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Matte Black / Mirror / Brushed Gun Gray  
Glass thickness: 8/10mm  
Optional stone base: 50x80mm





Double Sliding type



## Fashion Versatile



With the rapid development of the times, people's demands for quality of life are also increasing. The high-end light luxury gun has a gray tone, unlocking a new aesthetic and fashion. It not only has a high aesthetic value, but also smooth line design, making it more fashionable and versatile.



Matte black Bright silver Milan grey





Double Sliding type



LSS01122

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm




Product material: Aluminium alloy  
Surface treatment: Matte black / Bright silver / Milan Grey  
Glass thickness: 8 / 10mm  
Optional stone base: 80x60mm



LSS01121

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm




Product material: Aluminium alloy  
Surface treatment: Matte black / Bright silver/ Milan Grey  
Glass thickness: 8 / 10mm  
Optional stone base: 80x60mm



LSS01131

Standard specification: 2000x2000mm  
Customized range: L:1500-2100mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Matte black / Bright silver/ Milan Grey  
Glass thickness: 8 / 10mm  
Optional stone base: 80x60mm



LSS01142

Standard specification: 2200x2000mm  
Customized range: L:2000-2400mm, H:1850-2200mm




Product material: Aluminium alloy  
Surface treatment: Matte black / Bright silver/ Milan Grey  
Glass thickness: 8 / 10mm  
Optional stone base: 80x60mm



LSL01132

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Bright silver/ Milan Grey  
Glass thickness: 8 / 10mm  
Optional stone base: 80x60mm







## Journey of Taste



Transparent and flexible design space, sharp edges and corners, precise structural design, perfect combination of art and science and technology, resolute and powerful, but also comprehensive, interpreting modern life.



Mirror



Matte black



Brushed Gun Gray







Double Sliding type



Double Sliding type






Double Sliding type

Double Sliding type

LSS04922

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm



LSS04921

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm



LSL04932

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm



LSL04931

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1600mm, W:1800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm



LSS04942

Standard specification: 1600x2000mm  
Customized range: L:1500-2000mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm



Double Sliding type



Release the space



The combination of first-class materials and advanced craftsmanship brings a warm and delicate texture, interpreting elegance from a new design perspective, allowing people to experience a luxurious and comfortable bathroom life, and bringing an extremely spiritual living atmosphere.



Double Sliding type






LSS04822

Standard specification: 1400x2000mm  
Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 /12mm  
Optional stone base: 50x60mm



LSS04821

Standard specification: 1400x2000mm  
Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 /12mm  
Optional stone base: 50x60mm



LSL04832

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 /12mm  
Optional stone base: 50x60mm



Double Sliding type



## Taste Life



The combination of first-class materials and advanced technology brings a warm and delicate texture, deduces grace from a new design perspective, lets people experience a noble and comfortable bathroom life, and brings a very spiritual life style.



Double Sliding type









**LSS046A22** Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm




**LSS046A21** Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm




**LSS046A31** Standard specification: 1500x2000mm  
Customized range: L:1400-1800mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm




**LSS046A42** Standard specification: 1800x2000mm  
Customized range: L:1500-2000mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm



**LSL046A32** Standard specification: 1400x900x2000mm  
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10mm  
Optional stone base: 50x80mm




Double Sliding type



## Delicate Texture



No matter how perfect the product design is, it needs to be realized through production. The accuracy of material selection and molding, and the accurate measurement of lofting and cutting all reflect our work style of meticulous work and excellence.



Double Sliding type







Double Sliding type



Double Sliding type


SEEKING  
NEW PLACE



LSS00222

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Gloss Silver / Matte Silver  
Glass thickness: 8mm  
Optional stone base: 50x80mm



LSS00221

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Gloss Silver / Matte Silver  
Glass thickness: 8mm  
Optional stone base: 50x80mm



LSS00242

Standard specification: 1600x2000mm  
Customized range: L:1500-2000mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Gloss Silver / Matte Silver  
Glass thickness: 8mm  
Optional stone base: 50x80mm



LSL00232

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Gloss Silver / Matte Silver  
Glass thickness: 8mm  
Optional stone base: 50x80mm



LSL00231

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Gloss Silver / Matte Silver  
Glass thickness: 8mm  
Optional stone base: 50x80mm







## Fashion Minimalism



Originating from the design concept of nature, sunlight, green plants, and shower spaces complement each other seamlessly, creating a lively atmosphere where people can enjoy the intimate experience brought by water and nature.




Matte black

### LSS01022

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Matte Black  
Glass thickness: 8 / 10mm  
Optional stone base: 60x80mm





Simple Fashion




No matter how perfect a product design is, it needs to be achieved through production. From material selection to accurate molding, from layout to precise cutting, all reflect our meticulous and meticulous work style of striving for excellence.



**LSS05222** Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Matte  
Glass thickness: 8 / 10mm  
Optional stone base: 60x80mm







Single Sliding Type  
Shower enclosure

Single Sliding type

Single Sliding type



## Beautiful Attractive



With the simplest lines, the simplest geometric surfaces and geometric bodies, and through the simplest combination, the horizontal and vertical, line and surface, surface and body, practical and beautiful are skillfully combined into a whole, full of modern fashion.








Single Sliding type

LDS04821

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm



LDL04831

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm



LDS04831

Standard specification: 1500x2000mm  
Customized range: L:1400-1800mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x60mm



LDS04842

Standard specification: 1800x2000mm  
Customized range: L:1600-2000mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 mm  
Optional stone base: 50x60mm



Single Sliding type



Beautiful Attractive



With the simplest lines, the simplest geometric surfaces and geometric bodies, and through the simplest combination, the horizontal and vertical, line and surface, surface and body, practical and beautiful are skillfully combined into a whole, full of modern fashion.









LDT04241 Standard specification: 2000x900x2000mm  
Customized range: L:2000-3000mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8mm  
Optional stone base: 50x80mm




LDT04231 Standard specification: 2000x900x2000mm  
Customized range: L:2000-2600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8mm  
Optional stone base: 50x80mm



LDT04221 Standard specification: 1800x900x2000mm  
Customized range: L:1800-2400mm, W:900-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8mm  
Optional stone base: 50x80mm



Single Sliding type

Single Sliding type






## Linkage Door Type

• • •  
*Shower enclosure*

Linkage door type

Linkage door type





## Enticing Space



The exquisite and delicate texture highlights an elegant and generous atmosphere, depicting the infinite vitality of life. The combination of nature and culture allows you to easily have a peaceful and charming space.




Matte black Bright silver Sand silver

### LLS00532

Standard specification: 1200x2000mm  
Customized range: L:1000-1500mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Bright silver / Sand silver  
Glass thickness: 8/10/12mm  
Optional stone base: 50x80mm



Linkage door type

Linkage door type



## Fully encapsulated frame linkage door series





The exquisite and delicate texture highlights an elegant and generous atmosphere, depicting the infinite vitality of life. The combination of nature and culture allows you to easily have a peaceful and charming space.



**LLS005A32** Standard specification: 1200x2000mm  
Customized range: L:1100-1500mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Bright silver / Sand silver  
Glass thickness: 8/10/12mm  
Optional stone base: 50x80mm







## Distinctive Style




The combination of first-class materials and advanced technology brings a gracious and delicate texture, interpreting grace with a new design perspective, allowing people to experience a dignified and comfortable bathroom life, and bringing a very spiritual life temperament.



**LLS005B32** Standard specification: 1200x2000mm  
Customized range: L:1100-1500mm, H:2000-2200mm

Product material: Aluminium alloy  
Surface treatment: Bright silver / Matte silver

Glass thickness: 8/10/12mm  
Optional stone base: 50x60mm





## Beauty of simplicity




The combination of first-class materials and advanced craftsmanship brings a warm and delicate texture, interpreting elegance from a new design perspective, allowing people to experience a luxurious and comfortable bathroom life, and bringing an extremely spiritual living atmosphere.



### LLS04432

Standard specification: 1200x2000mm  
Customized range: L:1000-1500mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x80mm



### LLL04442

Standard specification: 1200x900x2000mm  
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8 / 10 / 12mm  
Optional stone base: 50x80mm







## Freehand elements



Rationality and sensibility are intertwined, integrated, and sublimated here. The simple composition and freehand elements highlight the profound charm of art, technology, sensibility, and intellect.



**LLL044A42** Standard specification: 1400x2000mm  
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8mm  
Optional stone base: 50x80mm

**LLS044A32** Standard specification: 1200x900x2000mm  
Customized range: L:1000-1500mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8mm  
Optional stone base: 50x80mm





Simplicity and purity



Craftsmanship quality is the persistent pursuit of materials and craftsmanship, never forgetting the original intention, and a people-oriented design attitude, allowing us to enjoy this simple and pure beautiful life.



LLS04532

Standard specification: 1400x2000mm  
Customized range: L:900-1500mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 6 / 8mm  
Optional stone base: 80x60mm

LLL04542

Standard specification: 1400x900x2000mm  
Customized range: L:900-1500mm, W:800-1200mm, H:1850-2000mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8mm  
Optional stone base: 80x60mm







## Balance of Beauty



The combination of first-class materials and advanced technology brings a warm and delicate texture, deduces grace from a new design perspective, lets people experience a noble and comfortable bathroom life, and brings a very spiritual life style.



### LLS04132

Standard specification: 1200x2000mm  
Customized range: L:1000-1500mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 6 / 8mm  
Optional stone base: 50x80mm

### LLL04142

Standard specification: 1200x900x2000mm  
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 6 / 8mm  
Optional stone base: 50x80mm





## Magnificent chic



Classic works of art touch the soul. Gorgeous and unique design combined with exquisite and excellent craftsmanship, make people move, and give full play to the aesthetic feeling, which can be regarded as the perfect combination of creativity and technology.



Matte black   Bright silver   Sand silver









LLS00332

Standard specification: 1200x2000mm  
Customized range: L:1000-1500mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Matte black / Bright silver / Sand silver

Glass thickness: 6/8mm  
Optional stone base: 50x80mm



Linkage door type

Linkage door type





Sliding Door Type

...  
*Shower enclosure*






Exquisite and Simple



304 large guide wheel style, universal swivel design, large guide wheel 90° rotation, free to open and close, better save space in the bathroom.




Sliding door type

Sliding door type

LTS04911

Standard specification: 700x2000mm  
Customized range: L:700-900mm、W:750-1200mm、H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black /Brushed gun gray/Brushed titanium  
Glass thickness: 6/8mm  
Optional stone base: 60x50mm



LTS04921

Standard specification: 1000x2000mm  
Customized range: L:900-1400mm、W:750-1200mm、H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black /Brushed gun gray/Brushed titanium  
Glass thickness: 6/8mm  
Optional stone base: 60x50mm



LTL04921

Standard specification: 700x750x2000mm  
Customized range: L:700-900mm、W:750-1200mm、H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black /Brushed gun gray/Brushed titanium  
Glass thickness: 6/8mm  
Optional stone base: 60x50mm



LTL04931

Standard specification: 1000x750x2000mm  
Customized range: L:900-1400mm、W:750-1200mm、H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black /Brushed gun gray/Brushed titanium  
Glass thickness: 6/8mm  
Optional stone base: 60x50mm



Sliding door type

Sliding door type






Craftsmanship quality



Perceive the aesthetics of space with temperature, depth and breadth. Fashionable lifestyle involves all aspects of life, such as dressing, eating, living, behavior and even emotional expression.



Perceived spatial aesthetics, with temperature, depth, and breadth.




A fashionable lifestyle involves various aspects of life, such as clothing, food, daily life, behavior, and even emotional expression.

#### LTL04621

Standard specification: 800x900x2000mm  
Customized range: L:650-800mm、W:900-1500mm、H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black /Brushed gun gray/Brushed titanium  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



#### LTL04631

Standard specification: 1000x1000x2000mm  
Customized range: L:800-1500mm、W:900-1600mm、H:1850-2200mm



Product material: S.S.304  
Surface treatment: Mirror / Matte black/ Brushed gun gray/Brushed titanium  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm




#### LTP04631

Standard specification: 1000x1100x2000mm  
Customized range: L:1000-1300mm、W:700-1300mm、H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed gun gray/Brushed titanium  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm








## Pure and Happy



In the world of innocence, I have a easily moved heart. In passion, I woven into colorful memories. I also seek sensible happiness and finally a melancholy and confused heart, and find my own way of life.





Sliding door type

Sliding door type



Simple structural atmosphere, bright and friendly colors and natural light combine the beauty of contemporary life. The open shower space transforms the entire bathroom into a charming area, which highlights the pure and simple design style.



## THE ATMOSPHERE WITH SIMPLE STRUCTURE


bright and warm colors and natural light, combined with the beauty of contemporary life, the open style of bathroom shower space makes the whole bathroom shower space makes the whole bathroom to be transformed into an area with full charming ,thus it highlights the pure concise design style more than before.



LTC00542

Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Gloss Silver / Matte Silver / Matte black  
Glass thickness: 6 / 8mm  
Optional stone base: 50x60mm



LTL00542

Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: Aluminium alloy  
Surface treatment: Gloss Silver / Matte Silver / Matte black  
Glass thickness: 6 / 8mm  
Optional stone base: 50x60mm



LTS00521

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Gloss Silver / Matte Silver / Matte black  
Glass thickness: 6 / 8mm  
Optional stone base: 50x60mm







Charm Space



A beam of light hits the glass, outlining a silhouette, intertwined with light and dark, as if telling a distant and beautiful past, making the owner inadvertently dream back to the past.






LTC040A42

Standard specification: 900x900x2000mm  
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 6/8mm  
Optional stone base: 50x60mm



LTS040A21

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 6/8mm  
Optional stone base: 50x60mm



LTS040A31

Standard specification: 1400x2000mm  
Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 6/8mm  
Optional stone base: 50x60mm



LTS040A42

Standard specification: 1800x2000mm  
Customized range: L:1500-2200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 6/8mm  
Optional stone base: 50x60mm



LTL040A31

Standard specification: 1400x900x2000mm  
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 6/8mm  
Optional stone base: 50x60mm



LTL040A41

Standard specification: 1500x900x2000mm  
Customized range: L:1400-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304  
Surface treatment: Mirror / Matte black/Brushed Gun Gray  
Glass thickness: 6/8mm  
Optional stone base: 50x60mm



LTL040A52

Standard specification: 1800x900x2000mm  
Customized range: L:1500-2200mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black/Brushed Gun Gray  
Glass thickness: 6/8mm  
Optional stone base: 50x60mm







Quality Superior



Perceived space aesthetics, including temperature, depth and breadth. Fashion lifestyle involves all aspects of life, such as clothing, food and drink, behavior and even emotional expression.







THE DESIGN CONCEPT  
ORIGINATED FROM NATURE,  
MAKES SUNSHINE ,

green plant, shower space to be integrated with each other and  
create a lively atmosphere, people can enjoy the intimate experience  
brought from water and nature.





Based on the design concept of nature, sunshine, green plants and shower space are integrated  
into each other, creating a fresh atmosphere where people can enjoy the intimate experience  
brought by water and nature.



LTP04531

Standard specification: 1100x1100x2000mm  
Customized range: L1:900-1300mm, L2:1050-1300mm, H:1850-2200mm



Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm



LTL04521

Standard specification: 900x900x2000mm  
Customized range: L:700-900mm, W:700-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm




LTL04531

Standard specification: 900x900x2000mm  
Customized range: L:900-1400mm, W:700-1200mm, H:1850-2200mm

Product material: S.S.304  
Surface treatment: Mirror / Matte black / Brushed Gun Gray  
Glass thickness: 8/10mm  
Optional stone base: 50x60mm







Folding Door  
...  
*Shower enclosure*





## Space collocation



The dazzling and concise lines, beautiful streamlined design, and imaginative space combination make your bathroom more beautiful!



Matte black   Bright silver   Sand silver









**LBS00121** Standard specification: 900x2000mm  
Customized range: L:700-900mm, H:1850-2200mm

Product material: Aluminium alloy  
Surface treatment: Bright Silver / Sand Silver / Matte Black  
Glass thickness: 8 mm  
Optional stone base: 50x60mm



## How to choose a shower enclosure?

### 1. Check the room type and choose right style

(1) Choose the room type according to bathroom layout. The conventional room types on the market are: Straight，Curved.

### 2. Look at the glass, choose safety explosion-proof glass

- (1) Glass is the core component of shower enclosure, and glass safety is the most important part of purchasing a shower enclosure.
- ① Toughened glass with CCC certification mark and processed with fine grinding and chamfering and rounding of four corners;
- ② The appearance is transparent, and there are no defects such as dots and bubbles.

### 2. Look at the profile, it must be solid and durable

- (1)shower enclosure profile is a metal frame which supports and moves tempered glass. The material is divided into stainless steel 304 and high-quality Aluminium alloy.
- ① Appearance: Profiles with good gloss, strong corrosion resistance, and no defects such as color difference and trachoma;
- ② Quality; high-quality Aluminium alloy: the hardness of Aluminium alloy material is above 12 degrees, and the conventional thickness is above 1.2mm; stainless steel 304: the conventional thickness is above 0.8mm.

### 3. Look at the pulley, be light and smooth

- (1) Material of pulley:
- ① The bearing of the pulley is made of compressive and heavy-duty materials;
- ② The bracket of the pulley is made of 304 stainless steel, which is resistant to deformation and corrosion;
- ③ The life of the pulley needs to reach more than 25000 times of pushing and pulling.

### 4. Look at the seal, separate dry and wet

- (1) The main observation parts for the sealing of the shower enclosure are connection between the glass and the wall, the joint between sealing strip and glass (profiles, accessories), magnetic attraction between sealing strips,whether the joint between shower enclosure and stone base (bottom basin) is sealed.

### 5. Certificate of shower enclosure

(1) The 3C certificate, quality inspection certificate, and patent certificate of a product is a direct manifestation of product quality.

## Cleaning and maintenance of shower enclosure

### 1. Cleaning and Maintenance

- ① Please keep the shower enclosure clean to prevent hair and other debris from blocking the drainage outlet;
- ② When wiping the shower enclosure glass, remember not to use corrosive liquids to wipe it. Use corrosive liquids to wipe the shower enclosure glass will reduce the glossiness of the glass surface;
- ③ Prohibit strong acidic detergents containing acetone, water or ammonia; When cleaning, do not use acid, alkali, or sharp tools to avoid damaging the shower surface glossiness of bathtub, hardware, Aluminium alloy and other accessories;
- ④ Pay attention to regular cleaning and maintenance of shower enclosure hardware accessories;
- ⑤ If the glass sealant falls off, it may cause water leakage. So, once it falls off, please make sure to make up for it again.

### 2. Maintenance of tempered glass, stainless steel profiles, Aluminium alloy profiles, and stone bases

- ① Do not scratch or impact the glass surface (especially the edges) with hard objects;
- ② Do not wipe the surface of glass (profiles, stone bases) with corrosive solutions such as strong acids and bases to avoid damaging the surface glossiness;
- ③ Do not use rigid materials such as metal wires to wipe the surface of glass (profiles, stone bases) to avoid scratches on the surface;
- ④ Prevent direct sunlight and exposure.

## The standard of customized shower enclosure



### Customized requirements for application：

#### A. Sliding door screen

1. When customer doesn't have special requirements, the production standard of sliding door screens is to reasonably allocate the size of each piece of glass on the premise of maximizing the opening space.
2. Recommend a reasonable screen according to exact width:

Width(mm)	Linkage door	Double sliding	One fix and one sliding	Two fix and one sliding	Two fix and two sliding
< 1000	●				
1000-1200		●	●		
1200-1600				●	●
1400-2000					
Under the premise of ensuring the safety of the house, the limit width of the movable glass should not exceed 800mm, and the fixed glass can be relatively wide to ensure safety.					

3. If the upper, middle and bottom widths measured on site are inconsistent, the upper, middle and bottom width dimensions (actual size) should be indicated.
4. The capping size must be clearly noted that height is true and size has not been reduced, and 3-5mm will be appropriately subtracted during factory production.

#### B. Swing door application

1. When placing an order, it is necessary to write clearly the customized width of fixed glass or movable glass. If not specified, the factory will reasonably allocate the glass size according to the specific width of the product.
2. Recommend a reasonable screen according to the specific width:

Width(mm)	90° single swing door screen	One fix and one sliding	Two fix and one sliding		
< 800	●				
800-1500		●			
1200-2000			●		
The movable glass has a width of 600-650mm, of which two fixed and one living shower room, and the small fixed glass is 150-300mm.					

3. If the upper, middle and lower widths measured on site are inconsistent, the upper, middle and lower width dimensions (actual size) should be indicated.
4. The capping size must be clearly noted that the height is true and the size has not been reduced. The factory will appropriately subtract 3-5mm.

### Customized requirements for square-shaped shower enclosure：

- (1) Ensure the angle is 90°
- (2) Order the size of the length, width and height (usually the size of the room body of the order is placed in the size of the outer edge of the stone base),
- (3) If you need the net size of the house (formed size after installation), you must indicate on the order (the net size of the house is smaller than the size of the order)
2. Without specifying the installation location, the house is usually installed in the middle of the stone base.
3. When the length and width are not equal, the corner direction and door opening direction of the shower room must be indicated.
4. The capping size must be clearly noted that the height is true and the measurement has not been reduced. The factory will appropriately subtract 3-5mm

### Customized requirements for diamond-shaped shower enclosure：

1. Order requirements for diamond-shaped shower enclosure:
- (1) The angle is ensured to be 135°，
- (2) The optional diamond-shaped stone base has two specifications of bevel length 636 and 707 (the bevel length of the customized factory stone base must be indicated),
- (3) Place an order with the dimensions of length, width and height (usually the size of the room body of the order is placed in the size of the outer edge of the stone base).
- (4) If you need the net size of the house (formed size after installation), you must indicate on the order (the net size of the house is smaller than the size of the order).
2. If you need to make your own stone base, please ask the technical engineer for the stone base drawings, and make them according to the requirements.
3. If the customer has pre-embedded the stone base，please measure according to the size measurement method provided by the company, and calculate whether the three side dimensions meet 135°.
- If the stone base is irregular or with steps, you need to provide specific size sketches and on-site photos, and confirm with the company's designer that it can be produced before placing an order.
4. Without specifying the installation location, the house is usually installed in the middle of the stone base.
5. The cap size must be clearly noted that the height is not reduced by the actual measurement, and 3-5mm will be appropriately subtracted during the factory production.

### Customized requirements for curved shower enclosure：

1. Curved room order requirements:
- (1) The standard arc radius of the stone base is 550mm. The radius cannot be changed. The size difference can only be achieved by changing the length of the two straight sides.
- (2) Place an order with the dimensions of length, width and height (usually the size of the room in the order is placed in the size of the outer edge of the stone base).
- (3) If you need the net size of the house (formed size after installation), it must be indicated on the order (the net size of the house is smaller than the size of the order).
2. If you need to make your own stone base, please ask the technical engineer for the stone foundation drawings, and make them according to the designing requirements.
3. If the customer has pre-embedded the stone base, please measure according to the size measurement method provided by the company, and calculate whether the stone foundation R can satisfy us .The smallest R manufactured. If the stone base is irregular or with steps, you need to provide specific size sketches and on-site photos, and confirm with the company's designers whether it can be produced. You can place an order.
4. When the length and width are not equal, the left and right directions of the room should be indicated separately.
5. The cap size must be clearly noted that the height is not reduced by the actual measurement, and 3-5mm will be appropriately subtracted during the factory production.





# Standard for dimensional measurement of shower enclosure



Purpose: Standardize the measurement procedure, improve measurement efficiency and size accuracy.  
Note: For the measurement of on-site size, please measure the size after bathroom tiles are installed.  
Tools: tape measure, protractor, angle ruler, pencil, notebook, etc.  
Length unit: mm

If there is a top rod, the height of the rod should be considered when measuring the height of the shower enclosure. Refer to the catalogue to select the model with rod. When placing an order, indicate whether the height of the room body is to the height of the top of the rod or the height of the glass.

## Hot tip:

- ① The measured size is subject to actual measurement and cannot be increased or decreased!
- ② The measured size is the outermost edge size of the stone base. When placing an order, the outermost edge size of the stone base will be quoted!
- ③ The measured size must indicate the width of the stone base.

## Other considerations:

- ① Consult the customer about the distribution of water and electric wires, and ensure that the installation avoids water pipes and circuits.
- ② The measured size must be the actual size and cannot be increased or decreased.
- ③ Provide a simple layout diagram of the bathroom (photograph).
- ④ Whether there are collision objects in the opening direction of the shower enclosure and the surrounding area.
- ⑤ Determine the direction of the room body (left and right type).
- ⑥ If it is a high floor, pay attention to the size of the bathroom door and elevator to ensure that the goods can enter the home smoothly.



Double velvet+ultra white glass/normal glass  
Process: sparkling silver thread laminated



Double velvet+ultra white glass/normal glass  
Process: silver thread laminated



Small wick+ultra white glass/normal glass  
Process: Transparent adhesive



Normal glass+Normal glass  
Process: oil sand laminated



Small wick+ultra white/normal glass  
Process: opaque adhesive



Double velvet+ultra white/normal glass  
Process:sparkling coffee gold laminated



European Grey+European Grey  
Process: Transparent laminated



Tea glass+Tea glass  
Process: frosting laminated



Ultra white glass+ultra white glass  
Process: Pink gradient laminated



Normal glass+normal glass  
Process: Blue gradient laminated

Shower enclosure laminated glass sample

Color for stone base



white



black



Platinum sand



Black galaxy



Black gold



Coffee



Golden brown



Light brown




Sunny yellow




Jade green

Specification for stone base



Specification: 50x60mm



Specification: 50x80mm

Shape of stone base



Linear shape



perpendicular shape




fan shape




diamond shape

Measurement of shower enclosure


Size measurement for shower screen




Size measurement for square shower enclosure



Size measurement for diamond shower enclosure



Size measurement for shower enclosure with window



Size measurement for fan shaped shower enclosure





## Minimalist Handle



LSL313 circular tube Ø12  
Center distance: 900+300



LSN206 oblate tube 10X15  
Center distance: 900



LSN218 circular tube φ12  
Center distance: 900



LSN219 circular tube φ18, 12.5X18  
Center distance: 900



LSN220 oblate tube 10X15  
Center distance: 900



LSN221 D-tube 12.5X18  
Center distance: 900



LSP315 horn-shaped tube 12X22  
Center distance: 450



LSP318 tapered flathead  
Center distance: 450

## Handle



LSD201 square tube 25X25  
Center distance: 450/600mm



LSD202 circular tube φ 25  
Center distance: 450/600mm



LSD203 flat tube 25X13  
Center distance: 450/600mm



LSD204 square tube 19X19  
Center distance: 400/450/600mm



LSN201 square tube 25X25  
Center distance: 450/600mm



LSN202 circular tube φ 25  
Center distance: 450/600mm



LSN203 flat tube 25X13  
Center distance: 450/600mm



LSN204 square tube 19X19  
Center distance: 450/600mm



LSN208 elliptical tube 24X12  
Center distance: 145mm



LSN209 circular tube φ 25  
LSN210 circular tube φ 19  
Center distance: 145mm



LSP201 square tube 25X25  
Center distance: 300/450mm



LSP202 circular tube φ 25  
Center distance: 300/450mm


## Handle



LSP203 flat tube 25X13  
Center distance: 300/450mm



LSP204 square tube 19X19  
Center distance: 300/450mm



LSL301 square tube 25X25  
Center distance: 425X275mm



LSL304 square tube 19X19  
Center distance: 425X275mm



LSL302 circular tube  $\phi$  25  
Center distance: 425X275mm



LSL303 flat tube 25X13  
Center distance: 425X275mm



LSL305 circumference25X10 circular tube  $\phi$  25  
LSL306 circumference30X15 circular tube  $\phi$  30  
Center distance: 425X275mm/450X300mm



LSU403 square tube 25X13  
Center distance: 300X800X300mm







Scan for more information

**Create Values for the Customers  
Sincerely and Whole-heartedly**

Unique value is created by professionalism, but no future  
shall be created by speculation.